



Prisliste

Twobi™
G A R A S J E P O R T E R



Priser på Twobi garasjeporter

Fom. 01.09.2019

Tar forbehold om evt. Trykkfeil.


Nyhet beslag type E



The construction of the door frame elements was designed to provide an easy installation and to eliminate the risk of making a mistake.



Easy installation of lines by hooking in special openings.




Possibility of choosing a place for suspension installation thanks to moveable hooks and installation profiles.




Ball-bearing rolls guarantee quiet and safe work.




Specially designed lower hinge provides optimal sealing of the door.



The door reinforced with middle hinges as a standard.



Two-lip bottom sealing.



Lintel sealing installed on the wall.

SEE THE NEW FUNCTIONS:



Tension springs installed vertically.



Easy installation of springs in the hooks.



Easy and reliable regulation of springs in previously prepared installation openings.

Beslag type E strekkfjærer, Kan leveres til alle porter med bredde opp til 4000mm porthøyde 2500mm
beslaget krever kun 120 mm overhøyde.
Mer info se side 20.

Innholdfortegnelse

- 4. Spesifikasjoner
- 5. Spesifikasjoner for decors gr.1 og gr 2
- 6. Priser st.størrelser woodgrain mod E
- 7. Notater
- 8. Notater
- 9. Priser st.størrelser woodgrain mod T
- 10. Priser woodgrain st. farger, mod T
- 11. Priser woodgrain RAL farger, mod T
- 12. Priser glatt panel, st.og RAL farger, mod E
- 13. Priser glatt panel, decors gr 1 og 2, mod E
- 14. Spesifikasjoner dør paneler / glatte porter
- 15. Priser st.størrelser glatt panel, mod T
- 16. Priser glatt panel, st.og RAL farger, mod T
- 17. Priser glatt panel, decors gr 1 og 2, mod T
- 18. Tilbehør, vindue, beslag mm.
- 19. Oversikt vinduer, håndtak
- 20. Beslag typer
- 21. Målskjema
- 22. Priser BASE porter
- 23. Priser side dører
- 24. Priser rulleporter
- 25. Port åpner Marantec
- 26. Port åpner Starcus

SPECIFICATION

DOOR CURTAIN

- sections 500 mm, 553 mm*, 610 mm in height
- door sections made of fire galvanised and polyester coated steel sheets
- filling: freon-free polyurethane foam, 40 mm thick or 60 mm thick
- reinforcement profile is used in the doors with the width exceeding 4750 mm
- weight: ~13 kg/m² or ~14 kg/m² (for VENTE RFS 60)

* for RSS, RFS

TRACK SYSTEM

- fire galvanised steel construction
- N track system with torsion springs (Design, Classic T),
E track system with extension springs (Classic E)
- springs working life min. 15 000 cycles

SAFETY DEVICES






- spring break safety device
- roller protection covers (Design)
- hand bolt (see accessories table)
- lock (see accessories table)

Classic doors are not equipped with the wall fixing components.

The minimum order dimension of Design doors is: width 2000 mm, height 1700 mm (for K2 RA doors minimum height is 1950 mm) - the door prices are calculated according to the nearest dimension range in the pricelists.

The doors with dimensions exceeding those maximum specified in the pricelists are calculated on individual basis.

It is not recommended to install the doors in dark colours in the places that are exposed to strong sunshine (e.g. on the southern part). This may lead to the door curtain deformation, which is a natural process arising from the material properties.



	VENTE RC	VENTE RS	VENTE RF	VENTE RA	VENTE RCS
outside embossment	multi grooved	single grooved	no embossments	cassettes	multi grooved
outside surface	woodgrain	woodgrain	woodgrain	woodgrain	smooth
inside embossment	multi grooved	multi grooved	multi grooved	multi grooved	multi grooved
inside surface	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel
inside colour	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾

Classic E typical doors	index	K2 RC E	K2 RS E	K2 RF E	-	K2 RCS E
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	-	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	E track system with extension springs			-	E track system with extension springs
	dimensions / accessories	page 6 / 18			-	page 12 / 18
Classic T typical doors	index	K2 RC T	K2 RS T	K2 RF T	K2 RA T	K2 RCS T
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9010) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, possibility of applying L track system				N track system with shot peened torsion springs, possibility of applying L track system
	dimensions / accessories	page 8 / 18				page 14 / 18
Design tailor made doors	index	K2 RC	K2 RS	K2 RF	K2 RA	K2 RCS
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9010) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system				look at the right
	dimensions / accessories	page 10-11 / 18				page 16-17 / 18





¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours

SPECIFICATION

DECORS - VENEERS


	name	similar RAL colour		name	similar RAL colour
group I	Golden oak 48	RAL 8007	group II	Anthracite - smooth 204	RAL 7016
	Chestnut 96	RAL 8014		Metbrush anthracite 193	RAL 7016
	Anthracite 174	RAL 7016		Basalt grey - smooth 207	RAL 7012
	Winchester 19	RAL 1011		Bright birke 1	RAL 1011
	Dark oak 44	RAL 8014		Quartz grey 216	RAL 7039
	Dark grey smooth 703	RAL 7016		Grey cedar 22	RAL 7006
	Mahogany 12	RAL 8016		Merbau 6*	RAL 8011
	Grey 173	RAL 7001		Metallic anthracite 209	RAL 7016
	Boggy oak 45	RAL 8019		Metallic dark grey 704	RAL 7024
	Siena noce 15	RAL 8028		Travertine 3*	RAL 1013
	Chocolate brown 185	RAL 8022		Sheffield oak 46	RAL 9002
	Carbon 210	RAL 7012		Concrete 2	RAL 7042
	Natural oak 42	RAL 1001		White 7	RAL 9003
	Macore 5	RAL 8016		Black - smooth 8	RAL 9011
	Cream 104	RAL 9001		Grey ash oak 49	RAL 7030
	Antique pine 20	RAL 8003		Woodec turner oak malt 50	RAL 1011

* available until stocks last



VENTE RSS	VENTE RM	VENTE RFS	VENTE RFS 60		
single grooved	V-profiling	no embossments	no embossments	outside embossment	
smooth	smooth	smooth	smooth	outside surface	
multi grooved	multi grooved	multi grooved	multi grooved	inside embossment	
stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	inside surface	
White (RAL 9010) ¹⁾	White (RAL 9002) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	inside colour	
K2 RSS E	K2 RM E	K2 RFS E	-	index	Classic E typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	-	colours	
decors group I and II	-	decors group I and II	-	decors	
E track system with extension springs			-	track system	
page 12 / 18			-	dimensions / accessories	
K2 RSS T	K2 RM T	K2 RFS T	K2 RFS 60T	index	Classic T typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, possibility of applying L track system			N track system with shot peened torsion springs, possibility of applying L track system	track system	
page 14 / 18			page 21 / 23	dimensions / accessories	
K2 RSS	K2 RM	K2 RFS	K2 RFS 60	index	Design tailor made doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system			N28, L15, NH35	track system	
page 16-17 / 18			page 22 / 23	dimensions / accessories	

¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours


WOODGRAIN Classic E**STANDARD COLOURS****RC E**

Anthracite (RAL 7016)
White RAL 9016
Brown RAL 8014

Lik pris høyde 2125mm og 2100 mm
5 % tillegg for skreddersydde porter med E track
Skinne type E track krever 120 mm overhøyde

bredde →


høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	7913	8309	8455	8561	8561	8812	8984	9355	9950	10585	11008	11643	12517
2125	8270	8534	8680	8772	8772	8984	9236	9619	10215	10836	11352	11934	13271
2250	8468	8759	8918	9341	8944	9236	9487	9871	10506	11220	11643	12662	13575
2375	8958	9302	9474	9566	9566	9818	10043	10545	11008	12040	12503	13601	14541
2500	9368	9659	9871	10267	10267	10532	10770	11313	11815	12834	13205	14356	15335

RS E**RF E**

Anthracite (RAL 7016)
White RAL 9016



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	8323	8759	8905	9064	9064	9355	9566	9950	10585	11260	11776	12411	13324
2125	8706	8984	9143	9275	9275	9566	9818	10215	10836	11564	12027	12741	14078
2250	8931	9222	9394	9527	9527	9778	10043	10545	11141	11895	12411	13469	14462
2375	9434	9804	9990	10162	10162	10466	10664	11220	11776	12781	13324	14475	15507
2500	9871	10175	10400	10903	10903	11220	11445	12040	12636	13390	13945	15361	16393

WOODGRAIN Classic E**RAL COLOURS****RC E**

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	8918	9381	9553	9672	9672	9976	10188	10638	11352	12106	12636	13390	14382
2125	9328	9632	9804	9950	9950	10215	10519	10969	11696	12450	13085	13800	15256
2250	9566	9884	10069	10201	10201	10545	10850	11313	12080	12927	13482	14633	15666
2375	10122	10506	10704	10903	10903	11207	11471	12067	12675	13879	14488	15718	16804
2500	10598	10916	11167	11696	11696	12027	12318	12953	13601	14395	15004	16234	17558

RS E**RF E**

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9368	9857	10043	10175	10175	10532	10783	11233	11987	12781	13403	14157	15190
2125	9804	10135	10307	10453	10466	10810	11114	11577	12331	13178	13760	14607	16063
2250	10056	10400	10585	10770	10783	11101	11405	11987	12715	13601	14250	15427	16552
2375	10241	11061	11260	11485	11498	11855	12106	12741	13429	14620	15308	16591	17769
2500	11141	11485	11749	12318	12331	12715	13006	13694	14435	15149	15798	16962	18047

NOTES

This image shows a full page of blank graph paper. The grid consists of small, equal-sized squares formed by thin, dark gray lines. There are no margins, text, or other markings on the page. The grid covers the entire area from edge to edge.

WOODGRAIN Classic T





STANDARD COLOURS

K2 RC T

K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)

- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016)
- Brown (similar to RAL 8014)*

* refers to K2 RC T and K2 RA T

WOODGRAIN Classic T





RAL COLOURS

K2 RC T


K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)



		St farge			RAL farger		
bredde	høyde	RCT	RS T, RF T	K2 RA T	K2 RCT	RS T, RF T	K2 RA T
2200 / 2375	2000	8 865	9394	9394	10016	10545	10545
	2125 / 2100	9 077	9606	9606	10320	10850	10850
	2250	9 553	10148	10148	10942	11551	11551
	2375	9 910	10532	10532	11299	11908	11908
	2500	10 638	11299	11299	12133	12794	12794
2400	2000	8 865	9394	9394	10016	10545	10545
	2125 / 2100	9 077	9606	9606	10320	10850	10850
	2250	9 553	10148	10148	10942	11551	11551
	2375	9 910	10532	10532	11299	11908	11908
	2500	10 638	11299	11299	12133	12794	12794
2500	2000	9 116	9699	9699	10334	10903	10903
	2125 / 2100	9 302	9910	9910	10585	11207	11207
	2250	9 804	10439	10439	11246	11868	11868
	2375	10 175	10836	10836	11617	12278	12278
	2500	10 916	11630	11630	12477	13191	13191
2600	2000	9 302	9910	9910	10559	11180	11180
	2125 / 2100	9 566	10175	10175	10903	11511	11511
	2250	10 016	10664	10664	11498	12133	12133
	2375	10 400	11061	11061	11895	12556	12556
	2500	11 154	11868	11868	12768	13482	13482
2750	2000	9 699	10307	10307	11022	11643	11643
	2125 / 2100	9 963	10572	10572	11379	12001	12001
	2250	10 228	10929	10929	11723	12424	12424
	2375	10 929	11630	11630	12517	13218	13218
	2500	11 723	12490	12490	13429	14197	14197
3000	2000	10 307	10969	10969	11762	12424	12424
	2125 / 2100	10 572	11233	11233	12120	12781	12781
	2250	10 876	11538	11538	12517	13178	13178
	2375	11 418	12199	12199	13138	13932	13932
	2500	12 252	13099	13099	14104	14964	14964
3250	2000	10 969	11670	11670	12543	13257	13257
	2125 / 2100	11 233	11987	11987	12913	13654	13654
	2250	11 630	12331	12331	13403	14104	14104
	2375	12 490	13244	13244	14408	15163	15163
3500	2000	11 418	12199		13099	13906	
	2125 / 2100	11 762	12464		13575	14276	
	2250	12 067	12861		13985	14779	
	2375	12 966	13826		15030	15890	
3750	2000	12 067	12861		13892	14686	
	2125 / 2100	12 384	13218		14316	15149	
	2250	13 125	13972		15176	16009	
	2375	14 104	15017		16314	17213	
4000	2000	13 444	14290		15388	16222	
	2125 / 2100	14 237	15084		16301	17135	
	2250	14 555	15481		16725	17651	
	2375	15 560	16553		17915	18908	
4250	2000	14 767	15693		16831	17757	
	2125 / 2100	15 124	16050		17307	18233	
	2250	15 653	16619		17968	18934	
	2375	16 751	17796		19252	20297	
4500	2000	15 256	16182		17426	18352	
	2125 / 2100	15 693	16659		18008	18974	
	2250	16 050	17016		18498	19463	
	2375	17 175	18220		19821	20866	
4750	2000	16 354	17320	17320	18656	19622	19622
	2125 / 2100	16 659	17677	17677	19106	20125	20125
	2250	17 055	18114	18114	19649	20707	20707
	2375	18 259	19410	19410	21064	22202	22202
5000	2000	16 751	17770	17770	19172	20191	20191
	2125 / 2100	17 108	18154	18154	19675	20733	20733
	2250	17 624	18736	18736	20350	21461	21461
	2375	18 881	20072	20072	21831	23022	23022
5250	2000	17 717	18815		20270	21368	
	2125 / 2100	18 206	19344		20905	22043	
	2250	18 564	19701		21421	22559	
	2375	19 887	21117		22969	24213	
5500	2000	18 431	19569		21077	22228	
	2125 / 2100	18 736	19926		21567	22744	
	2250	19 040	20270		22043	23274	
	2375	20 403	21739		23644	24980	

NB; Port høyde 2125 og 2100 lik pris


 Standard porter er tilgjengelig med skinne system N og L,
vinduer kun i skreddersydde porter

Mod. RA tilgjengelig i bredder opp til 3350mm, fom 4750mm tom 5000mm

Tailor made sectional garage doors vente

WOODGRAIN Design STANDARD COLOURS

RC




hvit tilnærmet RAL 9016
Anthracite (RAL 7016)
brun tilnærmet RAL 8014 (gjelder RC og RA)


bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	9057	9277	9498	9784	10005	10433	11082	11809	12290	13004	14426	15412	16347	17542	17971	19022	19788	20204	20814
2125	9277	9498	9745	10005	10290	10732	11381	12108	12641	13342	15257	15945	16815	17867	18373	19568	20152	20788	21334
2250	9498	9784	9966	10264	10550	11017	11706	12511	13004	14134	15620	16776	17204	18295	18944	19931	20464	22502	23022
2375	10070	10394	10654	10939	10810	11771	12290	13186	13835	14900	16555	17062	18269	19321	19892	21009	21204		
2500	10732	10978	11264	11628	11887	12433	13147	14017	14848	15861	17347	18243	19165	20580	21126	21918	22295		
2625	11017	11264	11602	11913	12212	12822	13446	14562	15147	16108	17737	18750	19477	20165					
2750	11160	11524	11809	12134	12433	13147	13770	14926	15614	16484	18516	19178	19918	20658					
2875	11745	12030	12316	12718	13004	13627	14536	15718	16523	17224	19282	19983	20775						
3000	12108	12355	12679	13004	13368	14316	15004	16082	16770	17640	19685	20490							


RS



RF



RA



Anthracite (RAL 7016)
hvit tilnærmet RAL 9016
brun tilnærmet RAL 8014 (gjelder RC og RA)

bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	9641	9862	10070	10394	10654	11082	11809	12576	13121	13835	15322	16399	17347	18620	19087	20217	20879	21489	22126
2125	9862	10070	10329	10654	10939	11381	12108	12900	13446	14238	16153	17126	17867	18983	19529	20801	21412	22113	23996
2250	10070	10394	10615	10914	11199	11745	12433	13290	13835	15030	16594	17412	18269	19451	20152	21204	21775	23944	24528
2375	10732	11043	11303	11667	11913	12511	13121	14017	14744	15861	17581	18529	19386	20542	21152	22152	22762	21113	
2500	11381	11706	12030	12355	12641	13264	13991	14926	15835	16926	18438	19814	20360	21892	22463	23307	23723		
2625	11745	12030	12316	12679	13004	13653	14342	15536	16121	17159	18853	19931	20710	21438					
2750	11887	12251	12576	12939	13264	13991	14640	15822	16627	17562	19685	20373	21191	21970					
2875	12472	12796	13147	13511	13835	14497	15497	16770	17614	18354	20503	21243	22100						
3000	12861	13186	13472	13835	14277	15251	15978	17133	17861	18808	20931	21788							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000			RA ikke tilgj.			


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB; Port høyde 2125 og 2100 lik pris

Tailor made sectional garage doors vente

WOODGRAIN Design RAL COLOURS


RC




bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11602	10563	10862	11199	11446	12004	12770	13666	14225	15108	16646	17854	18905	20230	20736	21931	22866	23152	23892
2125	10602	10862	11199	11498	11835	12394	13160	14056	14692	15588	17620	18412	19503	20697	21334	22645	23372	23931	24632
2250	10901	11238	11446	11835	12173	12770	13575	14562	15199	16471	18100	19334	20048	21282	22048	23203	23879	25826	26463
2375	11537	11926	12264	12602	12900	13627	14264	15367	16133	17367	19204	20308	21282	22476	23165	24476	25203		
2500	12264	12602	12939	13368	13705	14394	15238	16315	17276	18523	20139	21139	22346	23879	24567	25294	25839		
2625	12641	12939	13368	13757	14134	14861	15627	16939	17666	18640	20451	21632	22541	23905					
2750	12861	13277	13666	14056	14432	15289	16056	17458	18263	19146	21360	22191	23126	24047					
2875	13498	13874	14264	14731	15069	15835	16900	18354	19289	20003	22256	23139	24138						
3000	13965	14264	14692	15069	15536	16640	17497	18821	19665	20548	22788	23801							


RS



RF



RA



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	10901	11147	11446	11835	12134	12692	13498	14432	15069	15965	17581	18879	19931	21334	21892	23165	24099	24411	25177
2125	11199	11446	11745	12134	12511	13069	13874	14861	15536	16471	18516	19594	20606	21840	22476	23931	24697	25229	25956
2250	11498	11874	12134	12472	12861	13498	14303	15367	16056	17406	19113	20165	21113	22476	23281	24476	25203	27242	27995
2375	12225	12602	12900	13329	13666	14394	15108	16224	17068	18393	21243	21425	22437	23710	24476	25826	26593		
2500	12939	13329	13757	14134	14471	15238	16095	17237	18263	19588	21541	22450	23541	24645	25917	26657	27255		
2625	13368	13757	14095	14510	14939	15705	16562	17964	18692	19678	22502	22788	23736	25255					
2750	13575	14056	14432	14861	15289	16133	16939	18445	19328	20211	23437	23372	24359	25333					
2875	14264	14653	15108	15536	15926	16731	17925	19406	20432	21120	24009	24385	25424						
3000	14731	15108	15497	15926	16471	17627	18484	19886	20769	21704	18879	25073							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000			RA ikke tilgj.			


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB; Port høyde 2125 og 2100 lik pris

Slick Classic E

STANDARD COLOURS

RCS E




RM E




Anthracite (RAL 7016)

	bredde →												
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	8226	8641	8797	8927	8927	9225	9433	9836	10446	11095	11563	12212	13634
2125	8602	8875	9031	9187	9187	9433	9680	10082	10706	11394	11887	12537	14387
2250	8810	9109	9277	9394	9394	9654	9940	10368	11030	11745	12212	13264	14750
2375	9316	9680	9862	10005	10005	10303	10563	11056	11563	12602	13121	14251	15776
2500	9758	10044	10277	10732	10732	11043	11316	11861	12407	13342	14017	15212	16750

RSS E



RFS E




Anthracite (RAL 7016)

	bredde →												
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	8732	9187	9355	9511	9511	9797	10005	10446	11095	11822	12329	13004	14465
2125	9135	9433	9602	9732	9732	10005	10303	10706	11394	12108	12654	13368	15257
2250	9368	9797	9862	9979	9979	10264	10563	11030	11706	12511	13004	14134	15646
2375	9914	10290	10485	10654	10654	10991	11199	11745	12329	13420	13965	15173	16737
2500	10381	10693	10927	11433	11433	11784	12017	12602	13225	14069	14679	15835	17269

RAL COLOURS

RCS E




RM E




	bredde →												
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9797	10303	10498	10667	10667	11030	11316	11822	12615	13446	14095	14926	16529
2125	10251	10589	10784	11030	11030	11355	11693	12498	13004	13887	14588	15419	17464
2250	10511	10875	11082	11355	11355	11693	12056	12615	13472	14394	15069	16315	17996
2375	11134	11563	11784	12069	12069	12446	12796	13420	14147	15458	16198	17536	19282
2500	11654	12017	12290	12965	12965	13368	13744	14419	15069	16536	17250	18614	20347

RSS E



RFS E



	bredde →												
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10381	10927	11121	11251	11251	11602	11887	12433	13264	14173	14848	15718	17347
2125	10862	11225	11433	11563	11563	11939	12303	12822	13692	14601	15341	16250	18334
2250	11147	11524	11745	11926	11926	12303	12667	13264	14160	15147	15848	17185	18905
2375	11797	12264	12498	12718	12718	13134	13433	14108	14900	16276	17055	18484	20256
2500	12368	12744	13030	13653	13653	14108	14432	15160	16017	17393	18172	19484	21243

NB: Port høyde 2125 og 2100 lik pris

5 % tillegg for skreddersydde porter med E track

Skinne type E track krever 120 mm overhøyde

Slick Classic E

Decors group I


RCS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9394	9875	10057	10199	10199	10524	10810	11316	12030	12861	13407	14238	15724
2125	9823	10147	10329	10524	10524	10849	11134	11680	12394	13225	13874	14666	16620
2250	10070	10407	10602	10810	10810	11134	11459	12030	12796	13692	14316	15497	17139
2375	10654	11069	11277	11537	11537	11887	12147	12835	13446	14718	15380	16666	18347
2500	11160	11511	11758	12381	12381	12770	13030	13783	14445	15614	16250	17224	18931

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9862	10381	10563	10732	10732	11095	11394	11926	12692	13588	14160	15030	16555
2125	10316	10667	10862	11056	11056	11420	11745	12290	13082	13952	14640	15497	17503
2250	10589	10952	11147	11394	11394	11745	12108	12692	13485	14458	15069	16367	17996
2375	11212	11654	11861	12147	12147	12537	12835	13511	14199	15536	16198	17601	19282
2500	11745	12108	12381	13030	13030	13472	13783	14510	15264	15978	16666	17977	19607

Decors group II


RCS E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10511	11069	11277	11433	11433	11822	12160	12744	13575	14549	15199	16146	17737
2125	11004	11381	11576	11822	11822	12225	12563	13147	14030	14965	15731	16679	18750
2250	11290	11680	11900	12186	12186	12576	12978	13601	14458	15536	16224	17627	19308
2375	11952	12433	12667	12991	12991	13420	13744	14471	15251	16692	17445	18951	20697
2500	12524	12913	13212	13939	13939	14406	14770	15549	16380	17081	17809	19302	20892

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9212	9693	9875	10005	10005	10355	10602	11043	11784	12563	13173	13913	15425
2125	9641	9966	10134	10277	10290	10628	10927	11381	12121	12952	13524	14355	16282
2250	9888	10225	10407	10589	10602	10914	11212	11784	12498	13368	14004	15160	16763
2375	10070	10875	11069	11290	11303	11654	11900	12524	13199	14368	15043	16302	17958
2500	10952	11290	11550	12108	12121	12498	12783	13459	14186	14887	15523	16666	18230

NB: Port høyde 2125 og 2100 lik pris


5 % tillegg for skreddersydde porter med E track

Skinne type E track krever 120 mm overhøyde


SLICK Classic T

STANDARD COLOURS


K2 RCS T




K2 RM T



K2 RSS T



K2 RFS T




- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9002) **
- Silver (similar to RAL 9006) **

* refers to K2 RCS T, K2 RSS T, K2 RFS T
** refers to K2 RM T


SLICK Classic T

RAL COLOURS


K2 RCS T




K2 RM T



K2 RSS T




K2 RFS T




SLICK Classic T

DECORS GROUP I


K2 RCS T



K2 RSS T




K2 RFS T




SLICK Classic T

DECORS GROUP II


K2 RCS T



K2 RSS T



K2 RFS T



		St farge		RAL farger		Decor type 1		Decor type 2	
bredde	høyde	RCS T /RM T	RSS T, RFS T	RCS T /RM T	RSS T, RFS T	RSS T	RSS T, RFS T	RSS T	RSS T, RFS T
2200 / 2375	2000	9 251	9849	11030	11641	10563	11121	11303	11861
	2125 / 2100	9 823	10420	11926	12563	11368	12017	12225	12874
	2250	10 394	11030	12628	13316	12043	12731	12952	13640
	2375	10 914	11589	13277	13991	12641	13368	13601	14329
	2500	11 121	11848	13420	14147	12835	13511	13770	14445
2400	2000	9 251	9849	11056	11654	10563	11121	11303	11861
	2125 / 2100	9 823	10420	11926	12563	11368	12017	12225	12874
	2250	10 394	11030	12628	13316	12043	12731	12952	13640
	2375	10 914	11589	13277	13991	12641	13368	13601	14329
	2500	11 121	11848	13446	14160	12835	13511	13783	14458
2500	2000	9 550	10147	11433	12030	10901	11498	11667	12251
	2125 / 2100	10 044	10654	12199	12848	11615	12277	12498	13160
	2250	10 680	11342	12991	13692	12368	13082	13316	14017
	2375	11 134	11822	13549	14290	12900	13640	13887	14627
	2500	11 446	12212	13861	14627	13238	13965	14225	14939
2600	2000	9 771	10368	11732	12329	11199	11809	12004	12615
	2125 / 2100	10 290	10927	12511	13186	11913	12602	12822	13498
	2250	10 914	11589	13277	13991	12641	13368	13601	14329
	2375	11 498	12212	13991	14770	13342	14095	14355	15121
	2500	11 732	12459	14251	14978	13511	14290	14523	15315
2750	2000	10 186	10823	12251	12887	11732	12368	12576	13212
	2125 / 2100	10 446	11095	12654	13290	12108	12744	12991	13627
	2250	11 277	11978	13731	14484	13082	13835	14082	14835
	2375	11 809	12550	14381	15173	13705	14484	14757	15536
	2500	12 303	13069	14952	15718	14290	15056	15367	16133
3000	2000	10 823	11498	13082	13757	12472	13160	13420	14043
	2125 / 2100	11 095	11809	13485	14199	12848	13575	13835	14562
	2250	11 433	12134	13965	14679	13264	13978	14290	15004
	2375	11 991	12770	14666	15458	13939	14731	15030	15822
	2500	12 861	13459	15770	16614	14978	15835	16159	17003
3250	2000	11 498	12251	13952	14692	13342	14095	14342	15095
	2125 / 2100	11 809	13069	14394	15160	13718	14471	14770	15523
	2250	12 173	12965	14926	15718	14199	14991	15328	16121
	2375	13 069	13926	16043	16900	15264	16121	16471	17328
	2500	13 991	14770	17101	17971	16282	17139	17503	18360
3500	2000	12 329	13121	15134	15913	14394	15186	15523	16315
	2125 / 2100	12 667	13485	15627	16458	14848	15627	16056	16835
	2250	13 601	14484	16796	17692	15952	16809	17250	18107
	2375	14 770	15744	18198	19185	17289	18276	18692	19665
	2500	15 451	16425	18646	19620	17854	18828	19152	20126
3750	2000	13 004	13861	16004	16861	15212	16082	16991	17380
	2125 / 2100	13 757	14653	16926	17835	16082	16991	17380	18289
	2250	14 770	15744	18198	19185	17289	18276	18692	19665
	2375	15 451	16425	18646	19620	17854	18828	19152	20126
	2500	16 329	17334	19723	20996	18996	19970	20490	21450
4000	2000	14 101	14958	17101	17971	16282	17139	17503	18360
	2125 / 2100	14 880	15789	18087	18983	17217	18126	18516	19425
	2250	15 270	16192	18646	19581	17737	18646	19126	19996
	2375	16 321	17334	19723	20996	18996	19970	20490	21450
	2500	17 542	18633	21425	22515	20464	21554	22035	23139
4250	2000	15 945	16958	19321	20334	18490	19464	19866	20853
	2125 / 2100	16 425	17438	20022	21035	19087	20087	20555	21567
	2250	16 807	17815	20606	21619	19620	20671	21165	22217
	2375	17 996	19087	22100	23190	21022	22165	22684	23840
	2500	17 101	18152	20671	21723	19736	20788	21165	22217
4500	2000	17 438	18529	21230	22320	20256	21347	21788	22866
	2125 / 2100	17 854	18983	21879	23009	20788	21905	22411	23541
	2250	19 126	20347	23463	24684	22282	23502	24047	25268
	2375	17 542	18633	21425	22515	20464	21554	22035	23139
	2500	17 955	18646	21308	22398	20295	21386	21801	22905
4750	2000	17 937	19048	21918	23048	20814	21944	22450	23567
	2125 / 2100	18 490	19659	22723	23879	21580	22736	23281	24450
	2250	19 814	21074	24385	25645	23152	24398	24995	26242
	2375	18 568	19736	22515	23684	21463	22632	23061	24229
	2500	19 087	20295	23294	24489	22139	23333	23827	25021
5000	2000	19 438	20671	23879	25112	22658	23905	24463	25697
	2125 / 2100	20 827	22165	25619	26956	24320	25658	26268	27605
	2250	19 287	20477	23411	24619	22295	23489	23970	25177
	2375	19 659	20892	24047	25294	22892	24125	24671	25917
	2500	19 996	21230	24645	25891	23372	24619	25268	26502
5250	2000	21 438	22775	26450	27800	25086	26424	27125	28462
	2125 / 2100								
	2250								
	2375								
	2500								


NB; Port høyde 2125 og 2100 lik pris

Standard porter leveres med beslag type N, kan også leveres med beslag type L.
vinduer kun i skreddersydde porter

SLIK Design STANDARD COLOURS

Tailor made sectional garage doors vente

RCS



bredde →

RM



- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9012) **
- Silver (similar to RAL 9006) **

* refers to K2 RCS, K2 RSS, K2 RFS
** refers to K2 RM

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	9589	9823	10031	10342	10589	11043	11758	12498	13030	13783	15244	16308	17269	18529	19009	20139	20931	21373	22009
2125	9823	10031	10303	10589	10888	11342	12056	12848	13394	14147	16101	16711	17789	18918	19425	20710	21334	21983	22580
2250	10031	10342	10563	10862	11147	11680	12394	13264	13783	14978	16503	17334	18204	19360	20061	21074	21671	23814	24502
2375	10667	11004	11277	11602	11861	12472	13030	13965	14679	15796	17490	18581	19321	20438	21035	22217	22853	24814	
2500	11342	11654	11939	12316	12589	13173	13913	14848	15757	16835	18334	19581	20295	21788	22346	23190	23918		
2625	11680	11939	12277	12615	12952	13588	14264	15458	16056	17068	18750	19827	20593	21321					
2750	11822	12199	12498	12887	13173	13913	14588	15835	16549	17471	19581	20269	21061	21853					
2875	12433	12718	13069	13472	13783	14445	15419	16705	17523	18250	20386	21139	21983						
3000	12809	13108	13433	13783	14199	15160	15913	17068	17770	18705	20814	21671							

RSS




bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	10173	10446	10667	11004	11277	11758	12498	13329	13887	14679	16179	17308	18334	19685	20217	21412	22230	22736	23398
2125	10446	10667	10927	11277	11602	12056	12848	13666	14264	15095	17075	18204	18918	20100	20671	22009	22684	23385	24022
2250	10667	11004	11238	11537	11861	12433	13173	14108	14679	15939	17529	18399	19321	20593	21334	22424	23061	25346	25982
2375	11342	11719	11978	12355	12615	13264	13887	14848	15640	16835	18568	19723	20516	21749	22385	23450	24112		
2500	12056	12394	12718	13108	13394	14030	14809	15835	16809	17964	19516	20801	21554	23165	23762	24671	25333		
2625	12433	12718	13069	13433	13783	14497	15199	16471	17107	18198	19918	21074	21905	22684					
2750	12589	12991	13329	13692	14030	14809	15523	16874	17640	18627	20801	21541	22411	23242					
2875	13212	13549	13913	14329	14679	15380	16419	17770	18666	19471	21684	22476	23372						
3000	13627	13965	14303	14679	15121	16172	16965	18185	18938	19951	22139	23061							

RCS



bredde →

RM



RAL FARGER

(except: pearl, metallic, uorescent)


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11524	11822	12173	12576	12913	13524	14432	15432	16121	17120	18789	20204	21308	22788	23437	24775	23892	26411	27255
2125	11861	12212	12576	12952	13342	13952	14225	15952	16679	17731	19879	20983	22100	23437	24138	25645	24580	27359	28164
2250	12212	12615	12952	13342	13744	14484	15393	16562	17250	18782	20490	21554	22788	24138	25047	26294	25177	28216	29060
2375	12991	13433	13783	14225	14601	15432	16172	17432	18341	19769	21697	22879	24138	25463	26294	27514	26333	29436	29943
2500	13783	14160	14601	15095	15471	16302	20756	18510	19639	21068	22788	24190	25385	27086	27865	28943			
2625	14264	14601	15095	15510	15991	16861	17731	19289	20107	21379	23346	24710	25774	26787					
2750	14523	14991	15432	15913	16341	17328	18250	19847	20808	21990	24398	25385	26489	27579					
2875	15212	15640	16121	16640	17081	18029	19250	20899	21990	22977	25424	26489	27644						
3000	15731	16172	16640	17081	17653	18860	19886	21457	22405	23639	26073	27255							

RSS



bredde →


RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12134	12472	12783	13212	13562	14225	15173	16263	16991	18029	19698	20957	22398	23957	24645	26047	27138	27774	28657
2125	12511	12835	13173	13601	14043	14692	15640	16783	17549	18640	20827	21944	23229	24606	25346	26956	27865	28748	29592
2250	12874	13303	13601	14043	14484	15212	16172	17393	18159	19730	21528	22632	23918	25385	26294	27644	28553	31020	31838
2375	13653	14121	14523	14991	15354	16211	17042	18341	19328	20860	22788	24151	25346	26774	27644	28930	29891		
2500	14484	14952	15393	15861	16302	17120	18159	19471	20678	22146	23918	25073	26657	28475	29293	30423	31085		
2625	14991	15393	15861	16341	16822	17731	18679	20289	21159	22509	24528	25969	27086	28839					
2750	15251	15783	16263	16731	17211	18250	19198	20899	21886	23145	25619	26670	27826	28969					
2875	15991	16471	16991	17510	17990	18938	20250	21990	23106	24184	26722	27047							
3000	16562	17042	17471	17990	18562	19886	20938	22587	23587	24872	27398	28631							

NB; Port høyde 2125 og 2100 lik pris


RCS



bredde →


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	10914	11225	11485	11861	12173	12731	13562	14523	15173	16082	17659	18983	20061	21438	22048	23346	24255	24879	25658
2125	11225	11524	11822	12212	12576	13134	14004	14952	15640	16601	18672	19762	20749	21996	22658	24086	24879	25710	26463
2250	11524	11913	12212	12576	12913	13601	14432	15510	16172	17549	19230	20334	21360	22658	23489	24645	25424	27748	28540
2375	12264	12654	12991	13394	13744	14484	15173	16341	17211	18562	20360	21489	22619	23918	24645	25787	26606		
2500	12991	13394	13783	14225	14562	15289	16211	17393	18419	19730	21399	22593	23775	25424	26125	27177	27969		
2625	13433	13783	14225	14731	15043	15822	16640	18081	18860	20068	21944	23229	24190	25826					
2750	13653	14121	14523	14952	15354	16263	17120	18601	19471	20613	22918	23827	24840	25826					
2875	14342	14731	15173	15640	16043	16900	18029	19588	20600	21548	23905	24853	25917						
3000	14809	15212	15640	16043	16562	17731	18640	20068	20977	22133	24463	25567							

RSS




bredde →

RFS



bredde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11524	11822	12134	12511	12874	13472	14342	15354	16043	16991	18633	19853	21139	22619	23268	24606	22970	26242	27060
2125	11861	12173	12472	12874	13303	13861	14770	15783	16510	17549	19659	20684	21879	23229	23879	25385	26216	27112	27904
2250	12173	12576	12874	13264	13653	14342	15212	16380	17081	18562	20269	21502	22437	23879	24736	26008	26813	29280	30111
2375	12913	13394	13692	14160	14484	15251	16043	17250	18159	19588	21438	22697	23827	25216	26008	26813	28060		
2500	13744	14121	14562	14991	15393	16172	17120	18341	19471	20860	22528	23892	25047	26813	27566	28657	29229		
2625	14160	14562	14991	15432	15861	16731	17588	19120	19886	21185	23126	24463	25502	26489					
2750	14432	14913	15354	15783	16211	17172	18029	19639	20548	21769	24164	25112	26177	27216					
2875	15134	15562	16043	16510	16952	17809	19029	20678	21717	22756	25177	26203	27320						
3000	15640	16082	16471	16952	17510	18718	19691	21198	22107	23379	25787	26943							

RCS



DECORS - GROUP II

bredde →


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11602	11913	12212	12615	12952	13601	14484	15510	16211	17250	18892	20243	21438	22905	23567	24917	25956	26657	27514
2125	11965	12264	12615	12991	13433	14043	14952	16043	16783	17809	19957	21061	22217	23567	24255	25787	26657	27592	28423
2250	12303	12692	12991	13433	13822	14562	15471	16640	17393	18860	20619	21853	22905	24255	25177	26476	27294	29748	30566
2375	13043	13472	13861	14303	14692	15510	16263	17510	18458	19886	21840	23139	24307	25645	26437	27696	28566		
2500	13861	14264	14692	15173	15562	16380	17328	18640	19730	21159	22905	24333	25528	27255	28047	29216	30086		
2625	14303	14692	15173	15601	16082	16952	17861	19419	20250	21587	23567	24943	26021	27047					
2750	14601	15095	15510	15991	16419	17432	18341	19990	20938	22210	24619	25632	26748	27852					
2875	15289	15731	16211	16731	17172	18120	19328	21016	22107	23210	25658	26735	27917						
3000	15822	16263	16731	17211	17731	18977	20029	21587	22548	23873	26320	27527							

RSS



bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12173	12576	12874	13303	13653	14303	15251	16341	17081	18120	19840	21126	22528	24086	24775	26216	27255	28008	28904
2125	12576	12913	13264	13692	14121	14770	15731	16861	17653	18782	20970	22230	23346	24736	25528	27086	28008	28995	29878
2250	12913	13342	13692	14082	14523	15289	16263	17510	18250	19847	21619	22814	24047	25528	26476	27826	28696	31280	32137
2375	13744	14225	14562	15043	15432	16302	17120	18419	19419	20938	22905	24190	25463	26956	27787	29099	30021		
2500	14562	14991	15471	15952	16380	17211	18250	19588	20808	22288	24047	25580	26813	28644	29475	30696	31345		
2625	15043	15471	15952	16419	16900	17809	18782	20419	21289	22717	24736	26203	27333	28410					
2750	15354	15861	16341	16822	17289	18341	19289	21016	22029	23353	25852	26917	28086	29241					
2875	16082	16562	17081	17588	18081	19029	20380	22107	23236	24418	26956	28086	29319						
3000	16640	17120	17588	18081	18679	19990	21068	22717	23717	25106	27644	28904							

NB; Port høyde 2125 og 2100 lik pris

Handtak / sort, standard på høyre side sett utenfra	stk	63
Handtak tosidig / sort, standard på høyre side sett utenfra	stk	164
Handtak / sølv, standard på høyre side sett utenfra	stk	304
Håndtak med lås / sort, lås en side	stk	367
Håndtak med lås / sølv, lås en side	stk	569
Tilegg for tosidig lås max br. 5m (ikke port med passdoor)	stk	367
Lavt beslag type L (120mm), tom. B. 4500 tom. H. 2500	set	506
Lavt beslag type L (120mm), fom.B.4500 tom. B. 2500	set	696
Lavt beslag type SL (80mm), ved bruk av åpner	set	645
Beslag type NH (350mm), bare til tailormade garagedoor	set	0
Beslag type H (min.450mm), ikke pass door(åpner info)	set	1518
Brakett beslag H, åpner / skinne (210mm - 900mm)	stk	316
IP seksjon med dobbelt glass pr. m. max bredde 5m / alu farget		be om pris
Lakkering av IP seksjon i RAL farge pr. m		be om pris
Passdoor D2 R, terskel 90mm, max port br. 5000mm		be om pris
Passdoor D2 R, terskel 20mm, max port br. 4000mm		be om pris
Antipanic look, med betjenings tandtak	stk	2429
Antipanic look, med betjeningslist	stk	4149
Lakkering av ramme for passdoor D2 R		be om pris
multi-point pass door look, på forespørsel		be om pris
Vindu L2, utv. 633 x 332mm, sort (skrudd)	stk	531
Vindu L10, 532mm x 345mm, hvit eller brun	stk	620
Matt glass for vinduer	stk	266
Vindu L3, 603 x 203mm, sort (skrudd)	stk	443
Oval vindu R10, spring-look, 663 x 343mm, sort	stk	721
Decor, Cross, Diamnod, Sunburst 1, Sunburst 3, Sunburst 4,	stk	152
Rundt vindu R3, utv dia 330mm, glass 6mm blank eller rustfritt	stk	1214
Rektangulært vindu / rustfri ramme L4, 310mm x310mm	stk	1150
Smalt vindu / rustfri ramme L5, 310mm x310mm	m	2581
Rektangulært vindu / rustfri ramme L6, 610mm x203mm	m	1126
PVC ventil ikke åpen, 344 x 138mm, sort, hvit (ikke K2 RA)	m	240
PVC ventil kan stenge, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	304
Lakkering en side vindus ramme i RAL farge	stk	190
galv opphengsjern, 2000mm	stk	190
	stk	89
Deksel for side topp i RAL farge		be om pris

Prisene gjelder ved tilvalg til port.

Ved enkelt kjøp egne priser / be om pris.

ACCESSORIES for doors VENTE

TABLE — MAX. QUANTITY OF L2, L3, L4, L6, L10*, R3, R10 WINDOWS IN STEEL SECTION

width	≤2599	2600 - 3431	3432 - 4264	4265 - 5500
max. qty of windows in steel section	2	3	4	5

IMPORTANT: applies to garage doors without service door

* the number of L10 windows in the case of raised panel sections results from the number of raised panels per section (window L10 are not available in width 0-2158, 2531-2665, 2801-2923, 3351-4856, >5000)

TABLE — MAX. QUANTITY OF L5

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
max. qty of windows in steel section	1			

TABLE — QUANTITY OF WINDOWS IN IP SECTION

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
qty of windows in IP section	2	3	4	5



Sunburst 3 decorative insert (set) for L10 window



Sunburst 4 decorative insert (set) for L10 window



window L10



Cross decorative insert for L10 window



Sunburst 1 decorative insert for L10 window



Diamond decorative insert for L10 window



window L4



window L5



window L6



window R3



ventilation grille



window L2



window L3



window R10



Handgriff in schwarz



lock with grip, black



lintel profile hook




hand bolt

TRACK SYSTEMS / MEASUREMENT AND INSTALLATION


TRACK SYSTEMS

N normal
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H - 80 mm
Hp + n	= H
Hn min	= 210 mm
Hn + n min	= 210 mm
Hn stand	≤ 360 mm
W min	= H + 555

L low
with torsion springs in rear




B max	= 3500 mm 5000 mm 5500 mm
H max	= 3000 mm** 2500 mm 2375 mm
b min	= 100 mm
Hp	= H - 100 mm
Hp + n	= H - 100 mm***
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 250 mm
W min	= H + 625

SL* low
with torsion springs in rear




B max	= 3500 mm 4000 mm
H max	= 3000 mm** 2500 mm
b min	= 100 mm
Hp + n	= H - 100 mm***
Hn + n min	= 80 mm
Hn stand	≤ 200 mm
W min	= H + 625

NH normal increased
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H
Hp + n	= H
Hn min	= 350 mm
Hn + n min	= 400 mm
Hn stand	≤ 650 mm
W min	= H + 420

H high
with torsion springs in front



B max	= 3500 mm 5500 mm
H max	= 3000 mm 2500 mm
b min	= 100 mm
bn min	= 350 mm
HL	= Hn - 260 mm
HL min	= 210 mm
HL max	= 900 mm
Hp	= H
Hp + n	= H
Hn min	= 470 mm
Hn + n min	= 470 mm
Hn + n max	= 760 mm
Hn stand	≤ 1400 mm
W min	= H - HL + 750 mm


E
with extension springs



B max	= 4000 mm
H max	= 2500 mm
b min	= 100 mm
Hp	= H - 150 mm
Hp + n	= H - 30 mm
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 350 mm
W min	= H + 500

* drive with rail must be applied
** above the height of 2750 only manual operation or STARCUS drive from group B or D and SOMFY drive from group E is possible
*** when using the STARCUS drive: Hp+n=H-60


MEASUREMENT AND INSTALLATION




dimensioning method -
view from inside of the room

B	- opening width
H	- opening height
b	- side space
bn	- side space width for side drive
HL	- high lift
Hn	- headroom height
Hn + n	- headroom height in door with drive
Hp	- passage height
Hp + n	- passage height in door with drive
W	- built-in depth
Hn stand	- maximum headroom height while applying standard suspensions; in case of higher headroom it is necessary to install additional steel construction

order dimensions
B x H



B	
H	
Hn	
b	
bn	
X	
Y	
Z	
Hb	
A	
Bd	
Hd	
W	
Hα	
Wα	
α	



**WOODGRAIN Classic, standard størrelser**

bredde	høyde	hvit 9016	anthracite 7016	Brun 8014
2375 / 2400	2000	5624,00	5624,00	5624,00
	2125	5790,50	5790,50	5790,50
	2250	5957,00	5957,00	5957,00
2500	2000	5809,00	5809,00	5809,00
	2125	5883,00	5883,00	5883,00
	2250	6142,00	6142,00	6142,00
2600	2000	5975,50	5975,50	5975,50
	2125	6160,50	6160,50	6160,50
	2250	6345,50	6345,50	6345,50
2700	2000	6105,00	6105,00	6105,00
	2125	6290,00	6290,00	6290,00
	2250	6475,00	6475,00	6475,00
2800	2000	6216,00	6216,00	6216,00
	2125	6419,50	6419,50	6419,50
	2250	6604,50	6604,50	6604,50
2900	2000	6382,50	6382,50	6382,50
	2125	6586,00	6586,00	6586,00
	2250	6789,50	6789,50	6789,50
3000	2000	6493,50	6493,50	6493,50
	2125	6697,00	6697,00	6697,00
	2250	6919,00	6919,00	6919,00

NB; Port høyde 2125 og 2100 lik pris

Leveres med 1 stk. torsjonstjær, uten skruer for feste av beslag til karm. Ingen avstand skinne metølger
Portene leveres som standard med beslag for 210 mm overhøyde, kan levere skinnsystem L 120mm

Enkelt dører.

Singel - blad dør uten horisontal bar, leveres i type åpne ut eller inn.

MB 60E profile system (karm 60mm / dørblad 40mm)

Dobbel side tetting

Aluminium dør terskel isolert (20mm høy)



Sylinder lås, syrfaste justerbare hengsler

Hengsler, håndtak, eloksert i farge sort.

Min. dimisjon bredde 750mm x høyde 1800mm

Max. dimisjon bredde 1200mm x høyde 2400mm

*for DB RA dør; min. bredde 880mm max 1180mm

			
RC	RS	RF	RA ¹⁾
Anthracite 7016 White 9016 Brown 8014	Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 White 9016 ²⁾ Brown 8014
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾

høyde/bredde	900	1100	1200
2125	5475,60 6696,00	5940,00 7257,60	6156,00 7506,00
2250	6037,20 7365,60	6501,60 7927,20	6739,20 8218,80
2400	6220,80 7592,40	6706,80 8175,60	6944,40 8467,20

priser eks. mva

				
RCS	RSS	RM	RFS	T7
Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 Silver 9006	Anthracite 7016 White 9016	White 02 Dark Brown 08 Silver 01 Gray 03 Golden Oak 30 Green Fir 17 Anthracite 23 Brown 09 Red 12
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾	
Decors - group I ⁴⁾	Decors - group I ⁴⁾	-	Decors - group I ⁴⁾	
Decors - group II ⁴⁾	Decors - group II ⁴⁾	-	Decors - group II ⁴⁾	

1) DB RA/ RAS dører i høyde 2017 - 2099mm og 2187 - 2209mm lages ikke

DB RA/ RAS dører er bare tilgjengelige i speil type A (520 x 330mm)

2) Dør karm og dørblad i RAL 9016 (inn og utvendig)

3) Alle RAL farger unntatt for pearl, metalick, fluorescent (på forespørsel)

to-sidig lakkering av dør blad og utvendig dør karm

4) Dør blad og karm i RAL 8007 (utvendig og innvendig)

5) Dør blad og karm i RAL 8014 (utvendig og innvendig)

6) Dør blad og karm dekor utvendig, RAL 9016 innvendig.

TO FLØYET DØRER OG DB61, PIS PÅ FORESPØRSEL

høyde/bredde	900	1100	1200
2125	6080,40 7030,80 6793,20 7225,20	6339,60 7344,00 7074,00 7560,00	6868,80 7970,40 7689,60 8175,60
2250	6685,20 7765,20 7484,40 7959,60	6966,00 8100,00 7808,40 8294,40	7538,40 8748,00 8445,60 8974,80
2400	6901,20 8002,80 7722,00 8208,00	7203,60 8348,40 8046,00 8564,40	7786,80 9028,80 8715,60 9266,40

Tekniske spesifikasjoner

Alu elementer 78mm x 15mm /skummet isolasjon.(norsk aluminium)
 Motordrift, 2 sendere, Innv. Styreskap (type kypad)
 Sikkerhets system / fjærsystem / rørmotor
 Termo isolert til K-4.3 m2, og god støyisolasjon.
 Leveres std.uten deksel over rullen for innv. mont.
 Overhøyde 300 mm, porthøyde 2850mm kreves 360mm overhøyde
 Produsert etter ISO:9001. Godkjent etter EU 13241-1.
 Sideskinner 70 mm Sideskinner 100 mm



Hvite glatte og struktur lakkerte / se farge utvalg i brosjyre

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440	16422	20527	16942	21178	17462	21828	18527	23158
tom. 2590	16871	21089	17415	21769	17935	22419	18976	23720
tom. 3050	17675	22094	18479	23099	19260	24075	20300	25375
tom. 3750	19810	24763	19946	24932	20726	25908	22050	27563
tom. 4420	22081	27601	22861	28576	23925	29907	25486	31858
tom. 4720	22695	28369	23500	29374	24540	30675	26125	32656
tom. 5300	29767	37208	31351	39189	32676	40845	34781	43476

Laminerte / se farge utvalg i brosjyre


høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440	17557	21946	18243	22803	18929	23661	20158	25198
tom. 2590	18101	22626	18787	23483	19449	24311	20726	25908
tom. 3050	19118	23897	20111	25139	21057	26321	22358	27947
tom. 3750	20963	26203	21932	27415	22949	28686	24581	30726
tom. 4420	24162	30202	25226	31532	26527	33158	28466	35583
tom. 4720	24942	31178	26006	32508	27331	34164	29317	36647
tom. 5300	32274	40342	34166	42707	35798	44747	38352	47940

Priser for deksler (box over trommel)

bredde →	2440	2590	3050	3750	4420	4720	5300	
Box 90 bare hvit	443	468	557	683	797	848	961	
Full box	683	734	860	1050	1240	1328	1493	
Full box/forsterk	936	987	1164	1442	1695	1809	2024	
		eks. mva	inkl. mva				eks. mva	inkl. mva
Sender 2 kanal		506,00	632,50	Batteri back up		6 160,00	7 700,00	
Sender 4 kanal		770,00	962,50	Utv. nødåpner		1 716,00	2 145,00	
Keypad utv.		1 650,00	2 062,50	Fotocelle 2 channel		506,00	632,50	



Styreskap



Keypad utv



Sender



Marantec portåpnere

Soft start og stopp, enkel programmering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 leveres med 2 stk. sendere Bilinked
 Produsert i Tyskland



comf.50



comf.260



comf.370/380

Portåpnere porthøyde

Skinne type	nr.11, tom. 2250mm		nr.12, tom. 2500mm		nr.13, tom. 3250mm	
	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
Comfort 50	2457	3071	2814	3518	3192	3990
Comfort 260	3087	3859	3444	4305	3822	4778
Comfort 370	3591	4489	3948	4935	4326	5408
Comfort 380	4074	5093	4431	5539	4809	6011

Motorhoder	eks. mva	inkl. mva	Skinner	eks. mva	inkl. mva
motorhode comfort 50	1743	2179	SZ nr.11 - S → 2250 mm	819	1024
motorhode comfort 260	2373	2966	SZ nr.12 - S → 2500 mm	1176	1470
motorhode comfort 370	2877	3596	SZ nr.13 - S → 3250 mm	1554	1943
motorhode comfort 380	3360	4200	SZ nr.16 opptil 365 høyde	2205	2756
Div.	eks. mva	inkl. mva		eks. mva	inkl. mva
Sender mini 2 ch. Multibi	399	499	mottaker Bil., 868hz.	588	735
Sender mini 4 kanal	546	683	Kodetastarur Bilinkked	861	1076
Sender micro 3 kanal	546	683	Innv. betjening sender, bil.	609	761
Sender mini 2 ch. Bilinke	567	709	Fotocelle /	714	893
Sender mini 3 ch. Bilinke	609	761	Multi-Function / 8000 serien	399	499
Sender mini 4 ch. Bilinke	609	761	Glidebrakett for skinne	63	79
			Domino kodepanel	700	875

Starcus, lerandør Krispol.

Soft start og stopp, enkel programering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 hastighet 16 cm/sec
 Starcus leveres med 2 stk. Sendere (433HZ)



Starcus åpnere max. porthøyde 2250mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	1927	2409
Mod 1000 / 2 sendere 3 ch.	2337	2921
Starcus åpnere max. porthøyde 2500mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	2337	2921
Mod 1000 / 2 sendere 3 ch.	2747	3434
Div. Tilbehør	eks. mva	inkl. mva
Motorhode Starcus 600	1333	1666
Motorhode Starcus 1000	1538	1922
skinne belte lende 3160mm	1128	1409
skinne belte lende 4060mm	1640	2050
sender, 3 ch	349	436
sender, 4 ch	410	513
kodetastatur	820	1025

