



Prisliste

Twobi™
G A R A S J E P O R T E R



Priser på Twobi garasjeporter

Fom. 27.04.2020

Tar forbehold om evt. Trykkfeil.


Nyhet beslag type E



The construction of the door frame elements was designed to provide an easy installation and to eliminate the risk of making a mistake.



Easy installation of lines by hooking in special openings.




Possibility of choosing a place for suspension installation thanks to moveable hooks and installation profiles.




Ball-bearing rolls guarantee quiet and safe work.




Specially designed lower hinge provides optimal sealing of the door.



The door reinforced with middle hinges as a standard.



Two-lip bottom sealing.



Lintel sealing installed on the wall.

SEE THE NEW FUNCTIONS:



Tension springs installed vertically.



Easy installation of springs in the hooks.



Easy and reliable regulation of springs in previously prepared installation openings.

Beslag type E strekkfjærer, Kan leveres til alle porter med bredde opp til 4000mm porthøyde 2500mm
beslaget krever kun 120 mm overhøyde.
Mer info se side 20.

Innholdfortegnelse

4. Spesifikasjoner
5. Spesifikasjoner for decors gr.1 og gr 2
6. Priser st.størrelser woodgrain mod E
7. Notater
8. Notater
9. Priser st.størrelser woodgrain mod T
10. Priser woodgrain st. farger, mod T
11. Priser woodgrain RAL farger, mod T
12. Priser glatt panel, st.og RAL farger, mod E
13. Priser glatt panel, decors gr 1 og 2, mod E
14. Spesifikasjoner dør paneler / glatte porter
15. Priser st.størrelser glatt panel, mod T
16. Priser glatt panel, st.og RAL farger, mod T
17. Priser glatt panel, decors gr 1 og 2, mod T
18. Tilbehør, vindue, beslag mm.
19. Oversikt vinduer, håndtak
20. Beslag typer
21. Målskjema
22. Priser BASE porter
23. Priser side dører
24. Priser rulleporter
25. Port åpner Marantec
26. Port åpner Starcus

SPECIFICATION

DOOR CURTAIN

- sections 500 mm, 553 mm*, 610 mm in height
- door sections made of fire galvanised and polyester coated steel sheets
- filling: freon-free polyurethane foam, 40 mm thick or 60 mm thick
- reinforcement profile is used in the doors with the width exceeding 4750 mm
- weight: ~13 kg/m² or ~14 kg/m² (for VENTE RFS 60)

* for RSS, RFS

TRACK SYSTEM

- fire galvanised steel construction
- N track system with torsion springs (Design, Classic T),
E track system with extension springs (Classic E)
- springs working life min. 15 000 cycles

SAFETY DEVICES






- spring break safety device
- roller protection covers (Design)
- hand bolt (see accessories table)
- lock (see accessories table)

Classic doors are not equipped with the wall fixing components.

The minimum order dimension of Design doors is: width 2000 mm, height 1700 mm (for K2 RA doors minimum height is 1950 mm) - the door prices are calculated according to the nearest dimension range in the pricelists.

The doors with dimensions exceeding those maximum specified in the pricelists are calculated on individual basis.

It is not recommended to install the doors in dark colours in the places that are exposed to strong sunshine (e.g. on the southern part). This may lead to the door curtain deformation, which is a natural process arising from the material properties.



	VENTE RC	VENTE RS	VENTE RF	VENTE RA	VENTE RCS
outside embossment	multi grooved	single grooved	no embossments	cassettes	multi grooved
outside surface	woodgrain	woodgrain	woodgrain	woodgrain	smooth
inside embossment	multi grooved	multi grooved	multi grooved	multi grooved	multi grooved
inside surface	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel
inside colour	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾

Classic E typical doors	index	K2 RC E	K2 RS E	K2 RF E	-	K2 RCS E
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	-	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	E track system with extension springs			-	E track system with extension springs
	dimensions / accessories	page 6 / 18			-	page 12 / 18
Classic T typical doors	index	K2 RC T	K2 RS T	K2 RF T	K2 RA T	K2 RCS T
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, possibility of applying L track system				N track system with shot peened torsion springs, possibility of applying L track system
	dimensions / accessories	page 8 / 18				page 14 / 18
Design tailor made doors	index	K2 RC	K2 RS	K2 RF	K2 RA	K2 RCS
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system				look at the right
	dimensions / accessories	page 10-11 / 18				page 16-17 / 18





¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours

SPECIFICATION

DECORS - VENEERS


	name	similar RAL colour		name	similar RAL colour
group I	Golden oak 48	RAL 8007	group II	Anthracite - smooth 204	RAL 7016
	Chestnut 96	RAL 8014		Metbrush anthracite 193	RAL 7016
	Anthracite 174	RAL 7016		Basalt grey - smooth 207	RAL 7012
	Winchester 19	RAL 1011		Bright birke 1	RAL 1011
	Dark oak 44	RAL 8014		Quartz grey 216	RAL 7039
	Dark grey smooth 703	RAL 7016		Grey cedar 22	RAL 7006
	Mahogany 12	RAL 8016		Merbau 6*	RAL 8011
	Grey 173	RAL 7001		Metallic anthracite 209	RAL 7016
	Boggy oak 45	RAL 8019		Metallic dark grey 704	RAL 7024
	Siena noce 15	RAL 8028		Travertine 3*	RAL 1013
	Chocolate brown 185	RAL 8022		Sheffield oak 46	RAL 9002
	Carbon 210	RAL 7012		Concrete 2	RAL 7042
	Natural oak 42	RAL 1001		White 7	RAL 9003
	Macore 5	RAL 8016		Black - smooth 8	RAL 9011
	Cream 104	RAL 9001		Grey ash oak 49	RAL 7030
	Antique pine 20	RAL 8003		Woodec turner oak malt 50	RAL 1011

* available until stocks last



VENTE RSS	VENTE RM	VENTE RFS	VENTE RFS 60		
single grooved	V-profiling	no embossments	no embossments	outside embossment	
smooth	smooth	smooth	smooth	outside surface	
multi grooved	multi grooved	multi grooved	multi grooved	inside embossment	
stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	inside surface	
White (RAL 9010) ¹⁾	White (RAL 9002) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	inside colour	
K2 RSS E	K2 RM E	K2 RFS E	-	index	Classic E typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	-	colours	
decors group I and II	-	decors group I and II	-	decors	
E track system with extension springs			-	track system	
page 12 / 18			-	dimensions / accessories	
K2 RSS T	K2 RM T	K2 RFS T	K2 RFS 60T	index	Classic T typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, possibility of applying L track system			N track system with shot peened torsion springs, possibility of applying L track system	track system	
page 14 / 18			page 21 / 23	dimensions / accessories	
K2 RSS	K2 RM	K2 RFS	K2 RFS 60	index	Design tailor made doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system			N28, L15, NH35	track system	
page 16-17 / 18			page 22 / 23	dimensions / accessories	

¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours

WOODGRAIN Classic E**STANDARD COLOURS****RC E**

Anthracite (RAL 7016)

White RAL 9016

Brown RAL 8014



Lik pris høyde 2125mm og 2100 mm

5 % tillegg for skreddersydde porter med E track

Skinne type E track krever 120 mm overhøyde

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	8735	9179	9342	9461	9461	9742	9934	10349	11015	11725	12199	12909	13828
2125	9135	9431	9594	9697	9697	9934	10215	10645	11311	12006	12583	13235	14672
2250	9357	9683	9860	10334	9890	10215	10497	10926	11636	12435	12909	14049	15012
2375	9905	10289	10482	10585	10585	10867	11118	11681	12199	13353	13871	15100	16093
2500	10363	10689	10926	11370	11370	11666	11932	12539	13101	14241	14656	15943	16981

RS E**RF E**

Anthracite (RAL 7016)

White RAL 9016


bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9424	9926	10093	10276	10276	10611	10854	11295	12026	12802	13395	14125	15102
2125	9865	10185	10367	10519	10519	10854	11143	11600	12315	13152	13684	14506	15969
2250	10124	10459	10656	10809	10809	11098	11402	11980	12665	13532	14125	15342	16411
2375	10702	11128	11341	11539	11539	11889	12117	12756	13395	14551	15175	16499	17613
2500	11204	11554	11813	12391	12391	12756	13015	13699	14384	15251	15890	17518	18632

WOODGRAIN Classic E**RAL COLOURS****RC E**

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10109	10641	10839	10976	10976	11326	11569	12087	12908	13775	14384	15251	16319
2125	10580	10930	11128	11295	11295	11600	11950	12467	13304	14171	14901	15723	17324
2250	10854	11219	11432	11585	11585	11980	12330	12863	13745	14719	15358	16681	17795
2375	11493	11934	12163	12391	12391	12741	13045	13730	14430	15814	16514	17929	19104
2500	12041	12406	12695	13304	13304	13684	14019	14749	15495	16408	17107	18522	19971

RS E**RF E**

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10626	11189	11402	11554	11554	11965	12254	12771	13638	14551	15266	16134	17247
2125	11128	11508	11706	11874	11889	12284	12634	13167	14034	15008	15677	16651	18252
2250	11417	11813	12026	12239	12254	12619	12969	13638	14475	15495	16240	17594	18815
2375	11630	12573	12802	13060	13076	13486	13775	14506	15297	16666	17457	18933	20214
2500	12665	13060	13365	14019	14034	14475	14810	15601	16453	17275	18020	19359	20534

NOTES

This image shows a full page of blank graph paper. The grid consists of small, equal-sized squares formed by thin, dark gray lines. There are no margins, text, or other markings on the page. The grid covers the entire area from edge to edge.

WOODGRAIN Classic T





STANDARD COLOURS

K2 RC T

K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)

- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016)
- Brown (similar to RAL 8014)*

* refers to K2 RC T and K2 RA T

WOODGRAIN Classic T





RAL COLOURS

K2 RC T


K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)



		St farge			RAL farger		
bredde	høyde	RC T	RS T, RF T	K2 RA T	K2 RC T	RS T, RF T	K2 RA T
2200 / 2375	2000	9 801	10393	10393	11089	11681	11681
	2125 / 2100	9 774	10630	10630	11125	11699	12021
	2250	10 291	11237	11237	11800	12461	12805
	2375	10 679	11666	11666	12188	12849	13205
	2500	11 470	12524	12524	13093	13812	14197
2400	2000	9 544	10393	10393	10794	11369	11681
	2125 / 2100	9 774	10630	10630	11125	11699	12021
	2250	10 291	11237	11237	11800	12461	12805
	2375	10 679	11666	11666	12188	12849	13205
	2500	11 470	12524	12524	13093	13812	14197
2500	2000	9 817	10733	10733	11139	11757	12080
	2125 / 2100	10 018	10970	43922	11412	12087	12421
	2250	10 564	11562	11562	12131	12806	13161
	2375	10 967	12006	12006	12533	13251	13619
	2500	11 771	12894	12894	13467	14243	14641
2600	2000	10 018	10970	10970	11383	12059	12391
	2125 / 2100	10 306	11266	11266	11757	12418	12761
	2250	10 794	11814	11814	12404	13093	13457
	2375	11 211	12258	12258	12835	13553	13930
	2500	12 030	13161	13161	13783	14559	14966
2750	2000	10 449	11414	11414	11886	12562	12909
	2125 / 2100	10 737	11710	11710	12274	12950	13309
	2250	11 024	12110	12110	12648	13409	13782
	2375	11 786	12894	12894	13510	14272	14670
	2500	12 648	13856	13856	14501	15335	15766
3000	2000	11 110	12154	12154	12691	13409	13782
	2125 / 2100	11 398	12450	12450	13079	13797	14182
	2250	11 728	12791	12791	13510	14228	14626
	2375	12 317	13531	13531	14185	15047	15470
	2500	13 223	14537	14537	15234	16168	16624
3250	2000	11 829	12939	12939	13539	14315	14715
	2125 / 2100	12 116	13294	13294	13941	14746	15159
	2250	12 547	13679	13679	14473	15234	15662
	2375	13 481	14700	14700	15565	16384	16846
3500	2000	12 317	13531		14142	15019	
	2125 / 2100	12 691	13827		14660	15421	
	2250	13 021	14271		15105	15967	
	2375	13 999	15351		16240	17174	
3750	2000	13 021	14271		15004	15867	
	2125 / 2100	13 366	14670		15464	16369	
	2250	14 171	15514		16398	17303	
	2375	15 234	16683		17634	18611	
4000	2000	14 433	15754		16545	17450	
	2125 / 2100	15 295	16642		17536	18442	
	2250	15 640	17086		17996	19002	
	2375	16 732	18285		19289	20367	
4250	2000	15 869	17323		18111	19117	
	2125 / 2100	16 257	17722		18628	19634	
	2250	16 832	18359		19347	20396	
	2375	18 025	19676		20741	21876	
4500	2000	16 401	17870		18758	19764	
	2125 / 2100	16 875	18403		19390	20439	
	2250	17 263	18803		19922	20971	
	2375	18 485	20150		21358	22494	
4750	2000	17 594	19143	19143	20094	21143	21718
	2125 / 2100	17 924	19543	19543	20583	21689	22281
	2250	18 355	20031	20031	21172	22321	22932
	2375	19 663	21482	21482	22709	23945	24605
5000	2000	18 025	19646	19646	20654	21761	22355
	2125 / 2100	18 413	20076	20076	21200	22350	22962
	2250	18 973	20727	20727	21933	23140	23776
	2375	20 338	22222	22222	23543	24836	25522
5250	2000	19 074	20816		21847	23040	
	2125 / 2100	19 605	21408		22537	23773	
	2250	19 993	21807		23097	24333	
	2375	21 430	23391		24778	26129	
5500	2000	19 850	21659		22724	23974	
	2125 / 2100	20 180	22059		23255	24534	
	2250	20 511	22444		23773	25109	
	2375	21 991	24086		25511	26962	

NB; Port høyde 2125 og 2100 lik pr


Standard porter er tilgjengelig med skinne system N og L,
vinduer kun i skreddersydde porter

Mod. RA tilgjengelig i bredder opp til 3350mm, fom 4750mm tom 5000mm

Tailor made sectional garage doors vente

WOODGRAIN Design STANDARD COLOURS

RC



hvit tilnærmet RAL 9016


Anthracite (RAL 7016)

brun tilnærmet RAL 8014 (gjelder RC og RA)


bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	10186	10437	10689	11015	11266	11755	12495	13323	13871	14685	16168	17293	18359	19720	20209	21408	22281	22754	23450
2125	10437	10689	10970	11266	11592	12095	12835	13664	14271	15070	17116	17900	18892	20090	20668	22029	22695	23420	24042
2250	10689	11015	11222	11562	11888	12421	13205	14123	14685	15973	17530	18847	19336	20579	21319	22444	23050	25374	25966
2375	11340	11710	12006	12332	12184	13279	13871	14892	15632	16846	18596	19173	20549	21748	22399	23672	23894		
2500	12095	12376	12702	13116	13412	14034	14848	15840	16787	17941	19498	20520	21570	23184	23805	24708	25137		
2625	12421	12702	13087	13442	13782	14478	15188	16461	17127	18222	19942	21097	21926	22710					
2750	12583	12998	13323	13693	14034	14848	15558	16876	17660	18652	20830	21585	22429	23272					
2875	13249	13575	13901	14359	14685	15396	16432	17778	18696	19495	21704	22503	23406						
3000	13664	13945	14315	14685	15100	16180	16964	18193	18977	19969	22162	23080							


RS



RF



RA



Anthracite (RAL 7016)

hvit tilnærmet RAL 9016

brun tilnærmet RAL 8014 (gjelder RC og RA)

bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	10852	11103	11340	11710	12006	12495	13323	14197	14818	15632	17190	18418	19498	20949	21482	22769	23524	24220	24945
2125	11103	11340	11636	12006	12332	12835	13664	14567	15188	16091	18137	19247	20090	21363	21985	23435	24131	24930	27076
2250	11340	11710	11962	12302	12628	13249	14034	15011	15632	16994	18640	19572	20549	21896	22695	23894	24545	27017	27683
2375	12095	12450	12746	13161	13442	14123	14818	15840	16668	17941	19765	20845	21822	23139	23835	24975	25670	23790	
2500	12835	13205	13575	13945	14271	14981	15810	16876	17912	19155	20742	22310	22932	24679	25330	26292	26765		
2625	13249	13575	13901	14315	14685	15425	16210	17571	18237	19421	21215	22444	23332	24160					
2750	13412	13827	14197	14611	14981	15810	16550	17897	18814	19880	22162	22947	23879	24767					
2875	14078	14448	14848	15262	15632	16387	17527	18977	19939	20783	23095	23938	24915						
3000	14522	14892	15218	15632	16136	17246	18074	19392	20220	21301	23583	24560							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000			RA ikke tilgj.			


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB: Port høyde 2125 og 2100 lik pris

Tailor made sectional garage doors vente

WOODGRAIN Design RAL COLOURS


RC




bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	13087	11903	12243	12628	12909	13545	14419	15440	16076	17083	18699	20076	21274	22784	23361	24723	25789	26114	26958
2125	11947	12243	12628	12968	13353	13989	14863	15884	16609	17630	19809	20712	21955	23317	24042	25537	26366	27002	27801
2250	12287	12672	12909	13353	13738	14419	15336	16461	17186	18637	20357	21763	22577	23983	24856	26173	26943	29163	29888
2375	13013	13457	13841	14226	14567	15396	16121	17379	18252	19658	21615	22873	23983	25345	26129	27624	28453		
2500	13841	14226	14611	15100	15484	16269	17231	18459	19554	20975	22680	23820	25197	26943	27727	28556	29178		
2625	14271	14611	15100	15544	15973	16802	17675	19170	19998	21108	23036	24382	25419	26973					
2750	14522	14996	15440	15884	16313	17290	18163	19762	20679	21686	24072	25019	26085	27135					
2875	15248	15677	16121	16654	17038	17912	19125	20783	21848	22662	25093	26099	27239						
3000	15780	16121	16609	17038	17571	18829	19806	21316	22278	23284	25700	26854							


RS



RF



RA



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12287	12569	12909	13353	13693	14330	15248	16313	17038	18060	19765	21245	22444	24042	24679	26129	27195	27550	28423
2125	12628	12909	13249	13693	14123	14759	15677	16802	17571	18637	20830	22059	23213	24619	25345	27002	27875	28482	29311
2250	12968	13397	13693	14078	14522	15248	16165	17379	18163	19702	21511	22710	23790	25345	26262	27624	28453	30776	31635
2375	13797	14226	14567	15055	15440	16269	17083	18356	19318	20827	22784	24146	25300	26751	27624	29163	30036		
2500	14611	15055	15544	15973	16358	17231	18208	19510	20679	22189	23938	25315	26558	27816	29267	30110	30791		
2625	15100	15544	15928	16402	16890	17764	18740	20339	21168	22292	24279	25700	26780	28512					
2750	15336	15884	16313	16802	17290	18252	19170	20886	21893	22899	25374	26366	27491	28601					
2875	16121	16565	17083	17571	18015	18933	20294	21982	23151	23935	26440	27520	28704						
3000	16654	17083	17527	18015	18637	19954	20931	22529	23536	24601	27091	28305							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000			RA ikke tilgj.			


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB: Port høyde 2125 og 2100 lik pris

Slick Classic E

STANDARD COLOURS

RCS E



RM E




Anthracite (RAL 7016)


bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9239	9712	9890	10038	10038	10378	10615	11074	11769	12509	13042	13782	15265
2125	9668	9979	10156	10334	10334	10615	10896	11355	12065	12850	13412	14152	16124
2250	9905	10245	10437	10571	10571	10867	11192	11681	12435	13249	13782	14981	16538
2375	10482	10896	11103	11266	11266	11607	11903	12465	13042	14226	14818	16106	17708
2500	10985	11311	11577	12095	12095	12450	12761	13383	14004	15070	15840	17201	18818

RSS E



RFS E




Anthracite (RAL 7016)

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9816	10334	10526	10704	10704	11029	11266	11769	12509	13338	13915	14685	16213
2125	10275	10615	10807	10955	10955	11266	11607	12065	12850	13664	14285	15100	17116
2250	10541	11029	11103	11237	11237	11562	11903	12435	13205	14123	14685	15973	17560
2375	11163	11592	11814	12006	12006	12391	12628	13249	13915	15159	15780	17157	18803
2500	11695	12051	12317	12894	12894	13294	13560	14226	14937	15899	16594	17912	19410

RAL COLOURS

RCS E




RM E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11029	11607	11829	12021	12021	12435	12761	13338	14241	15188	15928	16876	18566
2125	11547	11932	12154	12435	12435	12805	13190	15248	14685	15692	16491	17438	19632
2250	11843	12258	12495	12805	12805	13190	13605	14241	15218	16269	17038	18459	20238
2375	12554	13042	13294	13619	13619	14049	14448	15159	15988	17482	18326	19850	21704
2500	13146	13560	13871	14641	14641	15100	15529	16298	17038	18711	19525	21079	22917

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11695	12317	12539	12687	12687	13087	13412	14034	14981	16017	16787	17778	19498
2125	12243	12657	12894	13042	13042	13471	13886	14478	15470	16506	17349	18385	20623
2250	12569	12998	13249	13457	13457	13886	14300	14981	16002	17127	17926	19451	21274
2375	13309	13841	14108	14359	14359	14833	15174	15943	16846	18415	19303	20931	22814
2500	13960	14389	14715	15425	15425	15943	16313	17142	18119	19688	20576	22070	23938

NB; Port høyde 2125 og 2100 lik pris


5 % tillegg for skreddersydde porter med E track

Skinne type E track krever 120 mm overhøyde

WOODGRAIN Classic E

STANDARD COLOURS

RC E



Anthracite (RAL 7016)

White RAL 9016

Brown RAL 8014

Lik pris høyde 2125mm og 2100 mm


5 % tillegg for skreddersydde porter med E track

Skinne type E track krever 120 mm overhøyde


bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	8735	9179	9342	9461	9461	9742	9934	10349	11015	11725	12199	12909	13828
2125	9135	9431	9594	9697	9697	9934	10215	10645	11311	12006	12583	13235	14672
2250	9357	9683	9860	10334	9890	10215	10497	10926	11636	12435	12909	14049	15012
2375	9905	10289	10482	10585	10585	10867	11118	11681	12199	13353	13871	15100	16093
2500	10363	10689	10926	11370	11370	11666	11932	12539	13101	14241	14656	15943	16981

RS E



RF E



Anthracite (RAL 7016)

White RAL 9016


bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9424	9926	10093	10276	10276	10611	10854	11295	12026	12802	13395	14125	15102
2125	9865	10185	10367	10519	10519	10854	11143	11600	12315	13152	13684	14506	15969
2250	10124	10459	10656	10809	10809	11098	11402	11980	12665	13532	14125	15342	16411
2375	10702	11128	11341	11539	11539	11889	12117	12756	13395	14551	15175	16499	17613
2500	11204	11554	11813	12391	12391	12756	13015	13699	14384	15251	15890	17518	18632

WOODGRAIN Classic E

RAL COLOURS


RC E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10109	10641	10839	10976	10976	11326	11569	12087	12908	13775	14384	15251	16319
2125	10580	10930	11128	11295	11295	11600	11950	12467	13304	14171	14901	15723	17324
2250	10854	11219	11432	11585	11585	11980	12330	12863	13745	14719	15358	16681	17795
2375	11493	11934	12163	12391	12391	12741	13045	13730	14430	15814	16514	17929	19104
2500	12041	12406	12695	13304	13304	13684	14019	14749	15495	16408	17107	18522	19971

RS E



RF E




bredde →


høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10626	11189	11402	11554	11554	11965	12254	12771	13638	14551	15266	16134	17247
2125	11128	11508	11706	11874	11889	12284	12634	13167	14034	15008	15677	16651	18252
2250	11417	11813	12026	12239	12254	12619	12969	13638	14475	15495	16240	17594	18815
2375	11630	12573	12802	13060	13076	13486	13775	14506	15297	16666	17457	18933	20214
2500	12665	13060	13365	14019	14034	14475	14810	15601	16453	17275	18020	19359	20534

SLICK Classic T STANDARD COLOURS


K2 RCS T




K2 RM T



K2 RSS T



K2 RFS T




- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9002) **
- Silver (similar to RAL 9006) **


* refers to K2 RCS T, K2 RSS T, K2 RFS T
** refers to K2 RM T

SLICK Classic T RAL COLOURS


K2 RCS T




K2 RM T



K2 RSS T




K2 RFS T




SLICK Classic T DECORS GROUP I


K2 RCS T



K2 RSS T




K2 RFS T




SLICK Classic T DECORS GROUP II


K2 RCS T



K2 RSS T



K2 RFS T



		St farge		RAL farger		Decor type 1		Decor type 2	
bredde	høyde	RCS T /RM T	RSS T, RFS T	RCS T /RM T	RSS T, RFS T	RCS T	RSS T, RFS T	RCS T	RSS T, RFS T
2200 / 2375	2000	10 408	11089	12435	13131	11903	12539	11303	11861
	2125 / 2100	11 059	11740	13457	14182	12820	13560	12225	12874
	2250	11 710	12435	14256	15040	13590	14374	12952	13640
	2375	12 307	13072	14996	15810	14271	15100	13601	14329
	2500	12 539	13368	15159	15988	14493	15262	13770	14445
2400	2000	10 408	11089	12465	13146	11903	12539	11303	11861
	2125 / 2100	11 059	11740	13457	14182	12820	13560	12225	12874
	2250	11 710	12435	14256	15040	13590	14374	12952	13640
	2375	12 307	13072	14996	15810	14271	15100	13601	14329
	2500	12 539	13368	15188	16002	14493	15262	13783	14458
2500	2000	10 748	11429	12894	13575	12287	12968	11667	12251
	2125 / 2100	11 311	12006	13767	14507	13101	13856	12498	13160
	2250	12 036	12791	14670	15470	13960	14774	13316	14017
	2375	12 554	13338	15307	16150	14567	15410	13887	14627
	2500	12 909	13782	15662	16535	14952	15780	14225	14939
2600	2000	11 000	11681	13235	13915	12628	13323	12004	12615
	2125 / 2100	11 592	12317	14123	14892	13442	14226	12822	13498
	2250	12 307	13072	14996	15810	14271	15100	13601	14329
	2375	12 968	13782	15810	16698	15070	15928	14355	15121
	2500	13 235	14063	16106	16935	15262	16150	14523	15315
2750	2000	11 473	12199	13827	14552	13235	13960	12576	13212
	2125 / 2100	11 769	12509	14285	15011	13664	14389	12991	13627
	2250	12 717	13516	15514	16372	14774	15632	14082	14835
	2375	13 323	14167	16254	17157	15484	16372	14757	15536
	2500	13 886	14759	16905	17778	16150	17024	15367	16133
3000	2000	12 199	12968	14774	15544	14078	14863	13420	14043
	2125 / 2100	12 509	13323	15233	16047	14507	15336	13835	14562
	2250	12 894	13693	15780	16594	14981	15795	14290	15004
	2375	13 531	14419	16580	17482	15751	16654	15030	15822
	2500	14 522	15203	17838	18800	16935	17912	16159	17003
3250	2000	12 968	13827	15766	16609	15070	15928	14342	15095
	2125 / 2100	13 323	14759	16269	17142	15499	16358	14770	15523
	2250	13 738	14641	16876	17778	16047	16950	15328	16121
	2375	14 759	15736	18148	19125	17260	18237	16471	17328
	2500	15 531	16419	18800	19800	18045	19022	17250	18107
3500	2000	13 915	14818	17112	17423	15706	16609	14978	15770
	2125 / 2100	14 300	15233	17675	18622	16787	17675	16056	16835
	2250	14 300	15233	17675	18622	16787	17675	16056	16835
	2375	15 366	16372	19007	20028	18045	19022	17250	18107
	2500	16 698	17808	20605	21730	19569	20694	18692	19665
3750	2000	14 300	15233	17512	18459	16698	17645	15926	16744
	2125 / 2100	14 685	15662	18104	19081	17201	18193	16445	17315
	2250	15 544	16565	19155	20191	18193	19229	17380	18289
	2375	16 698	17808	20605	21730	19569	20694	18692	19665
	2500	17 798	18775	19217	20209	18285	19262	17503	18360
4000	2000	15 798	16775	19217	20209	18285	19262	17503	18360
	2125 / 2100	16 686	17722	20342	21363	19350	20386	18516	19425
	2250	17 130	18181	20978	22044	19942	20978	19126	19996
	2375	18 329	19484	22207	23657	21378	22488	20490	21450
	2500	19 338	18448	20978	22088	20076	21186	19152	20126
4250	2000	17 338	18448	20978	22088	20076	21186	19152	20126
	2125 / 2100	17 767	18877	21630	22740	20727	21792	19788	20736
	2250	18 403	19558	22503	23657	21482	22651	20555	21567
	2375	19 720	20964	24146	25389	23050	24294	22035	23139
	2500	17 900	19054	21748	22902	20801	21911	19866	20853
4500	2000	18 448	19602	22547	23702	21482	22621	20555	21567
	2125 / 2100	18 877	20031	23213	24368	22088	23287	21165	22217
	2250	19 877	21482	24915	26159	23687	24989	22684	23840
	2375	20 238	21482	24915	26159	23687	24989	22684	23840
	2500	19 217	20416	23287	24486	22222	23420	21165	22217
4750	2000	19 607	20845	23924	25167	22814	24057	21788	22866
	2125 / 2100	20 076	21363	24664	25951	23420	24693	22411	23541
	2250	21 526	22917	26469	27861	25123	26514	24047	25268
	2375	21 526	22917	26469	27861	25123	26514	24047	25268
	2500	19 735	20978	24012	25256	22858	24101	21801	22905
5000	2000	20 164	21437	24708	25996	23450	24738	22450	23567
	2125 / 2100	20 801	22133	25626	26943	24323	25641	23281	24450
	2250	22 310	23746	27520	28956	26114	27535	24995	26242
	2375	22 310	23746	27520	28956	26114	27535	24995	26242
	2500	20 890	22222	25389	26721	24190	25522	23061	24229
5250	2000	21 482	22858	26277	27639	24960	26321	23827	25021
	2125 / 2100	21 881	23287	26943	28349	25552	26973	24463	25697
	2250	23 465	24989	28926	30451	27446	28971	26268	27605
	2375	23 465	24989	28926	30451	27446	28971	26268	27605
	2500	21 704	23065	26410	27787	25137	26499	23970	25177
5500	2000	22 133	23539	27135	28556	25818	27224	24671	25917
	2125 / 2100	22 518	23924	27816	29237	26366	27787	25268	26502
	2250	24 160	25685	29873	31413	28319	29844	27125	28462
	2375	24 160	25685	29873	31413	28319	29844	27125	28462
	2500	24 160	25685	29873	31413	28319	29844	27125	28462


NB; Port høyde 2125 og 2100 lik pr

 Standard porter leveres med beslag type N, kan også leveres med beslag type L.
 vinduer kun i skreddersydde porter

SLIK Design STANDARD COLOURS

Tailor made sectional garage doors vente

RCS



bredde →

RM




- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9012) **
- Silver (similar to RAL 9006) **

* refers to K2 RCS, K2 RSS, K2 RFS
** refers to K2 RM


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	10793	11059	11296	11651	11932	12450	13264	14108	14715	15573	17101	18314	19410	20845	21393	22680	23583	24086	24812
2125	11059	11296	11607	11932	12273	12791	13605	14507	15129	15988	18078	18773	20002	21289	21866	23332	24042	24782	25463
2250	11296	11651	11903	12243	12569	13175	13989	14981	15573	16935	18536	19484	20475	21792	22592	23746	24427	26869	27653
2375	12021	12406	12717	13087	13383	14078	14715	15780	16594	17867	19661	20904	21748	23021	23702	25049	25774	28009	
2500	12791	13146	13471	13901	14211	14878	15721	16787	17823	19051	20623	22044	22858	24560	25197	26159	26987		
2625	13175	13471	13856	14241	14626	15351	16121	17482	18163	19318	21097	22325	23198	24027					
2750	13338	13767	14108	14552	14878	15721	16491	17912	18726	19776	22044	22828	23731	24634					
2875	14034	14359	14759	15218	15573	16328	17438	18903	19836	20664	22962	23820	24782						
3000	14463	14804	15174	15573	16047	17142	18000	19318	20117	21182	23450	24427							

RSS




bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11459	11769	12021	12406	12717	13264	14108	15055	15692	16594	18166	19454	20623	22162	22769	24131	25063	25641	26395
2125	11769	12021	12317	12717	13087	13605	14507	15440	16121	17068	19188	20475	21289	22636	23287	24812	25581	26381	27106
2250	12021	12406	12672	13013	13383	14034	14878	15943	16594	18030	19706	20697	21748	23198	24042	25285	26011	28615	29341
2375	12791	13220	13516	13945	14241	14981	15692	16787	17690	19051	20890	22207	23110	24516	25241	26455	27209		
2500	13605	13989	14359	14804	15129	15854	16742	17912	19022	20339	21970	23435	24294	26129	26810	27846	28601		
2625	14034	14359	14759	15174	15573	16387	17186	18637	19362	20605	22429	23746	24693	25581					
2750	14211	14670	15055	15470	15854	16742	17556	19096	19969	21094	23435	24279	25271	26218					
2875	14922	15307	15721	16195	16594	17394	18578	20117	21138	22056	24442	25345	26366						
3000	15396	15780	16165	16594	17098	18296	19199	20590	21449	22603	24960	26011							

RCS



bredde →

RM



RAL FARGER

(except: pearl, metallic, uorescent)


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12998	13338	13738	14197	14582	15277	16313	17453	18237	19377	21141	22754	24012	25700	26440	27964	26958	29829	30791
2125	13383	13782	14197	14626	15070	15766	16076	18045	18874	20072	22384	23642	24915	26440	27239	28956	27742	30909	31827
2250	13782	14241	14626	15070	15529	16372	17408	18740	19525	21271	23080	24294	25700	27239	28275	29696	28423	31886	32848
2375	14670	15174	15573	16076	16506	17453	18296	19732	20768	22396	24456	25803	27239	28749	29696	31087	29740	33277	33855
2500	15573	16002	16506	17068	17497	18444	23521	20960	22248	23876	25700	27298	28660	30599	31487	32715			
2625	16121	16506	17068	17542	18089	19081	20072	21848	22781	24231	26336	27890	29104	30258					
2750	16417	16950	17453	18000	18489	19614	20664	22485	23580	24927	27535	28660	29918	31161					
2875	17201	17690	18237	18829	19332	20413	21804	23684	24927	26052	28704	29918	31235						
3000	17793	18296	18829	19332	19984	21360	22529	24320	25401	26807	29444	30791							

RSS



bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	13693	14078	14433	14922	15322	16076	17157	18400	19229	20413	22177	23613	25256	27032	27816	29415	30658	31383	32389
2125	14123	14493	14878	15366	15869	16609	17690	18992	19865	21108	23465	24738	26203	27772	28615	30451	31487	32493	33455
2250	14537	15026	15366	15869	16372	17201	18296	19688	20561	22352	24264	25522	26987	28660	29696	31235	32271	35083	36016
2375	15425	15958	16417	16950	17364	18341	19288	20768	21893	23639	25700	27254	28615	30243	31235	32700	33796		
2500	16372	16905	17408	17941	18444	19377	20561	22056	23432	25105	26987	28305	30110	32182	33115	34402	35157		
2625	16950	17408	17941	18489	19036	20072	21153	22988	23980	25519	27683	29326	30599	32597					
2750	17246	17852	18400	18933	19480	20664	21745	23684	24809	26244	28926	30125	31442	32745					
2875	18089	18637	19229	19821	20368	21449	22944	24927	26200	27428	30184	30554	32833						
3000	18740	19288	19776	20368	21020	22529	23728	25608	26747	28213	30954	32360							

NB; Port høyde 2125 og 2100 lik pris

RCS

bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12302	12657	12953	13383	13738	14374	15322	16417	17157	18193	19854	21363	22592	24160	24856	26336	27372	28083	28971
2125	12657	12998	13338	13782	14197	14833	15825	16905	17690	18785	21008	22251	23376	24797	25552	27180	28083	29030	29888
2250	12998	13442	13782	14197	14582	15366	16313	17542	18296	19865	21644	22902	24072	25552	26499	27816	28704	31353	32256
2375	13841	14285	14670	15129	15529	16372	17157	18489	19480	21020	22932	24220	25507	26987	27816	29119	30051		
2500	14670	15129	15573	16076	16461	17290	18341	19688	20857	22352	24116	25478	26825	28704	29503	30702	31605		
2625	15174	15573	16076	16654	17009	17897	18829	20472	21360	22736	24738	26203	27298	29163					
2750	15425	15958	16417	16905	17364	18400	19377	21064	22056	23358	25848	26884	28038	29163					
2875	16210	16654	17157	17690	18148	19125	20413	22189	23343	24424	26973	28053	29267						
3000	16742	17201	17690	18148	18740	20072	21108	22736	23773	25090	27609	28867							

RSS

bredde →

RFS

bredde →

bredde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11524	11822	12134	12511	12874	13472	14342	15354	16043	16991	18633	19853	21139	22619	23268	24606	22970	26242	27060
2125	11861	12173	12472	12874	13303	13861	14770	15783	16510	17549	19659	20684	21879	23229	23879	25385	26216	27112	27904
2250	12173	12576	12874	13264	13653	14342	15212	16380	17081	18562	20269	21502	22437	23879	24736	26008	26813	29280	30111
2375	12913	13394	13692	14160	14484	15251	16043	17250	18159	19588	21438	22697	23827	25216	26008	26813	28060		
2500	13744	14121	14562	14991	15393	16172	17120	18341	19471	20860	22528	23892	25047	26813	27566	28657	29229		
2625	14160	14562	14991	15432	15861	16731	17588	19120	19886	21185	23126	24463	25502	26489					
2750	14432	14913	15354	15783	16211	17172	18029	19639	20548	21769	24164	25112	26177	27216					
2875	15134	15562	16043	16510	16952	17809	19029	20678	21717	22756	25177	26203	27320						
3000	15640	16082	16471	16952	17510	18718	19691	21198	22107	23379	25787	26943							

RCS

bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11602	11913	12212	12615	12952	13601	14484	15510	16211	17250	18892	20243	21438	22905	23567	24917	25956	26657	27514
2125	11965	12264	12615	12991	13433	14043	14952	16043	16783	17809	19957	21061	22217	23567	24255	25787	26657	27592	28423
2250	12303	12692	12991	13433	13822	14562	15471	16640	17393	18860	20619	21853	22905	24255	25177	26476	27294	29748	30566
2375	13043	13472	13861	14303	14692	15510	16263	17510	18458	19886	21840	23139	24307	25645	26437	27696	28566		
2500	13861	14264	14692	15173	15562	16380	17328	18640	19730	21159	22905	24333	25528	27255	28047	29216	30086		
2625	14303	14692	15173	15601	16082	16952	17861	19419	20250	21587	23567	24943	26021	27047					
2750	14601	15095	15510	15991	16419	17432	18341	19990	20938	22210	24619	25632	26748	27852					
2875	15289	15731	16211	16731	17172	18120	19328	21016	22107	23210	25658	26735	27917						
3000	15822	16263	16731	17211	17731	18977	20029	21587	22548	23873	26320	27527							

RSS

bredde →

RFS

bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12173	12576	12874	13303	13653	14303	15251	16341	17081	18120	19840	21126	22528	24086	24775	26216	27255	28008	28904
2125	12576	12913	13264	13692	14121	14770	15731	16861	17653	18782	20970	22230	23346	24736	25528	27086	28008	28995	29878
2250	12913	13342	13692	14082	14523	15289	16263	17510	18250	19847	21619	22814	24047	25528	26476	27826	28696	31280	32137
2375	13744	14225	14562	15043	15432	16302	17120	18419	19419	20938	22905	24190	25463	26956	27787	29099	30021		
2500	14562	14991	15471	15952	16380	17211	18250	19588	20808	22288	24047	25580	26813	28644	29475	30696	31345		
2625	15043	15471	15952	16419	16900	17809	18782	20419	21289	22717	24736	26203	27333	28410					
2750	15354	15861	16341	16822	17289	18341	19289	21016	22029	23353	25852	26917	28086	29241					
2875	16082	16562	17081	17588	18081	19029	20380	22107	23236	24418	26956	28086	29319						
3000	16640	17120	17588	18081	18679	19990	21068	22717	23717	25106	27644	28904							

NB; Port høyde 2125 og 2100 lik pris

Handtak / sort, standard på høyre side sett utenfra	stk	76
Handtak tosidig / sort, standard på høyre side sett utenfra	stk	197
Handtak / sølv, standard på høyre side sett utenfra	stk	380
Håndtak med lås / sort, lås en side	stk	455
Håndtak med lås / sølv, lås en side	stk	698
Tilegg for tosidig lås max br. 5m (ikke port med passdoor)	stk	455
Lavt beslag type L (120mm), tom. B. 4500 tom. H. 2500	set	622
Lavt beslag type L (120mm), fom.B.4500 tom. B. 2500	set	865
Lavt beslag type SL (80mm), ved bruk av åpner	set	789
Beslag type NH (350mm), bare til tailormade garagedoor	set	0
Beslag type H (min.450mm), ikke pass door(åpner info)	set	1867
Brakett beslag H, åpner / skinne (210mm - 900mm)	stk	395
IP seksjon med dobbelt glass pr. m. max bredde 5m / alu farget		be om pris
Lakkering av IP seksjon i RAL farge pr. m		be om pris
Passdoor D2 R, terskel 90mm, max port br. 5000mm		be om pris
Passdoor D2 R, terskel 20mm, max port br. 4000mm		be om pris
Antipanic look, med betjenings tandtak		be om pris
Antipanic look, med betjeningslist		be om pris
Lakkering av rammefor passdoor D2 R		be om pris
multi-point pass door look, på forespørsel		be om pris
Vindu L2, utv. 633 x 332mm, sort (skrudd)	stk	653
Vindu L10, 532mm x 345mm, hvit eller brun	stk	759
Matt glass for vinduer	stk	334
Vindu L3, 603 x 203mm, sort (skrudd)	stk	546
Oval vindu R10, spring-look,663 x 343mm, sort	stk	896
Decor, Cross, Diamnod, Sunburst 1, Sunburst 3, Sunburst 4,	stk	197
Rundt vindu R3, utv dia 330mm, glass 6mm blank eller rustfritt	stk	1503
Rektangulært vindu / rustfri ramme L4, 310mm x310mm	stk	1150
Smalt vindu / rustfri ramme L5, 310mm x310mm	stk	3188
Rektangulært vindu / rustfri ramme L6, 610mm x203mm	stk	1381
PVC ventil ikke åpen, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	304
PVC ventil kan stenge, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	380
Lakkering en side vindus ramme i RAL farge		be om pris
galv opphengsjern, 2000mm		be om pris
Deksel for side topp i RAL farge		be om pris

Prisene gjelder ved tilvalg til port.

Ved enkelt kjøp egne priser / be om pris.

ACCESSORIES for doors VENITE

TABLE — MAX. QUANTITY OF L2, L3, L4, L6, L10*, R3, R10 WINDOWS IN STEEL SECTION

width	≤2599	2600 - 3431	3432 - 4264	4265 - 5500
max. qty of windows in steel section	2	3	4	5

IMPORTANT: applies to garage doors without service door

* the number of L10 windows in the case of raised panel sections results from the number of raised panels per section (window L10 are not available in width 0-2158, 2531-2665, 2801-2923, 3351-4856, >5000)

TABLE — MAX. QUANTITY OF L5


width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
max. qty of windows in steel section	1			

TABLE — QUANTITY OF WINDOWS IN IP SECTION

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
qty of windows in IP section	2	3	4	5



Sunburst 3 decorative insert (set) for L10 window



Sunburst 4 decorative insert (set) for L10 window



window L10



Cross decorative insert for L10 window



Sunburst 1 decorative insert for L10 window



Diamond decorative insert for L10 window



window L4



window L5



window L6



window R3



ventilation grille



window L2



window L3



window R10



Handgriff in schwarz



lock with grip, black



lintel profile hook




hand bolt

TRACK SYSTEMS / MEASUREMENT AND INSTALLATION


TRACK SYSTEMS

N normal
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H - 80 mm
Hp + n	= H
Hn min	= 210 mm
Hn + n min	= 210 mm
Hn stand	≤ 360 mm
W min	= H + 555

L low
with torsion springs in rear




B max	= 3500 mm 5000 mm 5500 mm
H max	= 3000 mm** 2500 mm 2375 mm
b min	= 100 mm
Hp	= H - 100 mm
Hp + n	= H - 100 mm***
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 250 mm
W min	= H + 625

SL* low
with torsion springs in rear




B max	= 3500 mm 4000 mm
H max	= 3000 mm** 2500 mm
b min	= 100 mm
Hp + n	= H - 100 mm***
Hn + n min	= 80 mm
Hn stand	≤ 200 mm
W min	= H + 625

NH normal increased
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H
Hp + n	= H
Hn min	= 350 mm
Hn + n min	= 400 mm
Hn stand	≤ 650 mm
W min	= H + 420

H high
with torsion springs in front



B max	= 3500 mm 5500 mm
H max	= 3000 mm 2500 mm
b min	= 100 mm
bn min	= 350 mm
HL	= Hn - 260 mm
HL min	= 210 mm
HL max	= 900 mm
Hp	= H
Hp + n	= H
Hn min	= 470 mm
Hn + n min	= 470 mm
Hn + n max	= 760 mm
Hn stand	≤ 1400 mm
W min	= H - HL + 750 mm


E
with extension springs



B max	= 4000 mm
H max	= 2500 mm
b min	= 100 mm
Hp	= H - 150 mm
Hp + n	= H - 30 mm
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 350 mm
W min	= H + 500

* drive with rail must be applied
** above the height of 2750 only manual operation or STARCUS drive from group B or D and SOMFY drive from group E is possible
*** when using the STARCUS drive: Hp+n=H-60


MEASUREMENT AND INSTALLATION




dimensioning method -
view from inside of the room

B	- opening width
H	- opening height
b	- side space
bn	- side space width for side drive
HL	- high lift
Hn	- headroom height
Hn + n	- headroom height in door with drive
Hp	- passage height
Hp + n	- passage height in door with drive
W	- built-in depth
Hn stand	- maximum headroom height while applying standard suspensions; in case of higher headroom it is necessary to install additional steel construction

order dimensions
B x H



B	
H	
Hn	
b	
bn	
X	
Y	
Z	
Hb	
A	
Bd	
Hd	
W	
Hα	
Wα	
α	



**WOODGRAIN Clasic, standard størrelser**

bredde	høyde	hvit 9016	anthracite 7016	Brun 8014
2375 / 2400	2000	6553,35	6553,35	6553,35
	2125	6757,08	6757,08	6757,08
	2250	6975,07	6975,07	6975,07
2500	2000	6560,89	6560,89	6560,89
	2125	6800,68	6800,68	6800,68
	2250	6996,87	6996,87	6996,87
2600	2000	6975,07	6975,07	6975,07
	2125	7193,06	7193,06	7193,06
	2250	7411,05	7411,05	7411,05
2700	2000	7127,67	7127,67	7127,67
	2125	7345,65	7345,65	7345,65
	2250	7563,64	7563,64	7563,64
2800	2000	7258,46	7258,46	7258,46
	2125	7498,25	7498,25	7498,25
	2250	7716,24	7716,24	7716,24
2900	2000	7258,46	7258,46	7258,46
	2125	7498,25	7498,25	7498,25
	2250	7716,24	7716,24	7716,24
3000	2000	7454,65	7454,65	7454,65
	2125	7694,44	7694,44	7694,44
	2250	7934,23	7934,23	7934,23

NB; Port høyde 2125 og 2100 lik pris

Leveres med 1 stk. torsjonstjær, uten skruer for teste av beslag til karm. Ingen avstand skinne metølger
Portene leveres som standard med beslag for 210 mm overhøyde, kan levere skinnesystem L 120mm

Enkelt dører.

Singel - blad dør uten horisontal bar, leveres i type åpne ut eller inn.

MB 60E profile system (karm 60mm / dørblad 40mm)

Dobbel side tetting

Aluminium dør terskel isolert (20mm høy)



Sylinder lås, syrfaste justerbare hengsler

Hengsler, håndtak, eloksert i farge sort.

Min. dimisjon bredde 750mm x høyde 1800mm

Max. dimisjon bredde 1200mm x høyde 2400mm

*for DB RA dør; min. bredde 880mm max 1180mm

			
RC	RS	RF	RA ¹⁾
Anthracite 7016 White 9016 Brown 8014	Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 White 9016 ²⁾ Brown 8014
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾

høyde/bredde	900	1100	1200
2125	6171,00 7700,40	6694,38 8346,24	6937,81 8459,26
2250	6942,78 8470,44	7476,84 9116,28	7595,08 9262,59
2400	7153,92 8731,26	7712,82 9401,94	7826,34 9542,53

priser eks. mva

				
RCS	RSS	RM	RFS	T7
Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 Silver 9006	Anthracite 7016 White 9016	White 02 Dark Brown 08 Silver 01 Gray 03 Golden Oak 30 Green Fir 17 Anthracite 23 Brown 09 Red 12
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾	
Decors - group I ⁴⁾	Decors - group I ⁴⁾	-	Decors - group I ⁴⁾	
Decors - group II ⁴⁾	Decors - group II ⁴⁾	-	Decors - group II ⁴⁾	

1) DB RA/ RAS dører i høyde 2017 - 2099mm og 2187 - 2209mm lages ikke

DB RA/ RAS dører er bare tilgjengelige i speil type A (520 x 330mm)

2) Dør karm og dørblad i RAL 9016 (inn og utvendig)

3) Alle RAL farger unntatt for pearl, metalick, fluorescent (på forespørsel)

to-sidig lakkering av dør blad og utvendig dør karm

4) Dør blad og karm i RAL 8007 (utvendig og innvendig)

5) Dør blad og karm i RAL 8014 (utvendig og innvendig)

6) Dør blad og karm dekor utvendig, RAL 9016 innvendig.

høyde/bredde	900	1100	1200
2125	6992,46 8085,42 7812,18 8308,98	7290,54 8445,60 8135,10 8694,00	7741,14 8982,64 8666,18 9213,90
2250	7687,98 8929,98 8607,06 9153,54	8010,90 9315,00 8979,66 9538,56	8495,78 9859,00 9518,19 10114,60
2400	7936,38 9203,22 8880,30 9439,20	8284,14 9600,66 9252,90 9849,06	8775,72 10175,46 9822,48 10443,23

DOBBELT DØRER OG DB61, PIS PÅ FORESPØRSEL

Tekniske spesifikasjoner

Alu elementer 78mm x 15mm /skummet isolasjon.(norsk aluminium)
 Motordrift, 2 sendere, Innv. Styreskap (type kypad)
 Sikkerhets system / fjærsystem / rørmotor
 Termo isolert til K-4.3 m2, og god støyisolasjon.
 Leveres std.uten deksel over rullen for innv. mont.
 Overhøyde 300 mm, porthøyde 2850mm kreves 360mm overhøyde
 Produsert etter ISO:9001. Godkjent etter EU 13241-1.
 Sideskinner 70 mm Sideskinner 100 mm



Hvite glatte og struktur lakkerte / se farge utvalg i brosjyre

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440	18821	23526	19436	24295	20051	25064	21309	26636
tom. 2590	19352	24190	19995	24994	20610	25762	21840	27300
tom. 3050	20302	25378	21253	26566	22175	27719	23405	29256
tom. 3750	22708	28385	22986	28732	23908	29885	25473	31842
tom. 4420	25392	31739	26314	32892	27572	34465	29416	36770
tom. 4720	26118	32648	27069	33836	28298	35373	30171	37714
tom. 5300	34475	43094	36348	45435	37913	47391	40401	50501

Laminerte / se farge utvalg i brosjyre


høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440	20163	25203	20973	26217	21784	27230	23237	29047
tom. 2590	20806	26007	21616	27020	22399	27998	23908	29885
tom. 3050	22007	27509	23181	28977	24299	30374	25837	32296
tom. 3750	24188	30234	25333	31667	26535	33169	28464	35580
tom. 4420	27851	34814	29109	36386	30646	38308	32938	41173
tom. 4720	28773	35967	30031	37539	31596	39496	33944	42430
tom. 5300	37438	46797	39674	49592	41603	52003	44621	55776

Priser for deksler (box over trommel)

bredde →	2440	2590	3050	3750	4420	4720	5300	
Box 90 bare hvit	523	748	1047	1346	1495	1794	2243	
Full box	807	1047	1346	1794	2243	2542	2990	
Full box/forsterkt	1106	1346	1645	2243	2990	2990	3738	
		eks. mva	inkl. mva				eks. mva	inkl. mva
Sender 2 kanal		598,00	747,50		Batteri back up		7 280,00	9 100,00
Sender 4 kanal		910,00	1 137,50		Utv. nødåpner		2 028,00	2 535,00
Keypad utv.		1 950,00	2 437,50		Fotocelle 2 channel		598,00	747,50



Styreskap



Keypad utv



Sender



Marantec portåpnere

Soft start og stopp, enkel programmering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 leveres med 2 stk. sendere Bilinked
 Produsert i Tyskland



comf.50

comf.260

comf.370/380

Portåpnere porthøyde

Skinne type	nr.11, tom. 2250mm		nr.12, tom. 2500mm		nr.13, tom. 3250mm	
	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
Comfort 50, må bestilles	2692	3365	3085	3856	3501	4376
Comfort 260	3385	4232	3778	4722	4194	5242
Comfort 370	3940	4925	4332	5415	4748	5935
Comfort 380	4471	5589	4864	6080	5279	6599

Motorhoder	eks. mva	inkl. mva	Skinner	eks. mva	inkl. mva
motorhode comfort 50	1907	2384	SZ nr.11 - S → 2250 mm	890	1113
motorhode comfort 260	2600	3250	SZ nr.12 - S → 2500 mm	1283	1604
motorhode comfort 370	3154	3943	SZ nr.13 - S → 3250 mm	1699	2124
motorhode comfort 380	3686	4607	SZ nr.16 opptil 365 høyde	2415	3019
Div.	eks. mva	inkl. mva		eks. mva	inkl. mva
Sender mini 2 ch. Multibit	431	538	mottaker Bil., 868hz.	638	798
Sender mini 4 kanal	592	740	Kodetastatur Bilinked	939	1173
Sender micro 3 kanal	592	740	Innv. betjening sender, bil.	662	827
Sender mini 2 ch. Bilinked	615	769	Fotocelle /	777	971
Sender mini 3 ch. Bilinked	662	827	Multi-Function / 8000 serien	431	538
Sender mini 4 ch. Bilinked	662	827	Glidebrakett for skinne	69	87
			Domino kodepanel	700	875

Starcus, lerandør Krispol.

Soft start og stopp, enkel programmering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 hastighet 16 cm/sec
 Starcus leveres med 2 stk. Sendere (433HZ)



Starcus åpnere max. porthøyde 2250mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	2201	2751
Mod 1000 / 2 sendere 3 ch.	2672	3340
Starcus åpnere max. porthøyde 2500mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	2672	3340
Mod 1000 / 2 sendere 3 ch.	3144	3930
Div. Tilbehør	eks. mva	inkl. mva
Motorhode Starcus 600	1517	1896
Motorhode Starcus 1000	1753	2191
skinne belte lende 3160mm	1281	1602
skinne belte lende 4060mm	1871	2338
sender, 3 ch	385	482
sender, 4 ch	456	570
kodetastatur	928	1160

