


Prisliste

Twobi™
GARASJEPORTER



Priser på Twobi garasjeporter

Fom. 23.08.2021

Tar forbehold om evt. Trykkfeil.

Nyhet beslag type E



The construction of the door frame elements was designed to provide an easy installation and to eliminate the risk of making a mistake.



Easy installation of lines by hooking in special openings.




Possibility of choosing a place for suspension installation thanks to moveable hooks and installation profiles.




Ball-bearing rolls guarantee quiet and safe work.



Specially designed lower hinge provides optimal sealing of the door.



The door reinforced with middle hinges as a standard.



Two-lip bottom sealing.



Lintel sealing installed on the wall.

SEE THE NEW FUNCTIONS:



Tension springs installed vertically.



Easy installation of springs in the hooks.



Easy and reliable regulation of springs in previously prepared installation openings.

Beslag type E strekkfjærer, Kan leveres til alle porter med bredde opp til 4000mm porthøyde 2500mm
beslaget krever kun 120 mm overhøyde.
Mer info se side 20.

Innholdfortegnelse

- 4. Spesifikasjoner
- 5. Spesifikasjoner for decors gr.1 og gr 2
- 6. Priser st.størrelser woodgrain mod E
- 7. Notater
- 8. Notater
- 9. Priser st.størrelser woodgrain mod T
- 10. Priser woodgrain st. farger, mod T
- 11. Priser woodgrain RAL farger, mod T
- 12. Priser glatt panel, st.og RAL farger, mod E
- 13. Priser glatt panel, decors gr 1 og 2, mod E
- 14. Spesifikasjoner dør paneler / glatte porter
- 15. Priser st.størrelser glatt panel, mod T
- 16. Priser glatt panel, st.og RAL farger, mod T
- 17. Priser glatt panel, decors gr 1 og 2, mod T
- 18. Tilbehør, vindue, beslag mm.
- 19. Oversikt vinduer, håndtak
- 20. Beslag typer
- 21. Målskjema
- 22. Priser BASE porter
- 23. Priser side dører
- 24. Priser rulleporter
- 25. Port åpner Marantec
- 26. Port åpner Starcus

SPECIFICATION

DOOR CURTAIN

- sections 500 mm, 553 mm*, 610 mm in height
- door sections made of fire galvanised and polyester coated steel sheets
- filling: freon-free polyurethane foam, 40 mm thick or 60 mm thick
- reinforcement profile is used in the doors with the width exceeding 4750 mm
- weight: ~13 kg/m² or ~14 kg/m² (for VENTE RFS 60)

* for RSS, RFS

TRACK SYSTEM

- fire galvanised steel construction
- N track system with torsion springs (Design, Classic T),
E track system with extension springs (Classic E)
- springs working life min. 15 000 cycles

SAFETY DEVICES






- spring break safety device
- roller protection covers (Design)
- hand bolt (see accessories table)
- lock (see accessories table)

Classic doors are not equipped with the wall fixing components.

The minimum order dimension of Design doors is: width 2000 mm, height 1700 mm (for K2 RA doors minimum height is 1950 mm) - the door prices are calculated according to the nearest dimension range in the pricelists.

The doors with dimensions exceeding those maximum specified in the pricelists are calculated on individual basis.

It is not recommended to install the doors in dark colours in the places that are exposed to strong sunshine (e.g. on the southern part). This may lead to the door curtain deformation, which is a natural process arising from the material properties.



		VENTE RC	VENTE RS	VENTE RF	VENTE RA	VENTE RCS
	outside embossment	multi grooved	single grooved	no embossments	cassettes	multi grooved
	outside surface	woodgrain	woodgrain	woodgrain	woodgrain	smooth
	inside embossment	multi grooved	multi grooved	multi grooved	multi grooved	multi grooved
	inside surface	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel
	inside colour	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾
Classic E typical doors	index	K2 RC E	K2 RS E	K2 RF E	-	K2 RCS E
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	-	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	E track system with extension springs			-	E track system with extension springs
	dimensions / accessories	page 6 / 18			-	page 12 / 18
Classic T typical doors	index	K2 RC T	K2 RS T	K2 RF T	K2 RA T	K2 RCS T
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9010) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, possibility of applying L track system				N track system with shot peened torsion springs, possibility of applying L track system
	dimensions / accessories	page 8 / 18				page 14 / 18
Design tailor made doors	index	K2 RC	K2 RS	K2 RF	K2 RA	K2 RCS
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9010) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system				look at the right
	dimensions / accessories	page 10-11 / 18				page 16-17 / 18





¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours

SPECIFICATION

DECORS - VENEERS

	name	similar RAL colour		name	similar RAL colour
group I	Golden oak 48	RAL 8007	group II	Anthracite - smooth 204	RAL 7016
	Chestnut 96	RAL 8014		Metbrush anthracite 193	RAL 7016
	Anthracite 174	RAL 7016		Basalt grey - smooth 207	RAL 7012
	Winchester 19	RAL 1011		Bright birke 1	RAL 1011
	Dark oak 44	RAL 8014		Quartz grey 216	RAL 7039
	Dark grey smooth 703	RAL 7016		Grey cedar 22	RAL 7006
	Mahogany 12	RAL 8016		Merbau 6*	RAL 8011
	Grey 173	RAL 7001		Metallic anthracite 209	RAL 7016
	Boggy oak 45	RAL 8019		Metallic dark grey 704	RAL 7024
	Siena noce 15	RAL 8028		Travertine 3*	RAL 1013
	Chocolate brown 185	RAL 8022		Sheffield oak 46	RAL 9002
	Carbon 210	RAL 7012		Concrete 2	RAL 7042
	Natural oak 42	RAL 1001		White 7	RAL 9003
	Macore 5	RAL 8016		Black - smooth 8	RAL 9011
	Cream 104	RAL 9001		Grey ash oak 49	RAL 7030
	Antique pine 20	RAL 8003		Woodec turner oak malt 50	RAL 1011

* available until stocks last




VENTE RSS	VENTE RM	VENTE RFS	VENTE RFS 60		
single grooved	V-profiling	no embossments	no embossments	outside embossment	
smooth	smooth	smooth	smooth	outside surface	
multi grooved	multi grooved	multi grooved	multi grooved	inside embossment	
stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	inside surface	
White (RAL 9010) ¹⁾	White (RAL 9002) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	inside colour	
K2 RSS E	K2 RM E	K2 RFS E	-	index	Classic E typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	-	colours	
decors group I and II	-	decors group I and II	-	decors	
E track system with extension springs			-	track system	
page 12 / 18			-	dimensions / accessories	
K2 RSS T	K2 RM T	K2 RFS T	K2 RFS 60T	index	Classic T typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, possibility of applying L track system			N track system with shot peened torsion springs, possibility of applying L track system	track system	
page 14 / 18			page 21 / 23	dimensions / accessories	
K2 RSS	K2 RM	K2 RFS	K2 RFS 60	index	Design tailor made doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system			N28, L15, NH35	track system	
page 16-17 / 18			page 22 / 23	dimensions / accessories	

¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours

WOODGRAIN Classic E

STANDARD COLOURS

RC E



Anthracite (RAL 7016)

White RAL 9016

Brown RAL 8014

5 % tillegg andre bredde med E track, pris som nærmeste br. opp.

Skinne type E track krever kun 120 mm overhøyde

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	9612	10120	10313	10436	10436	10739	10945	11412	12141	12938	13474	14257	15446
2125	10065	10395	10560	10697	10697	10945	11275	11728	12470	13254	13886	14628	16394
2250	10326	10684	10862	10890	10890	11275	11591	12044	12842	13707	14257	15522	16779
2375	10904	11343	11536	11673	11673	11989	12278	12896	13474	14738	15329	16690	17975
2500	11440	11783	12044	12539	12539	12883	13171	13845	14463	15742	16181	17625	18951

RS E



bredde →

RF E



høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10134	10684	10849	11068	11068	11412	11673	12141	12938	13762	14408	15206	16477
2125	10601	10945	11151	11316	11316	11673	11989	12470	13254	14175	14711	15604	17397
2250	10876	11261	11467	11632	11632	11948	12278	12896	13625	14587	15206	16525	17879
2375	11495	11976	12223	12415	12415	12787	13034	13707	14408	15659	16333	17776	19184
2500	12044	12429	12704	13323	13323	13707	14010	14738	15494	16429	17102	18862	20270

RC E



bredde →

RAL COLOURS

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10862	11453	11659	11797	11797	12182	12443	13006	13886	14821	15494	16429	17782
2125	11371	11742	11976	12141	12141	12470	12855	13433	14312	15247	16044	16924	18868
2250	11673	12058	12319	12457	12457	12896	13268	13845	14793	15852	16539	17954	19390
2375	12374	12842	13089	13323	13323	13694	14037	14779	15535	17034	17790	19315	20779
2500	12951	13364	13652	14312	14312	14711	15082	15879	16690	17680	18422	19961	21713

RS E



bredde →

RF E



RAL COLOURS

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11440	12031	12278	12429	12429	12883	13185	13721	14670	15659	16456	17377	18786
2125	11976	12388	12594	12773	12773	13213	13584	14188	15123	16154	16882	17913	19844
2250	12292	12704	12938	13171	13171	13584	13955	14670	15577	16690	17487	18944	20476
2375	13006	13542	13762	14051	14051	14546	14821	15604	16484	17927	18820	20401	21988
2500	13625	14051	14381	15082	15082	15577	15934	16786	17735	18600	19411	20868	22345

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prisliste.

NB: T Mod RS lages ikke høyder; 2050, 2300, 2350

WOODGRAIN Classic T





STANDARD COLOURS

K2 RC T

K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)

- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016)
- Brown (similar to RAL 8014)*

* refers to K2 RC T and K2 RA T

WOODGRAIN Classic T





RAL COLOURS

K2 RC T


K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)



		St farge			RAL farger		
bredde	høyde	RCT	RS T, RF T	K2 RA T	K2 RCT	RS T, RF T	K2 RA T
2250 / 2375	2000	10 794	11467	11467	12250	12896	12896
	2125 / 2100	11 082	11714	11714	12608	13268	13268
	2250	11 659	12402	12402	13391	14147	14147
	2375	12 086	12883	12883	13831	14601	14601
	2500	13 006	13831	13831	14848	15700	15700
2400	2000	10 794	11467	11467	12250	12896	12896
	2125 / 2100	11 082	11714	11714	12608	13268	13268
	2250	11 659	12402	12402	13391	14147	14147
	2375	12 086	12883	12883	13831	14601	14601
	2500	13 006	13831	13831	14848	15700	15700
2500	2000	11 123	11838	11838	12622	13323	13323
	2125 / 2100	11 343	12086	12086	12938	13694	13694
	2250	11 976	12759	12759	13749	14560	14560
	2375	12 429	13254	13254	14230	15027	15027
	2500	13 364	14243	14243	15302	16168	16168
2600	2000	11 343	12086	12086	12910	13666	13666
	2125 / 2100	11 673	12429	12429	13323	14079	14079
	2250	12 250	13034	13034	14065	14848	14848
	2375	12 704	13542	13542	14587	15384	15384
	2500	13 639	14560	14560	15632	16539	16539
2750	2000	11 838	12594	12594	13501	14257	14257
	2125 / 2100	12 168	12924	12924	13927	14683	14683
	2250	12 484	13378	13378	14340	15219	15219
	2375	13 378	14243	14243	15343	16195	16195
	2500	14 340	15316	15316	16484	17418	17418
3000	2000	12 594	13433	13433	14395	15219	15219
	2125 / 2100	12 924	13721	13721	14834	15659	15659
	2250	13 295	14133	14133	15343	16154	16154
	2375	13 969	14944	14944	16113	17089	17089
	2500	14 999	16071	16071	17295	18381	18381
3250	2000	13 433	14285	14285	15370	16250	16250
	2125 / 2100	13 721	14670	14670	15824	16731	16731
	2250	14 243	15123	15123	16456	17295	17295
	2375	15 316	16236	16236	17707	18642	18642
3500	2000	13 969	14944		16071	17061	
	2125 / 2100	14 395	15261		16649	17528	
	2250	14 779	15769		17157	18147	
	2375	15 893	16965		18463	19508	
3750	2000	14 779	15769		17047	18037	
	2125 / 2100	15 178	16195		17570	18600	
	2250	16 099	17144		18655	19673	
	2375	17 295	18449		20044	21171	
4000	2000	15 996	17054		18442	19459	
	2125 / 2100	16 985	18030		19569	20586	
	2250	17 384	18525		20078	21232	
	2375	18 621	19844		21548	22772	
4250	2000	17 645	18813		20201	21356	
	2125 / 2100	18 098	19239		20792	21961	
	2250	18 744	19954		21631	22799	
	2375	20 119	21411		23211	24517	
4500	2000	18 263	19418		20944	22084	
	2125 / 2100	18 813	20009		21672	22868	
	2250	19 239	20435		22277	23500	
	2375	20 627	21933		23912	25218	
4750	2000	19 981	21163	21163	22813	24022	24022
	2125 / 2100	20 366	21631	21631	23390	24655	24655
	2250	20 820	22153	22153	24050	25369	25369
	2375	22 345	23761	23761	25823	27225	27225
5000	2000	20 119	21370	21370	23115	24380	24380
	2125 / 2100	20 559	21851	21851	23747	25039	25039
	2250	21 191	22593	22593	24586	25947	25947
	2375	22 744	24242	24242	26428	27898	27898
5250	2000	21 315	22675		24476	25864	
	2125 / 2100	21 919	23321		25259	26689	
	2250	22 373	23775		25905	27321	
	2375	23 981	25534		27830	29383	
5500	2000	22 181	23610		25493	26909	
	2125 / 2100	22 593	24050		26098	27541	
	2250	22 950	24476		26689	28201	
	2375	24 655	26290		28668	30331	

NB; Port høyde 2125 og 2100 lik pris

Standard porter er tilgjengelig med skinne system N 210mm overhøyde og L 120mm overhøyde,


Vinduer og NH skinne system kun i skreddersydde porter

Mod. RA tilgjengelig i bredder opp til 3350mm, fom 4750mm tom 5000mm

Tailor made sectional garage doors vente

WOODGRAIN Design STANDARD COLOURS

RC



hvit tilnærmet RAL 9016


Anthracite (RAL 7016)

brun tilnærmet RAL 8014 (gjelder RC og RA)


bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11233	11495	11783	12141	12429	12979	13776	14697	15329	16223	17507	18772	19954	21796	22002	23321	24297	24820	25589
2125	11495	11783	12086	12429	12787	13364	14188	15082	15769	16649	18552	19445	20545	22236	22497	24009	24778	25562	26249
2250	11783	12141	12388	12759	13116	13694	14601	15590	16223	17666	19033	20490	21012	22758	23225	24476	25149	27747	28393
2375	12512	12924	13254	13597	13941	14656	15329	16470	17267	18642	20201	21177	22387	24050	24421	25864	26098		
2500	13364	13652	14024	14477	14807	15508	16415	17515	18545	19837	21218	22359	23528	25644	25974	27005	27458		
2625	13694	14024	14450	14834	15219	15975	16772	18188	18930	20140	21700	22991	23899	25136					
2750	13886	14340	14697	15137	15508	16415	17185	18669	19508	20621	22703	23541	24462	25768					
2875	14642	14986	15357	15865	16223	17020	18161	19659	20676	21569	23665	24558	25548						
3000	15082	15412	15810	16223	16690	17858	18765	20112	20978	22064	24187	25177							


RS



RF



RA



Anthracite (RAL 7016)

hvit tilnærmet RAL 9016

brun tilnærmet RAL 8014 (gjelder RC og RA)

bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11976	12264	12512	12924	13254	13776	14697	15700	16374	17267	18634	20023	21218	23170	23404	24833	25864	26469	27252
2125	12264	12512	12842	13254	13597	14188	15082	16099	16772	17790	19693	20930	21864	23637	23954	25575	26331	27239	27967
2250	12512	12924	13199	13584	13941	14642	15508	16594	17267	18793	20243	21301	22387	24228	24778	26098	26812	29575	30276
2375	13364	13721	14065	14560	14834	15590	16374	17515	18422	19837	21507	22717	23775	25603	26002	27280	28049		
2500	14188	14601	14986	15412	15769	16553	17473	18669	19810	21184	22607	24325	25012	27294	27692	28764	29273		
2625	14642	14986	15357	15810	16223	17047	17899	19425	20154	21487	23115	24476	25465	26730					
2750	14807	15261	15700	16140	16553	17473	18298	19879	20800	21995	24187	25026	26084	27417					
2875	15549	15948	16415	16869	17267	18119	19384	20978	22037	22985	25191	26139	27225						
3000	16044	16470	16800	17267	17817	19054	19989	21432	22366	23562	25754	26840							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000				RA ikke tilgj.		


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB; Port høyde 2125 og 2100 lik pris

Tailor made sectional garage doors vente

WOODGRAIN Design RAL COLOURS


RC




bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12800	13130	13529	13941	14257	14958	15920	17061	17776	18875	20339	21851	23184	25204	25507	27019	28187	28544	29479
2125	13185	13529	13941	14312	14738	15453	16429	17556	18353	19480	21548	22565	23926	25809	26249	27912	28847	29534	30414
2250	13570	13996	14257	14738	15178	15920	16937	18188	18999	20607	22153	23720	24641	26538	27156	28613	29465	31939	32736
2375	14367	14848	15302	15728	16099	17020	17803	19219	20167	21734	23569	24957	26180	28049	28558	30221	31156		
2500	15302	15728	16140	16690	17102	17968	19040	20415	21638	23191	24751	25988	27527	29823	30345	31266	31953		
2625	15769	16140	16690	17171	17666	18559	19535	21198	22105	23342	25136	26634	27788	29218					
2750	16044	16566	17061	17556	18037	19095	20071	21872	22875	23988	26276	27348	28517	30042					
2875	16841	17336	17803	18408	18848	19810	21157	22985	24167	25088	27417	28531	29795						
3000	17432	17803	18353	18848	19425	20813	21913	23576	24648	25775	28091	29383							


RS



RF



RA



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12420	12705	13049	13498	13843	14487	15415	16493	17227	18260	19974	21471	22684	24301	24945	26413	27491	27850	28734
2125	12765	13049	13393	13843	14277	14921	15849	16987	17766	18844	21052	22295	23463	24885	25619	27296	28179	28793	29632
2250	13109	13543	13843	14232	14681	15415	16343	17571	18365	19922	21741	22954	24047	25619	26547	27925	28763	31114	31983
2375	13947	14382	14726	15220	15610	16448	17272	18559	19533	21060	23028	24406	25574	27041	27925	29482	30366		
2500	14771	15220	15714	16149	16538	17421	18410	19727	20910	22438	24196	25589	26847	28120	29587	30441	31129		
2625	15265	15714	16104	16583	17077	17961	18949	20566	21405	22543	24541	25978	27071	28823					
2750	15505	16059	16493	16987	17481	18455	19383	21120	22138	23157	25649	26652	27790	28913					
2875	16298	16748	17272	17766	18215	19143	20521	22228	23411	24205	26727	27820	29018						
3000	16837	17272	17721	18215	18844	20177	21165	22782	23800	24879	27386	28614							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000			RA ikke tilgj.			


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB; Port høyde 2125 og 2100 lik pris

Slick Classic E

STANDARD COLOURS

RCS E



RM E




Anthracite (RAL 7016)


bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10175	10711	10890	11082	11082	11453	11701	12237	12993	13817	14395	15219	16518
2125	10670	11000	11206	11398	11398	11701	12017	12539	13309	14202	14807	15618	17466
2250	10904	11302	11495	11659	11659	11989	12360	12896	13707	14642	15219	16553	17920
2375	11536	12017	12264	12429	12429	12800	13130	13749	14395	15728	16374	17790	19225
2500	12099	12470	12773	13364	13364	13721	14079	14779	15480	16649	17515	19013	20449

RSS E



RFS E




Anthracite (RAL 7016)

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10807	11398	11618	11797	11797	12168	12429	12993	13817	14711	15370	16223	17549
2125	11330	11701	11921	12072	12072	12429	12800	13309	14202	15082	15783	16690	18552
2250	11632	12017	12264	12402	12402	12759	13130	13707	14601	15590	16223	17666	19061
2375	12333	12787	13034	13254	13254	13666	13941	14642	15370	16731	17432	18958	20435
2500	12910	13295	13584	14243	14243	14670	14972	15728	16511	17570	18339	19810	21122

RAL COLOURS

RCS E




RM E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12168	12800	13061	13268	13268	13707	14079	14711	15742	16772	17611	18669	20174
2125	12732	13171	13433	13707	13707	14147	14587	15206	16223	17350	18216	19288	21356
2250	13075	13542	13776	14147	14147	14587	15013	15742	16800	17968	18848	20415	22029
2375	13859	14395	14670	15027	15027	15522	15948	16731	17680	19329	20250	21968	23665
2500	14546	14972	15329	16168	16168	16690	17144	18009	18999	20703	21610	23315	24998

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12910	13584	13845	14010	14010	14450	14807	15508	16553	17721	18545	19659	21866
2125	13529	13969	14243	14395	14395	14862	15343	15975	17089	18229	19164	20332	22455
2250	13872	14340	14642	14848	14848	15343	15797	16553	17707	18930	19837	21514	23184
2375	14683	15302	15577	15865	15865	16401	16745	17625	18642	20360	21336	23150	24874
2500	15425	15893	16250	17047	17047	17625	18037	18944	20030	21762	22779	24414	26139

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prisliste.

5 % tillegg for andre bredder med E track, pris som nærmeste bredde opp.

Skinne type E track krever kun 120 mm overhøyde

Slick Classic E

Decors group I

RCS E




5 % tilleg andre bredde med E track, pris som nærmeste br. opp.

Skinne type E track krever kun 120 mm overhøyde

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11659	12278	12484	12663	12663	13089	13460	14079	14986	16044	16731	17790	19157
2125	12223	12608	12842	13089	13089	13515	13859	14573	15453	16511	17336	18326	20311
2250	12512	12938	13185	13460	13460	13859	14271	14986	15948	17089	17858	19384	20944
2375	13254	13762	14037	14367	14367	14807	15151	15989	16772	18394	19246	20868	22469
2500	13886	14326	14642	15439	15439	15920	16250	17199	18051	19508	20332	21569	23211

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12264	12910	13130	13364	13364	13817	14202	14848	15824	16965	17707	18793	20201
2125	12814	13268	13529	13749	13749	14230	14642	15329	16319	17418	18298	19384	21411
2250	13171	13625	13872	14202	14202	14642	15082	15824	16814	18078	18848	20483	22029
2375	13955	14546	14779	15151	15151	15618	15989	16869	17748	19425	20250	22023	23665
2500	14642	15082	15439	16250	16250	16800	17199	18133	19068	19989	20868	22504	24064

Decors group II


RCS E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12470	13130	13391	13570	13570	14010	14408	15137	16140	17253	18037	19164	20669
2125	13061	13515	13721	14037	14037	14491	14876	15618	16649	17790	18710	19824	21864
2250	13405	13859	14133	14450	14450	14917	15357	16168	17199	18463	19343	20965	22634
2375	14216	14766	15041	15439	15439	15920	16278	17226	18119	19851	20800	22559	24283
2500	14876	15357	15728	16594	16594	17116	17487	18518	19466	21226	22078	23851	25520

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13075	13762	14037	14243	14243	14711	15164	15893	16937	18174	18999	20195	21700
2125	13680	14188	14408	14711	14711	15233	15659	16415	17528	18710	19673	20882	22991
2250	14051	14573	14821	15192	15192	15700	16181	16979	18078	19425	20277	22050	23692
2375	14876	15508	15797	16195	16195	16731	17157	18092	19054	20896	21858	23741	25452
2500	15604	16113	16498	17405	17405	17996	18463	19439	20497	21363	22298	24194	25699


NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prislise.


SLICK Classic T

STANDARD COLOURS


K2 RCS T




K2 RM T



K2 RSS T



K2 RFS T




- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9002) **
- Silver (similar to RAL 9006) **

* refers to K2 RCS T, K2 RSS T, K2 RFS T
** refers to K2 RM T


SLICK Classic T

RAL COLOURS


K2 RCS T




K2 RM T



K2 RSS T




K2 RFS T




SLICK Classic T

DECORS GROUP I


K2 RCS T



K2 RSS T




K2 RFS T




SLICK Classic T

DECORS GROUP II


K2 RCS T



K2 RSS T



K2 RFS T



		St farge		RAL farger		Decor type 1		Decor type 2	
bredde	høyde	RCS T /RM T	RSS T, RFS T	RCS T /RM T	RSS T, RFS T	RCS T	RSS T, RFS T	RCS T	RSS T, RFS T
2250 / 2375	2000	11 481	12250	13707	14491	13130	13845	14065	14779
	2125 / 2100	12 223	12951	14848	15659	14175	14972	15233	16071
	2250	12 924	13707	15755	16621	14999	15879	16154	17034
	2375	13 584	14422	16566	17473	15769	16690	16979	17886
	2500	13 845	14766	16731	17680	15989	16869	17185	18051
2400	2000	11 481	12250	13749	14546	13130	13845	14065	14779
	2125 / 2100	12 223	12951	14848	15659	14175	14972	15233	16071
	2250	12 924	13707	15755	16621	14999	15879	16154	17034
	2375	13 584	14422	16566	17473	15769	16690	16979	17886
	2500	13 845	14766	16772	17707	15989	16869	17185	18078
2500	2000	11 857	12608	14243	14986	13570	14312	14560	15261
	2125 / 2100	12 470	13254	15206	16003	14463	15316	15577	16429
	2250	13 281	14133	16195	17089	15425	16319	16621	17515
	2375	13 859	14711	16910	17831	16099	17034	17350	18284
	2500	14 257	15219	17295	18284	16525	17432	17776	18683
2600	2000	12 113	12896	14628	15370	13941	14697	14958	15742
	2125 / 2100	12 787	13584	15590	16470	14834	15728	15975	16841
	2250	13 584	14422	16566	17473	15769	16690	16979	17886
	2375	14 317	15219	17473	18463	16649	17611	17913	18889
	2500	14 628	15535	17790	18724	16869	17831	18147	19123
2750	2000	12 649	13474	15261	16085	14628	15425	15700	16498
	2125 / 2100	12 993	13817	15783	16594	15082	15893	16195	17020
	2250	14 037	14931	17144	18106	16319	17267	17583	18532
	2375	14 697	15632	17954	18958	17102	18106	18449	19425
	2500	15 343	16305	18697	19659	17831	18834	19219	20167
3000	2000	13 474	14312	16319	17171	15549	16429	16731	17570
	2125 / 2100	13 817	14697	16814	17748	16003	16937	17267	18188
	2250	14 243	15137	17432	18339	16553	17460	17831	18765
	2375	14 944	15920	18326	19329	17405	18408	18793	19796
	2500	16 044	17116	19714	20786	18724	19810	20209	21281
3250	2000	14 317	15261	17418	18353	16649	17611	17899	18862
	2125 / 2100	14 697	15632	17968	18944	17116	18092	18463	19411
	2250	15 178	16168	18669	19659	17748	18738	19150	20154
	2375	16 305	17391	20057	21157	19068	20154	20607	21693
	2500	17 044	18106	21006	22160	19961	21019	21610	22669
3500	2000	15 944	15920	18257	19274	17363	18353	18724	19714
	2125 / 2100	15 370	16374	18917	19892	17968	18972	19411	20415
	2250	15 797	16814	19535	20593	18545	19535	20071	21061
	2375	16 979	18106	21006	22160	19961	21019	21610	22669
	2500	17 797	19686	22806	24057	21652	22902	23425	24648
3750	2000	15 797	16814	19370	20415	18463	19494	19934	20937
	2125 / 2100	16 223	17295	20016	21102	19013	20112	20580	21679
	2250	17 171	18312	21184	22339	20112	21267	21748	22916
	2375	18 463	19686	22806	24057	21652	22902	23425	24648
	2500	19 109	20889	22002	23280	19844	20944	21411	22483
4000	2000	18 098	19239	22126	23280	21054	22181	22703	23844
	2125 / 2100	18 566	19748	22840	24022	21700	22840	23473	24572
	2250	19 899	21191	24558	25837	23294	24531	25177	26414
	2375	21 466	22813	26359	27761	25149	26538	27129	28531
	2500	22 029	23404	27225	28599	25878	27294	27994	29424
4250	2000	20 724	21328	24600	25878	23404	24710	25259	26551
	2125 / 2100	20 531	21796	25342	26620	24077	25424	26043	27376
	2250	21 029	22404	26359	27761	25149	26538	27129	28531
	2375	22 029	23404	27225	28599	25878	27294	27994	29424
	2500	22 760	24242	27761	29218	26428	27898	28434	29946
4500	2000	21 050	21652	24057	25342	23404	24710	25259	26551
	2125 / 2100	21 672	22404	26359	27761	25149	26538	27129	28531
	2250	22 760	24242	27761	29218	26428	27898	28434	29946
	2375	23 830	25356	29300	30840	27802	29341	30042	31582
	2500	24 325	25919	30097	31705	28544	30125	30895	32461
4750	2000	21 480	22840	26208	27610	24943	26304	26854	28228
	2125 / 2100	21 961	23363	27005	28421	25589	27032	27678	29067
	2250	22 662	24146	28008	29465	26565	28022	28709	30194
	2375	23 325	25919	30097	31705	28544	30125	30895	32461
	2500	24 325	25919	30097	31705	28544	30125	30895	32461
5000	2000	22 760	24242	27761	29218	26428	27898	28434	29946
	2125 / 2100	23 404	24943	28737	30235	27266	28792	29410	30922
	2250	23 857	25424	29465	31018	27926	29493	30207	31760
	2375	25 603	27294	31678	33341	30042	31719	32489	34207
	2500	26 373	28063	32723	34427	30991	32681	33575	35265


NB; Port høyde 2125 og 2100 lik pris

Standard porter er tilgjengelig med skinne system N 210mm overhøyde og L 120mm overhøyde, Vinduer og NH skinne system kun i skreddersydde porter

SLIK Design STANDARD COLOURS

Tailor made sectional garage doors vente

RCS



bredde →

RM




- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9012) **
- Silver (similar to RAL 9006) **

* refers to K2 RCS, K2 RSS, K2 RFS
** refers to K2 RM


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11907	12223	12457	12855	13171	13721	14642	15577	16250	17199	18538	19885	21122	23046	23308	24751	25754	26290	27101
2125	12223	12457	12800	13171	13556	14133	15013	16003	16717	17680	19624	20408	21754	23555	23844	25465	26249	27074	27830
2250	12457	12855	13130	13529	13872	14573	15453	16553	17199	18724	20146	21191	22304	24091	24655	25919	26689	29396	30249
2375	13268	13680	14037	14450	14779	15549	16250	17432	18339	19755	21383	22758	23706	25465	25878	27376	28173	30647	
2500	14133	14546	14862	15357	15700	16456	17377	18545	19700	21061	22455	24022	24943	27170	27527	28599	29506		
2625	14573	14862	15316	15742	16154	16965	17803	19329	20071	21349	22991	24338	25328	26579					
2750	14711	15206	15577	16085	16456	17377	18216	19810	20717	21885	24022	24902	25905	27252					
2875	15508	15865	16305	16800	17199	18051	19288	20910	21940	22861	25039	25988	27074						
3000	15962	16360	16745	17199	17748	18944	19892	21349	22256	23452	25589	26689							

RSS




bredde →

RFS



bredde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12635	12993	13268	13680	14037	14642	15577	16635	17350	18339	19734	21163	22455	24531	24833	26331	27390	28022	28874
2125	12993	13268	13584	14037	14450	15013	16003	17061	17803	18862	20861	22304	23198	25039	25424	27101	27967	28860	29658
2250	13268	13680	13996	14367	14779	15508	16456	17625	18339	19947	21452	22552	23706	25685	26249	27651	28434	31321	32132
2375	14133	14615	14931	15412	15742	16553	17350	18545	19576	21061	22744	24228	25218	27115	27582	28943	29768		
2500	15013	15453	15865	16360	16717	17528	18504	19810	21019	22490	23940	25575	26538	28929	29328	30455	31307		
2625	15508	15865	16305	16745	17199	18119	18999	20607	21391	22806	24462	25919	26977	28311					
2750	15700	16195	16635	17089	17528	18504	19411	21116	22064	23329	25575	26524	27623	29025					
2875	16498	16910	17377	17886	18339	19246	20552	22256	23397	24401	26703	27720	28847						
3000	17020	17432	17845	18339	18889	20222	21239	22793	23727	25019	27266	28434							

RCS



bredde →

RM



RAL FARGER

(except: pearl, metallic, uorescent)


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14340	14711	15178	15700	16113	16882	18037	19301	20154	21418	23033	24820	26208	28434	28929	30606	31898	32668	33740
2125	14779	15219	15700	16154	16649	17418	18573	19961	20882	22202	24407	25823	27225	29273	29795	31705	32805	33863	34880
2250	15219	15742	16154	16649	17157	18106	19260	20731	21610	23535	25177	26538	28091	30139	30950	32516	33630	34963	36021
2375	16195	16745	17199	17776	18229	19301	20222	21830	22971	24785	26716	28201	29795	31829	32516	34083	35224	36502	0
2500	17199	17707	18229	18862	19343	20401	21610	23177	24621	26421	28091	29850	31362	33891	34496	35884			
2625	17803	18229	18862	19398	20002	21102	22202	24167	25198	26806	28805	30537	31884	33506					
2750	18147	18738	19301	19892	20442	21693	22861	24868	26105	27589	30125	31362	32778	34496					
2875	19013	19576	20154	20813	21363	22573	24112	26187	27589	28854	31403	32778	34248						
3000	19673	20222	20813	21363	22078	23617	24909	26930	28125	29665	32242	33740							

RSS



bredde →


RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	15137	15549	15934	16498	16924	17776	18958	20346	21267	22573	24201	25782	27610	29946	30427	32200	33575	34399	35513
2125	15590	15989	16456	16979	17542	18353	19576	20992	21982	23342	25603	27032	28654	30743	31321	33341	34496	35623	36695
2250	16071	16607	16979	17542	18106	19013	20222	21762	22765	24730	26510	27898	29506	31719	32516	34248	35389	38509	39526
2375	17047	17652	18147	18738	19191	20264	21322	22971	24222	26160	28091	29809	31321	33492	34248	35856	37080		
2500	18106	18697	19260	19837	20401	21418	22765	24401	25926	27782	29506	30977	32984	35636	36324	37753	38578		
2625	18738	19260	19837	20442	21047	22202	23411	25431	26531	28249	30276	32118	33534	35210					
2750	19054	19741	20346	20937	21542	22861	24071	26187	27452	29046	31678	33011	34454	36282					
2875	20002	20607	21267	21927	22531	23727	25390	27589	28991	30379	33094	34454	36008						
3000	20731	21322	21885	22531	23232	24909	26270	28332	29610	31245	33918	35471							

NB; Port høyde 2125 og 2100 lik pris


RCS



bredde →


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	13584	13969	14298	14779	15178	15879	16924	18147	18958	20112	21617	23280	24655	26730	27156	28805	29974	30743	31719
2125	13969	14340	14711	15219	15700	16401	17487	18697	19576	20772	22895	24270	25520	27445	27926	29726	30743	31802	32736
2250	14340	14834	15219	15700	16113	16979	18037	19398	20222	21982	23596	24984	26276	28283	28984	30427	31403	34358	35375
2375	15302	15783	16195	16717	17157	18106	18958	20442	21542	23232	25012	26469	27871	29877	30427	31898	32929		
2500	16195	16717	17199	17776	18188	19095	20264	21762	23081	24730	26318	27843	29341	31760	32310	33630	34647		
2625	16745	17199	17776	18229	18820	19796	20813	22641	23617	25157	27032	28654	29850	31376					
2750	17047	17652	18147	18697	19191	20346	21418	23287	24401	25844	28242	29410	30702	32283					
2875	17899	18408	18958	19576	20057	21157	22573	24566	25830	27040	29493	30716	32049						
3000	18504	19013	19576	20057	20731	22202	23342	25157	26311	27768	30207	31609							

RSS



bredde →

RFS



bredde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11126	11413	11713	12076	12425	13000	13837	14812	15474	16386	18004	19178	20415	21840	22464	23751	22177	25326	26113
2125	11451	11751	12038	12425	12838	13375	14250	15224	15924	16924	18991	19978	21127	22427	23052	24501	25301	26163	26925
2250	11751	12138	12425	12800	13175	13837	14675	15799	16474	17898	19578	20765	21665	23052	23876	25101	25875	28249	29049
2375	12463	12925	13213	13662	13975	14712	15474	16636	17511	18885	20703	21915	23002	24339	25101	25875	27075		
2500	13263	13625	14050	14462	14849	15599	16511	17686	18773	20110	21752	23064	24176	25875	26600	27650	28200		
2625	13662	14050	14462	14887	15299	16136	16961	18436	19173	20422	22327	23614	24613	25563	26263				
2750	13925	14387	14812	15224	15637	16561	17386	18935	19810	20984	23326	24239	25263						
2875	14600	15012	15474	15924	16349	17174	18348	19935	20935	21934	24301	25288	26363						
3000	15087	15512	15887	16349	16886	18048	18985	20435	21309	22534	24888	26000							

RCS



DECORS - GROUP II

bredde →


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14450	14834	15219	15742	16154	16979	18106	19398	20264	21610	23170	24861	26373	28599	29067	30785	32090	32984	34083
2125	14917	15302	15742	16195	16745	17542	18697	20057	20992	22298	24517	25905	27376	29424	29974	31898	32984	34180	35224
2250	15343	15824	16195	16745	17253	18188	19343	20813	21762	23617	25356	26909	28228	30317	31128	32764	33795	36887	37932
2375	16278	16800	17295	17845	18353	19398	20346	21927	23122	24909	26895	28531	30029	32063	32695	34289	35403		
2500	17295	17803	18353	18958	19453	20497	21693	23342	24730	26531	28228	30056	31554	34097	34743	36214	37327		
2625	17845	18353	18958	19494	20112	21226	22366	24318	25390	27081	29067	30812	32173	33850					
2750	18229	18862	19398	20002	20552	21830	22971	25060	26270	27864	30400	31692	33121	34839					
2875	19095	19673	20264	20937	21501	22683	24222	26352	27741	29115	31719	33107	34578						
3000	19796	20346	20937	21542	22202	23782	25129	27081	28290	29981	32558	34097							

RSS



bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	15178	15700	16071	16607	17047	17845	19054	20442	21363	22683	24352	25974	27775	30070	30606	32434	33740	34702	35829
2125	15700	16113	16553	17089	17652	18463	19673	21102	22078	23535	25795	27390	28805	30922	31554	33534	34702	35953	37066
2250	16113	16649	17089	17583	18147	19095	20346	21927	22861	24868	26620	28118	29685	31912	32764	34454	35554	38853	39911
2375	17157	17776	18188	18820	19301	20401	21418	23081	24318	26270	28228	29850	31486	33712	34413	36076	37258		
2500	18188	18738	19343	19961	20497	21542	22861	24566	26105	27960	29685	31623	33190	35843	36544	38083	38921		
2625	18820	19343	19961	20552	21157	22298	23535	25583	26696	28510	30565	32406	33850	35554					
2750	19191	19837	20442	21047	21652	22971	24167	26352	27644	29321	31980	33300	34798	36599					
2875	20112	20731	21363	22009	22641	23851	25541	27741	29156	30641	33341	34798	36351						
3000	20813	21418	22009	22641	23411	25060	26421	28510	29788	31534	34248	35829							

NB; Port høyde 2125 og 2100 lik pris

Handtak / sort, standard på høyre side sett utenfra	stk	90
Handtak tosidig / sort, standard på høyre side sett utenfra	stk	191
Handtak / sølv, standard på høyre side sett utenfra	stk	359
Håndtak med lås / sort, lås en side	stk	684
Håndtak med lås / sølv, lås en side	stk	741
Tilegg for tosidig lås max br. 5m (ikke port med passdoor)	stk	415
Lavt beslag type L (120mm), tom. B. 4500 tom. H. 2500	set	561
Lavt beslag type L (120mm), fom.B.4500 tom. B. 2500	set	774
Lavt beslag type SL (80mm), ved bruk av åpner	set	707
Beslag type NH (350mm), bare til tailormade garagedoor	set	0
Beslag type H (min.450mm), ikke pass door(åpner info)	set	1638
Brakett beslag H, åpner / skinne (210mm - 900mm)	stk	370
IP seksjon med dobbelt glass pr. m. max bredde 5m / alu farget		be om pris
Lakkering av IP seksjon i RAL farge pr. m		be om pris
Passdoor D2 R, terskel 90mm, max port br. 5000mm		be om pris
Passdoor D2 R, terskel 20mm, max port br. 4000mm		be om pris
Antipanic look, med betjenings tandtak		0
Antipanic look, med betjeningslist		0
Lakkering av ramme for passdoor D2 R		be om pris
multi-point pass door look, på forespørsel		be om pris
Vindu L2, utv. 633 x 332mm, sort (skrudd)	stk	583
Vindu L10, 532mm x 345mm, hvit eller brun	stk	684
Matt glass for vinduer	stk	258
Vindu L3, 603 x 203mm, sort (skrudd)	stk	494
Oval vindu R10, spring-look, 663 x 343mm, sort	stk	797
Decor, Cross, Diamnod, Sunburst 1, Sunburst 3, Sunburst 4,	stk	224
Rundt vindu R3, utv dia 330mm, glass 6mm blank eller rustfritt	stk	1313
Rektangulært vindu / rustfri ramme L4, 310mm x 310mm	stk	1290
Smalt vindu / rustfri ramme L5, 310mm x 310mm	stk	2760
Rektangulært vindu / rustfri ramme L6, 610mm x 203mm	stk	1201
PVC ventil ikke åpen, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	269
PVC ventil kan stenge, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	359
Lakkering en side vindus ramme i RAL farge		213
galv opphengsjern, 2000mm	stk	112
Vindu type ALPHA / utv. Mål 280 * 280 / Børsted aluminium	stk	2121
Vindu type ZETA / utv. dia 280 / Børsted aluminium	stk	2659
Vindu type SIGMA / utv. Mål 610 * 200 / Børsted aluminium	stk	2491

Prisene gjelder ved tilvalg til port.

Ved enkelt kjøp egne priser + 50%

TABLE – MAX. QUANTITY OF L2, L3, L4, L6, L10*, R3, R10, ALPHA ZETA, SIGMA, WINDOWS IN STEEL SECTION

width	≤2599	2600 - 3431	3432 - 4264	4265 - 5500
max. qty of windows in steel section	2	3	4	5

* the number of L10 windows in the case of raised panel sections results from the number of raised panels per section (window L10 are not available in width 0-2158, 2531-2665, 2801-2923, 3351-4856, >5000)


IMPORTANT: applies to garage doors without service door

TABLE – MAX. QUANTITY OF L5

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
max. qty of windows in steel section	1			

TABLE – QUANTITY OF WINDOWS IN IP SECTION

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
qty of windows in IP section	2	3	4	5



Sunburst 4 decorative insert (set) for L10 window



Sunburst 3 decorative insert (set) for L10 window



window L10



Cross decorative insert for L10 window



Sunburst 1 decorative insert for L10 window



Diamond decorative insert for L10 window



window L4



window L5



window L6




window L3



window L2




window R10



window R3



ventilation grille



window ALPHA



window ZETA



window SIGMA



ACCESSORIES FOR DOORS VENTE



grip, black




lock with grip, black




hand bolt



bottom roll holder with adjustment



multipoint lock



door closer lock



door closer stop (bumper)



lintel profile hook



SAN R




mounting kit

TRACK SYSTEMS / MEASUREMENT AND INSTALLATION


TRACK SYSTEMS

N normal
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H - 80 mm
Hp + n	= H
Hn min	= 210 mm
Hn + n min	= 210 mm
Hn stand	≤ 360 mm
W min	= H + 555

L low
with torsion springs in rear




B max	= 3500 mm 5000 mm 5500 mm
H max	= 3000 mm** 2500 mm 2375 mm
b min	= 100 mm
Hp	= H - 100 mm
Hp + n	= H - 100 mm***
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 250 mm
W min	= H + 625

SL* low
with torsion springs in rear




B max	= 3500 mm 4000 mm
H max	= 3000 mm** 2500 mm
b min	= 100 mm
Hp + n	= H - 100 mm***
Hn + n min	= 80 mm
Hn stand	≤ 200 mm
W min	= H + 625

NH normal increased
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H
Hp + n	= H
Hn min	= 350 mm
Hn + n min	= 400 mm
Hn stand	≤ 650 mm
W min	= H + 420

H high
with torsion springs in front



B max	= 3500 mm 5500 mm
H max	= 3000 mm 2500 mm
b min	= 100 mm
bn min	= 350 mm
HL	= Hn - 260 mm
HL min	= 210 mm
HL max	= 900 mm
Hp	= H
Hp + n	= H
Hn min	= 470 mm
Hn + n min	= 470 mm
Hn + n max	= 760 mm
Hn stand	≤ 1400 mm
W min	= H - HL + 750 mm


E
with extension springs



B max	= 4000 mm
H max	= 2500 mm
b min	= 100 mm
Hp	= H - 150 mm
Hp + n	= H - 30 mm
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 350 mm
W min	= H + 500

* drive with rail must be applied
** above the height of 2750 only manual operation or STARCUS drive from group B or D and SOMFY drive from group E is possible
*** when using the STARCUS drive: Hp+n=H-60


MEASUREMENT AND INSTALLATION




dimensioning method -
view from inside of the room

B	- opening width
H	- opening height
b	- side space
bn	- side space width for side drive
HL	- high lift
Hn	- headroom height
Hn + n	- headroom height in door with drive
Hp	- passage height
Hp + n	- passage height in door with drive
W	- built-in depth
Hn stand	- maximum headroom height while applying standard suspensions; in case of higher headroom it is necessary to install additional steel construction

order dimensions
B x H



B	
H	
Hn	
b	
bn	
X	
Y	
Z	
Hb	
A	
Bd	
Hd	
W	
Hα	
Wα	
α	





WOODGRAIN Clasic, standard størrelser

bredde	høyde	hvit 9016	anthracite 7016	Brun 8014
2200, 2300, 2375, 2400	2000	7548,70	7548,70	7548,70
	2125	7778,60	7778,60	7778,60
	2250	8008,50	8008,50	8008,50
	2375	8384,70	8384,70	8384,70
	2500	8928,10	8928,10	8928,10
2500	2000	7799,50	7799,50	7799,50
	2125	7778,60	7778,60	7778,60
	2250	8238,40	8238,40	8238,40
	2375	8572,80	8572,80	8572,80
	2500	9053,50	9053,50	9053,50
2600	2000	8029,40	8029,40	8029,40
	2125	8280,20	8280,20	8280,20
	2250	8531,00	8531,00	8531,00
	2375	8802,70	8802,70	8802,70
	2500	9283,40	9283,40	9283,40
2700	2000	8196,60	8196,60	8196,60
	2125	8447,40	8447,40	8447,40
	2250	8698,20	8698,20	8698,20
	2375	8990,80	8990,80	8990,80
	2500	9492,40	9492,40	9492,40
2800	2000	8363,80	8363,80	8363,80
	2125	8614,60	8614,60	8614,60
	2250	8886,30	8886,30	8886,30
	2375	9304,30	9304,30	9304,30
	2500	9701,40	9701,40	9701,40
2900	2000	8572,80	8572,80	8572,80
	2125	8844,50	8844,50	8844,50
	2250	9116,20	9116,20	9116,20
	2375	9408,80	9408,80	9408,80
	2500	9994,00	9994,00	9994,00
3000	2000	8740,00	8740,00	8740,00
	2125	9011,70	9011,70	9011,70
	2250	9283,40	9283,40	9283,40
	2375	9680,50	9680,50	9680,50
	2500	10203,00	10203,00	10203,00

NB; Port høyde 2125 og 2100 lik pris

Leveres med 1 stk. torsjonstjær, uten skruer for feste av beslag til karm. Ingen avstand skinne medfølger
Portene leveres som standard med beslag for 210 mm overhøyde, kan levere skinnesystem L 120mm

Enkelt dører.

Singel - blad dør uten horisontal bar, leveres i type åpne ut eller inn.

MB 60E profile system (karm 60mm / dørblad 40mm)

Dobbel side tetting

Aluminium dør terskel isolert (20mm høy)



Sylinder lås, syrfaste justerbare hengsler

Hengsler, håndtak, eloksert i farge sort.

Min. dimisjon bredde 750mm x høyde 1800mm


Max. dimisjon bredde 1200mm x høyde 2400mm

*for DB RA dør; min. bredde 880mm max 1180mm

			
RC	RS	RF	RA ¹⁾
Anthracite 7016 White 9016 Brown 8014	Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 White 9016 ²⁾ Brown 8014
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾

høyde/bredde	900	1100	1200
2100	7203,90	8241,75	8522,58
	8815,62	10048,83	10402,92
2300	7973,13	8632,47	8937,72
	9743,58	10512,81	10903,53
2400	8632,47	9304,02	9621,48
	10512,81	11330,88	11721,60

priser eks. mva

				
RCS	RSS	RM	RFS	T7
Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 Silver 9006	Anthracite 7016 White 9016	White 02 Dark Brown 08 Silver 01 Gray 03 Golden Oak 30 Green Fir 17 Anthracite 23 Brown 09 Red 12
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾	
Decors - group I ⁴⁾	Decors - group I ⁴⁾	-	Decors - group I ⁴⁾	
Decors - group II ⁴⁾	Decors - group II ⁴⁾	-	Decors - group II ⁴⁾	

1) DB RA/ RAS dører i høyde 2017 - 2099mm og 2187 - 2209mm lages ikke

DB RA/ RAS dører er bare tilgjengelige i speil type A (520 x 330mm)

2) Dør karm og dørblad i RAL 9016 (inn og utvendig)

3) Alle RAL farger unntatt for pearl, metalick, fluorescent (på forespørsel)

to-sidig lakkering av dør blad og utvendig dør karm

4) Dør blad og karm i RAL 8007 (utvendig og innvendig)

5) Dør blad og karm i RAL 8014 (utvendig og innvendig)

6) Dør blad og karm dekor utvendig, RAL 9016 innvendig.

høyde/bredde	900	1100	1200
2125	8424,90	9169,71	9511,59
	9743,58	10598,28	11037,84
	9401,70	10268,61	10647,12
	10012,20	10854,69	11330,88
2250	8840,04	9597,06	9975,57
	10256,40	11123,31	11575,08
	9890,10	10769,22	11172,15
	10512,81	11404,14	11880,33
2400	9560,43	10378,50	10793,64
	11086,68	12026,85	12515,25
	10695,96	11746,02	12063,48
	11367,51	12344,31	12832,71

DOBBELT DØRER OG DB61, PIS PÅ FORESPØRSEL

Tekniske spesifikasjoner

Alu elementer 78mm x 15mm /skummet isolasjon.(norsk aluminium)
Motordrift, 2 sendere, Innv. Styreskap (type kypad)
Sikkerhets system / fjærsystem / rørmotor
Termo isolert til K-4.3 m2, og god støyisolasjon.
Leveres std.uten deksel over rullen for innv. mont.
Overhøyde 300 mm, porthøyde 2850mm kreves 360mm overhøyde
Produsert etter ISO:9001. Godkjent etter EU 13241-1.
Sideskinner 70 mm Sideskinner 100 mm



Hvite glatte og struktur lakkerte / se farge utvalg i brosjyre

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440								
tom. 2590								
tom. 3050	Priser for 2021 kommer							
tom. 3750								
tom. 4420								
tom. 4720								
tom. 5300								

Laminerte / se farge utvalg i brosjyre

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440								
tom. 2590								
tom. 3050	Priser for 2021 kommer							
tom. 3750								
tom. 4420								
tom. 4720								
tom. 5300								

Priser for deksler (box over trommel)

bredde →	2440	2590	3050	3750	4420	4720	5300	
Box 90 bare hvit								
Full box								
Full box/forsterk								
		eks. mva	inkl. mva				eks. mva	inkl. mva
Sender 2 kanal Sender 4 kanal Keypad utv.					Batteri back up Utv. nødåpner Fotocelle 2 channel			



Styreskap



Keypad utv



Sender



Marantec

Marantec portåpnere

Soft start og stopp, enkel programmering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 leveres med 2 stk. sendere Bilinked
 Produsert i Tyskland



comfort.50 comfort.260 comfort.370/380

Portåpnere porthøyde

Skinne type	nr.11, tom. 2250mm		nr.12, tom. 2500mm		nr.13, tom. 3250mm	
	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
Comfort 50, må bestilles	2830	3538	3244	4055	3683	4603
Comfort 260	3561	4451	3975	4968	4413	5516
Comfort 370	4145	5182	4559	5699	4998	6247
Comfort 380	4705	5882	5119	6399	5558	6947

Motorhoder	eks. mva	inkl. mva	Skinner	eks. mva	inkl. mva
motorhode comfort 50	2002	2503	SZ nr.11 - S → 2250 mm	931	1163
motorhode comfort 260	2733	3416	SZ nr.12 - S → 2500 mm	1345	1681
motorhode comfort 370	3317	4147	SZ nr.13 - S → 3250 mm	1783	2229
motorhode comfort 380	3877	4847	SZ nr.16 opptil 365 høyde	2538	3172
Div.	eks. mva	inkl. mva		eks. mva	inkl. mva
Sender mini 2 ch. Multib	447	559	mottaker Bil., 868hz.	666	833
Sender mini 4 kanal	618	772	Kodetastatur Bilinkked	983	1229
Sender micro 3 kanal	618	772	Innv. betjening sender, bil.	691	864
Sender mini 2 ch. Bilinke	642	803	Fotocelle /	813	1016
Sender mini 3 ch. Bilinke	691	864	Multi-Function / 8000 serien	447	559
Sender mini 4 ch. Bilinke	691	864	Glidebrakett for skinne	73	91
			Domino kodepanel	700	875

Starcus, lerandør Krispol.

Soft start og stopp, enkel programering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 hastighet 16 cm/sec
 Starcus leveres med 2 stk. Sendere (433HZ)



Starcus åpnere max. porthøyde 2250mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	2447	3058
Mod 1000 / 2 sendere 3 ch.	2967	3709
Starcus åpnere max. porthøyde 2500mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	2967	3709
Mod 1000 / 2 sendere 3 ch.	3501	4376
Div. Tilbehør	eks. mva	inkl. mva
Motorhode Starcus 600	1591	1989
Motorhode Starcus 1000	1839	2299
skinne belte lende 3160mm	1343	1678
skinne belte lende 4060mm	1963	2454
sender, 3 ch	400	500
sender, 4 ch	475	593
kodetastatur	971	1213

