


Prisliste

Twobi™
GARASJEPORTER



Priser på Twobi garasjeporter

Fom. 15.mai 2022

Tar forbehold om evt. Trykkfeil.

Nyhet beslag type E



The construction of the door frame elements was designed to provide an easy installation and to eliminate the risk of making a mistake.



Easy installation of lines by hooking in special openings.




Possibility of choosing a place for suspension installation thanks to moveable hooks and installation profiles.




Ball-bearing rolls guarantee quiet and safe work.




Specially designed lower hinge provides optimal sealing of the door.



The door reinforced with middle hinges as a standard.



Two-lip bottom sealing.



Lintel sealing installed on the wall.

SEE THE NEW FUNCTIONS:



Tension springs installed vertically.



Easy installation of springs in the hooks.



Easy and reliable regulation of springs in previously prepared installation openings.

Beslag type E strekkfjærer, Kan leveres til alle porter med bredde opp til 4000mm porthøyde 2500mm
beslaget krever kun 120 mm overhøyde.
Mer info se side 20.

Innholdfortegnelse

4. Spesifikasjoner
5. Spesifikasjoner for decors gr.1 og gr 2
6. Priser st.størrelser woodgrain mod E
7. Notater
8. Notater
9. Priser st.størrelser woodgrain mod T
10. Priser woodgrain st. farger, mod T
11. Priser woodgrain RAL farger, mod T
12. Priser glatt panel, st.og RAL farger, mod E
13. Priser glatt panel, decors gr 1 og 2, mod E
14. Spesifikasjoner dør paneler / glatte porter
15. Priser st.størrelser glatt panel, mod T
16. Priser glatt panel, st.og RAL farger, mod T
17. Priser glatt panel, decors gr 1 og 2, mod T
18. Tilbehør, vindue, beslag mm.
19. Oversikt vinduer, håndtak
20. Beslag typer
21. Målskjema
22. Priser BASE porter
23. Priser side dører
24. Priser rulleporter
25. Port åpner Marantec
26. Port åpner Starcus

SPECIFICATION

DOOR CURTAIN

- sections 500 mm, 553 mm*, 610 mm in height
- door sections made of fire galvanised and polyester coated steel sheets
- filling: freon-free polyurethane foam, 40 mm thick or 60 mm thick
- reinforcement profile is used in the doors with the width exceeding 4750 mm
- weight: ~13 kg/m² or ~14 kg/m² (for VENTE RFS 60)

* for RSS, RFS

TRACK SYSTEM

- fire galvanised steel construction
- N track system with torsion springs (Design, Classic T),
E track system with extension springs (Classic E)
- springs working life min. 15 000 cycles

SAFETY DEVICES






- spring break safety device
- roller protection covers (Design)
- hand bolt (see accessories table)
- lock (see accessories table)

Classic doors are not equipped with the wall fixing components.

The minimum order dimension of Design doors is: width 2000 mm, height 1700 mm (for K2 RA doors minimum height is 1950 mm) - the door prices are calculated according to the nearest dimension range in the pricelists.

The doors with dimensions exceeding those maximum specified in the pricelists are calculated on individual basis.

It is not recommended to install the doors in dark colours in the places that are exposed to strong sunshine (e.g. on the southern part). This may lead to the door curtain deformation, which is a natural process arising from the material properties.



	VENTE RC	VENTE RS	VENTE RF	VENTE RA	VENTE RCS
outside embossment	multi grooved	single grooved	no embossments	cassettes	multi grooved
outside surface	woodgrain	woodgrain	woodgrain	woodgrain	smooth
inside embossment	multi grooved	multi grooved	multi grooved	multi grooved	multi grooved
inside surface	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel
inside colour	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾

Classic E typical doors	index	K2 RC E	K2 RS E	K2 RF E	-	K2 RCS E
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	-	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	E track system with extension springs			-	E track system with extension springs
	dimensions / accessories	page 6 / 18			-	page 12 / 18
Classic T typical doors	index	K2 RC T	K2 RS T	K2 RF T	K2 RA T	K2 RCS T
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, possibility of applying L track system				N track system with shot peened torsion springs, possibility of applying L track system
	dimensions / accessories	page 8 / 18				page 14 / 18
Design tailor made doors	index	K2 RC	K2 RS	K2 RF	K2 RA	K2 RCS
	colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ Brown (RAL 8014) ¹⁾ 210 RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ 210 RAL colours
	decors	-	-	-	-	decors group I and II
	track system	N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system				look at the right
	dimensions / accessories	page 10-11 / 18				page 16-17 / 18




¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours

SPECIFICATION

DECORS - VENEERS

	name	similar RAL colour*
group I	White 7	RAL 9003
	Mahogany 12	RAL 8016
	Winchester 19	RAL 8003
	Antique pine 20	RAL 8003
	Grey cedar 25	RAL 7006
	Natural oak 42	RAL 1001
	Dark oak 44	RAL 8014
	Boggy oak 45	RAL 8019
	Golden oak 48	RAL 8007
	Chestnut 96	RAL 8014
	Cream 104	RAL 9001
	Grey 173	RAL 7001
	Anthracite 174	RAL 7016
	Chocolate brown 185	RAL 8022
	Anthracite - smooth 204	RAL 7016
	Carbon 210	RAL 7012
	Dark grey smooth 703	RAL 7016
group II	Concrete 2	RAL 7042
	Macore 5	RAL 8016
	Black - smooth 8	RAL 9011
	Sheffield oak 46	RAL 9002
	Woodec turner oak malt 50	RAL 1011
	Metbrush anthracite 193	RAL 7016
	Metallic dark grey 704	RAL 7024
	Woodec Turner Oak Toffee 13	RAL 8028
	Black Smoked Oak 16	RAL 7021
	Espresso Ash 3D 23	RAL 7022
		NEW

* The given RAL colors are for illustration only, it is recommended to choose colours from the RAL palette by yourself.




VENTE RSS	VENTE RM	VENTE RFS	VENTE RFS 60		
single grooved	V-profiling	no embossments	no embossments	outside embossment	
smooth	smooth	smooth	smooth	outside surface	
multi grooved	multi grooved	multi grooved	multi grooved	inside embossment	
stucco - orange peel	stucco - orange peel	stucco - orange peel	stucco - orange peel	inside surface	
White (RAL 9010) ¹⁾	White (RAL 9002) ¹⁾	White (RAL 9010) ¹⁾	White (RAL 9010) ¹⁾	inside colour	
K2 RSS E	K2 RM E	K2 RFS E	-	index	Classic E typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	-	colours	
decors group I and II	-	decors group I and II	-	decors	
E track system with extension springs			-	track system	
page 12 / 18			-	dimensions / accessories	
K2 RSS T	K2 RM T	K2 RFS T	K2 RFS 60T	index	Classic T typical doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, possibility of applying L track system			N track system with shot peened torsion springs, possibility of applying L track system	track system	
page 14 / 18			page 21 / 23	dimensions / accessories	
K2 RSS	K2 RM	K2 RFS	K2 RFS 60	index	Design tailor made doors
Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ Silver (RAL 9006) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	Anthracite (RAL 7016) ¹⁾ White (RAL 9016) ¹⁾ RAL colours	colours	
decors group I and II	-	decors group I and II	decors group I and II	decors	
N track system with shot peened torsion springs, end cap of the reinforcing profile and shaft, roller protection covers in order to increase safety, silent roller clips, possibility of applying L, SL, NH, H track system			N28, L15, NH35	track system	
page 16-17 / 18			page 22 / 23	dimensions / accessories	

¹⁾ colours indicated in the above specification must be interpreted as close to the given RAL colours

WOODGRAIN Classic E

STANDARD COLOURS

RC E



Anthracite (RAL 7016)

White RAL 9016

Brown RAL 8014

5 % tillegg andre bredde med E track, pris som nærmeste br. opp.

Skinne type E track krever kun 120 mm overhøyde

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10119	10658	10861	10992	10992	11313	11531	12026	12797	13641	14209	15038	16253
2125	10600	10949	11123	11269	11269	11531	11880	12360	13146	13976	14645	15431	17258
2250	10876	11254	11444	11473	11473	11880	12215	12695	13539	14456	15038	16377	17665
2375	11487	11953	12157	12302	12302	12637	12943	13597	14209	15548	16173	17614	18931
2500	12055	12419	12695	13219	13219	13583	13889	14602	15256	16610	17076	18604	19964

RS E



bredde →

RF E



høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11390	12015	12203	12453	12453	12844	13141	13672	14579	15517	16251	17158	18503
2125	11922	12312	12547	12735	12735	13141	13500	14048	14938	15986	16595	17611	19550
2250	12234	12672	12906	13094	13094	13454	13829	14532	15361	16455	17158	18659	20097
2375	12938	13485	13766	13985	13985	14407	14688	15454	16251	17674	18440	20081	21582
2500	13563	14001	14313	15017	15017	15454	15798	16627	17486	18549	19315	21316	22817

RC E



bredde →

RAL COLOURS

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12219	12891	13125	13282	13282	13719	14016	14657	15658	16720	17486	18549	19988
2125	12797	13219	13485	13672	13672	14048	14485	15142	16142	17205	18112	19112	21222
2250	13141	13579	13876	14032	14032	14532	14954	15611	16689	17893	18674	20284	21816
2375	13938	14470	14751	15017	15017	15439	15829	16674	17533	19237	20097	21832	23395
2500	14595	15064	15392	16142	16142	16595	17017	17924	18846	19972	20816	22566	24458

RS E



bredde →

RF E



RAL COLOURS

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12875	13547	13829	14001	14001	14516	14860	15470	16548	17674	18581	19628	21129
2125	13485	13954	14188	14391	14391	14892	15314	16001	17064	18237	19065	20237	22332
2250	13844	14313	14579	14845	14845	15314	15736	16548	17580	18846	19753	21410	23051
2375	14657	15267	15517	15845	15845	16408	16720	17611	18612	20253	21269	23067	24771
2500	15361	15845	16220	17017	17017	17580	17987	18956	20034	21019	21941	23598	25177

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prisliste.

NB: T Mod RS lages ikke høyder; 2050, 2300, 2350

WOODGRAIN Classic T





STANDARD COLOURS

K2 RC T

K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)

- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016)
- Brown (similar to RAL 8014)*

* refers to K2 RC T and K2 RA T

WOODGRAIN Classic T





RAL COLOURS

K2 RC T


K2 RS T

K2 RF T

K2 RA T



cassette type A
(507 x 340 mm)



		St farge			RAL farger		
bredde	høyde	RCT	RS T, RF T	K2 RA T	K2 RCT	RS T, RF T	K2 RA T
2250 / 2375	2000	11 352	12063	12063	12891	13574	13574
	2125 / 2100	10 686	12325	12325	12152	12786	13966
	2250	11 241	13051	13051	12905	13631	14896
	2375	11 650	13560	13560	13327	14067	15375
	2500	12 535	14562	14562	14304	15123	16537
2400	2000	10 409	12063	12063	11809	12429	13574
	2125 / 2100	10 686	12325	12325	12152	12786	13966
	2250	11 241	13051	13051	12905	13631	14896
	2375	11 650	13560	13560	13327	14067	15375
	2500	12 535	14562	14562	14304	15123	16537
2500	2000	10 726	12456	12456	12165	12839	14024
	2125 / 2100	10 937	12717	12717	12469	13195	14417
	2250	11 544	13429	13429	13248	14027	15332
	2375	11 980	13952	13952	13710	14476	15826
	2500	12 878	14998	14998	14740	15572	17031
2600	2000	10 937	12717	12717	12442	13169	14388
	2125 / 2100	11 254	13080	13080	12839	13565	14823
	2250	11 809	13719	13719	13552	14304	15637
	2375	12 244	14257	14257	14053	14819	16203
	2500	13 142	15332	15332	15057	15929	17423
2750	2000	11 412	13255	13255	13010	13737	15012
	2125 / 2100	11 729	13603	13603	13420	14146	15462
	2250	12 033	14082	14082	13816	14661	16029
	2375	12 891	14998	14998	14780	15598	17060
	2500	13 816	16131	16131	15876	16774	18353
3000	2000	12 139	14141	14141	13869	14661	16029
	2125 / 2100	12 456	14446	14446	14291	15083	16494
	2250	12 812	14881	14881	14780	15559	17017
	2375	13 459	15738	15738	15519	16457	18005
	2500	14 450	16930	16930	16655	17698	19370
3250	2000	12 944	15041	15041	14806	15651	17118
	2125 / 2100	13 221	15448	15448	15242	16114	17627
	2250	13 723	15927	15927	15849	16655	18222
	2375	14 753	17104	17104	17051	17949	19646
3500	2000	13 459	15738		15480	16430	
	2125 / 2100	13 869	16073		16034	16879	
	2250	14 238	16610		16523	17474	
	2375	15 308	17874		17777	18781	
3750	2000	14 238	16610		16417	17368	
	2125 / 2100	14 621	17060		16919	17909	
	2250	15 506	18063		17962	18939	
	2375	16 655	19443		19296	20379	
4000	2000	15 436	17926		17786	18763	
	2125 / 2100	16 386	18957		18869	19846	
	2250	16 769	19480		19358	20467	
	2375	17 958	20875		20771	21946	
4250	2000	17 020	19785		19476	20586	
	2125 / 2100	17 456	20236		20044	21167	
	2250	18 077	20991		20850	21972	
	2375	19 397	22531		22368	23623	
4500	2000	17 614	20425		20189	21286	
	2125 / 2100	18 143	21049		20889	22038	
	2250	18 552	21499		21470	22646	
	2375	19 886	23083		23042	24296	
4750	2000	19 265	22269	22269	21985	23148	25291
	2125 / 2100	19 635	22763	22763	22540	23755	25959
	2250	20 071	23315	23315	23174	24442	26714
	2375	21 536	25015	25015	24877	26224	28675
5000	2000	19 397	22487	22487	22276	23491	25668
	2125 / 2100	19 820	22996	22996	22883	24125	26366
	2250	20 427	23780	23780	23689	24996	27324
	2375	21 919	25523	25523	25458	26871	29387
5250	2000	20 546	23867		23583	24917	
	2125 / 2100	21 127	24550		24336	25709	
	2250	21 563	25029		24957	26317	
	2375	23 108	26889		26805	28298	
5500	2000	21 378	24855		24561	25921	
	2125 / 2100	21 774	25320		25142	26528	
	2250	22 117	25770		25709	27162	
	2375	23 755	27688		27611	29209	

NB; Port høyde 2125 og 2100 lik pris

Standard porter er tilgjengelig med skinne system N 210mm overhøyde og L 120mm overhøyde,


Vinduer og NH skinne system kun i skreddersydde porter

Mod. RA tilgjengelig i bredder opp til 3350mm, fom 4750mm tom 5000mm

Tailor made sectional garage doors vente

WOODGRAIN Design STANDARD COLOURS

RC



hvit tilnærmet RAL 9016


Anthracite (RAL 7016)

brun tilnærmet RAL 8014 (gjelder RC og RA)


bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11816	12092	12397	12775	13080	13661	14504	15477	16145	17089	18405	19742	20991	22938	23155	24550	25581	26133	26947
2125	12092	12397	12717	13080	13458	14068	14940	15884	16610	17540	19509	20454	21616	23402	23678	25276	26090	26918	27644
2250	12397	12775	13037	13429	13807	14417	15375	16421	17089	18615	20018	21558	22110	23954	24448	25770	26482	29227	29910
2375	13167	13603	13952	14315	14678	15433	16145	17351	18193	19646	21253	22284	23562	25320	25712	27237	27484		
2500	14068	14373	14765	15245	15593	16334	17293	18455	19544	20910	22327	23533	24768	27005	27353	28443	28922		
2625	14417	14765	15216	15622	16029	16828	17670	19167	19951	21229	22836	24201	25160	26467					
2750	14620	15099	15477	15942	16334	17293	18106	19675	20561	21738	23896	24782	25756	27136					
2875	15419	15782	16174	16712	17089	17932	19138	20721	21796	22740	24913	25857	26903						
3000	15884	16232	16654	17089	17583	18818	19777	21200	22115	23263	25465	26511							


RS



RF



RA



Anthracite (RAL 7016)

hvit tilnærmet RAL 9016

brun tilnærmet RAL 8014 (gjelder RC og RA)

bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12601	12906	13167	13603	13952	14504	15477	16537	17249	18193	19597	21064	22327	24390	24637	26148	27237	27876	28704
2125	12906	13167	13516	13952	14315	14940	15884	16959	17670	18745	20715	22022	23010	24884	25218	26932	27731	28690	29460
2250	13167	13603	13894	14300	14678	15419	16334	17482	18193	19806	21296	22415	23562	25509	26090	27484	28240	31159	31900
2375	14068	14446	14809	15332	15622	16421	17249	18455	19414	20910	22633	23911	25029	26961	27383	28733	29547		
2500	14940	15375	15782	16232	16610	17438	18411	19675	20881	22333	23795	25610	26337	28748	29169	30302	30840		
2625	15419	15782	16174	16654	17089	17961	18862	20474	21244	22653	24332	25770	26816	28152					
2750	15593	16073	16537	17002	17438	18411	19283	20953	21927	23190	25465	26351	27470	28879					
2875	16378	16799	17293	17772	18193	19094	20430	22115	23234	24236	26525	27528	28675						
3000	16901	17351	17699	18193	18774	20082	21070	22595	23583	24846	27121	28269							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000			RA ikke tilgj.			


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB: Port høyde 2125 og 2100 lik pris

Tailor made sectional garage doors vente

WOODGRAIN Design RAL COLOURS


RC




bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12800	13130	13529	13941	14257	14958	15920	17061	17776	18875	20339	21851	23184	25204	25507	27019	28187	28544	29479
2125	13185	13529	13941	14312	14738	15453	16429	17556	18353	19480	21548	22565	23926	25809	26249	27912	28847	29534	30414
2250	13570	13996	14257	14738	15178	15920	16937	18188	18999	20607	22153	23720	24641	26538	27156	28613	29465	31939	32736
2375	14367	14848	15302	15728	16099	17020	17803	19219	20167	21734	23569	24957	26180	28049	28558	30221	31156		
2500	15302	15728	16140	16690	17102	17968	19040	20415	21638	23191	24751	25988	27527	29823	30345	31266	31953		
2625	15769	16140	16690	17171	17666	18559	19535	21198	22105	23342	25136	26634	27788	29218					
2750	16044	16566	17061	17556	18037	19095	20071	21872	22875	23988	26276	27348	28517	30042					
2875	16841	17336	17803	18408	18848	19810	21157	22985	24167	25088	27417	28531	29795						
3000	17432	17803	18353	18848	19425	20813	21913	23576	24648	25775	28091	29383							


RS



RF



RA



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12420	12705	13049	13498	13843	14487	15415	16493	17227	18260	19974	21471	22684	24301	24945	26413	27491	27850	28734
2125	12765	13049	13393	13843	14277	14921	15849	16987	17766	18844	21052	22295	23463	24885	25619	27296	28179	28793	29632
2250	13109	13543	13843	14232	14681	15415	16343	17571	18365	19922	21741	22954	24047	25619	26547	27925	28763	31114	31983
2375	13947	14382	14726	15220	15610	16448	17272	18559	19533	21060	23028	24406	25574	27041	27925	29482	30366		
2500	14771	15220	15714	16149	16538	17421	18410	19727	20910	22438	24196	25589	26847	28120	29587	30441	31129		
2625	15265	15714	16104	16583	17077	17961	18949	20566	21405	22543	24541	25978	27071	28823					
2750	15505	16059	16493	16987	17481	18455	19383	21120	22138	23157	25649	26652	27790	28913					
2875	16298	16748	17272	17766	18215	19143	20521	22228	23411	24205	26727	27820	29018						
3000	16837	17272	17721	18215	18844	20177	21165	22782	23800	24879	27386	28614							
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000			RA ikke tilgj.			


Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

NB; Port høyde 2125 og 2100 lik pris

Slick Classic E

STANDARD COLOURS

RCS E



RM E




Anthracite (RAL 7016)


bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10716	11284	11473	11676	11676	12069	12331	12899	13699	14573	15184	16057	17389
2125	11240	11589	11807	12011	12011	12331	12666	13219	14034	14980	15620	16479	18393
2250	11487	11909	12113	12288	12288	12637	13030	13597	14456	15446	16057	17469	18873
2375	12157	12666	12928	13103	13103	13496	13845	14500	15184	16595	17279	18778	20256
2500	12753	13146	13466	14092	14092	14471	14849	15591	16333	17570	18487	20074	21551

RSS E



RFS E




Anthracite (RAL 7016)

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11385	12011	12244	12433	12433	12826	13103	13699	14573	15518	16217	17119	18480
2125	11938	12331	12564	12724	12724	13103	13496	14034	14980	15911	16654	17614	19542
2250	12259	12666	12928	13074	13074	13452	13845	14456	15402	16450	17119	18647	20081
2375	13001	13481	13743	13976	13976	14412	14703	15446	16217	17658	18400	20015	21536
2500	13612	14019	14325	15024	15024	15475	15795	16595	17425	18545	19360	20918	22264

RAL COLOURS

RCS E




RM E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12826	13496	13772	13990	13990	14456	14849	15518	16610	17701	18589	19710	21260
2125	13423	13889	14165	14456	14456	14922	15387	16042	17119	18313	19229	20365	22511
2250	13787	14281	14529	14922	14922	15387	15839	16610	17731	18968	19899	21558	23224
2375	14616	15184	15475	15853	15853	16377	16828	17658	18662	20408	21383	23202	24956
2500	15344	15795	16173	17061	17061	17614	18094	19011	20059	21864	22824	24629	26368

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13612	14325	14602	14776	14776	15242	15620	16363	17469	18706	19579	20758	1875
2125	14267	14733	15024	15184	15184	15679	16188	16857	18036	19244	20234	21471	23675
2250	14631	15126	15446	15664	15664	16188	16668	17469	18691	19986	20947	22722	24447
2375	15489	16144	16435	16741	16741	17308	17672	18604	19681	21500	22533	24454	26237
2500	16275	16770	17148	17992	17992	18604	19040	20001	21150	22984	24061	25793	27576

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prisliste.

5 % tillegg for andre bredder med E track, pris som nærmeste bredde opp.

Skinne type E track krever kun 120 mm overhøyde

Slick Classic E

Decors group I

RCS E




5 % tilleg andre bredde med E track, pris som nærmeste br. opp.


Skinne type E track krever kun 120 mm overhøyde

bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12288	12943	13161	13350	13350	13801	14194	14849	15810	16930	17658	18778	20183
2125	12884	13292	13539	13801	13801	14252	14616	15373	16304	17425	18298	19346	21405
2250	13190	13641	13903	14194	14194	14616	15053	15810	16828	18036	18851	20466	22075
2375	13976	14514	14805	15155	15155	15620	15984	16872	17701	19419	20321	22038	23690
2500	14645	15111	15446	16290	16290	16799	17148	18153	19055	20597	21471	22780	24476

RSS E



RFS E



bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12928	13612	13845	14092	14092	14573	14980	15664	16697	17905	18691	19841	21289
2125	13510	13990	14267	14500	14500	15009	15446	16173	17221	18385	19317	20466	22569
2250	13889	14369	14631	14980	14980	15446	15911	16697	17745	19084	19899	21631	23224
2375	14718	15344	15591	15984	15984	16479	16872	17803	18735	20510	21383	23261	24956
2500	15446	15911	16290	17148	17148	17731	18153	19142	20132	21107	22038	23770	25378

Decors group II

RCS E




bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13146	13845	14121	14311	14311	14776	15198	15970	17032	18211	19040	20234	21784
2125	13772	14252	14471	14805	14805	15286	15693	16479	17570	18778	19753	20932	23050
2250	14136	14616	14907	15242	15242	15737	16202	17061	18153	19491	20423	22140	23865
2375	14995	15577	15868	16290	16290	16799	17177	18182	19128	20961	21965	23828	25611
2500	15693	16202	16595	17512	17512	18065	18458	19550	20554	22417	23319	25196	26921

RSS E



RFS E




bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13787	14514	14805	15024	15024	15518	15999	16770	17876	19186	20059	21325	22875
2125	14427	14965	15198	15518	15518	16071	16523	17323	18502	19753	20772	22053	24243
2250	14820	15373	15635	16028	16028	16566	17076	17920	19084	20510	21412	23290	24985
2375	15693	16363	16668	17090	17090	17658	18109	19098	20117	22067	23086	25080	26848
2500	16464	17003	17410	18371	18371	18997	19491	20525	21645	22562	23552	25560	27110

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500


Pris for disse høyder, til nærmeste høyde over som i prislste.

SLICK Classic T STANDARD COLOURS


K2 RCS T




K2 RM T



K2 RSS T



K2 RFS T




- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9002) **
- Silver (similar to RAL 9006) **


* refers to K2 RCS T, K2 RSS T, K2 RFS T
** refers to K2 RM T

SLICK Classic T RAL COLOURS


K2 RCS T




K2 RM T



K2 RSS T




K2 RFS T




SLICK Classic T DECORS GROUP I


K2 RCS T



K2 RSS T




K2 RFS T




SLICK Classic T DECORS GROUP II


K2 RCS T



K2 RSS T



K2 RFS T



		St farge		RAL farger		Decor type 1		Decor type 2	
bredde	høyde	RCS T /RM T	RSS T, RFS T	RCS T /RM T	RSS T, RFS T	RCS T	RSS T, RFS T	RCS T	RSS T, RFS T
2250 / 2375	2000	12 078	12891	14431	15259	13821	14576	15373	16159
	2125 / 2100	12 862	13632	15637	16494	14925	15768	16658	17581
	2250	13 603	14431	16596	17511	15797	16726	17671	18639
	2375	14 300	15186	17453	18411	16610	17583	18578	19576
	2500	14 576	15550	17627	18629	16842	17772	18805	19758
2400	2000	12 078	12891	14475	15317	13821	14576	15373	16159
	2125 / 2100	12 862	13632	15637	16494	14925	15768	16658	17581
	2250	13 603	14431	16596	17511	15797	16726	17671	18639
	2375	14 300	15186	17453	18411	16610	17583	18578	19576
	2500	14 576	15550	17670	18658	16842	17772	18805	19788
2500	2000	12 470	13269	14998	15782	14286	15070	15918	16689
	2125 / 2100	13 124	13952	16014	16857	15230	16131	17036	17974
	2250	13 981	14881	17060	18005	16247	17191	18185	19168
	2375	14 591	15492	17816	18789	16959	17946	18987	20015
	2500	15 012	16029	18222	19268	17409	18368	19455	20453
2600	2000	12 746	13574	15404	16189	14678	15477	16356	17218
	2125 / 2100	13 458	14300	16421	17351	15622	16566	17475	18427
	2250	14 300	15186	17453	18411	16610	17583	18578	19576
	2375	15 070	16029	18411	19457	17540	18557	19607	20680
	2500	15 404	16363	18745	19733	17772	18789	19864	20937
2750	2000	13 313	14184	16073	16944	15404	16247	17172	18049
	2125 / 2100	13 676	14547	16625	17482	15884	16741	17717	18624
	2250	14 780	15724	18063	19079	17191	18193	19244	20287
	2375	15 477	16465	18920	19980	18019	19079	20196	21270
	2500	16 160	17177	19704	20721	18789	19849	21043	22086
3000	2000	14 184	15070	17191	18092	16378	17307	18306	19229
	2125 / 2100	14 547	15477	17714	18702	16857	17845	18896	19909
	2250	14 998	15942	18368	19326	17438	18397	19516	20544
	2375	15 738	16770	19312	20372	18339	19399	20574	21678
	2500	16 901	18034	20779	21912	19733	20881	22131	23311
3250	2000	15 070	16073	18353	19341	17540	18557	19591	20650
	2125 / 2100	15 477	16465	18934	19966	18034	19065	20211	21255
	2250	15 985	17031	19675	20721	18702	19748	20967	22071
	2375	17 177	18324	21142	22304	20096	21244	22570	23764
	2500	17 738	19239	20314	21520	20875	22130	23380	24560
3500	2000	16 184	17249	19936	20968	18934	19995	21255	22358
	2125 / 2100	16 639	17714	20590	21709	19544	20590	21980	23069
	2250	17 888	19079	22144	23365	21040	22159	23674	24838
	2375	16 639	17714	20416	21520	19457	20547	21829	22933
	2500	17 089	18222	21099	22246	20038	21200	22540	23749
3750	2000	18 092	19297	22333	23553	21200	22420	23825	25110
	2125 / 2100	19 457	20750	24047	25369	22827	24149	25669	27015
	2250	17 984	19132	21979	23155	20875	21302	23380	24560
	2375	19 030	20236	23286	24506	22153	22609	24802	26057
	2500	19 524	20773	24042	25291	22836	23307	25648	26858
4000	2000	20 933	22298	25857	27208	24521	25093	27523	28884
	2125 / 2100	19 800	21093	24042	25349	22996	23568	25694	27024
	2250	20 779	21601	24826	26133	23780	24280	26555	27886
	2375	21 049	22400	25857	27208	24637	25282	27614	29035
	2500	22 589	24012	27760	29242	26482	27214	29670	31212
4250	2000	20 454	21805	24957	26308	23853	24411	26661	28022
	2125 / 2100	21 093	22444	25901	27252	24637	25282	27614	29035
	2250	21 601	22938	26685	28036	25349	26037	28476	29942
	2375	23 185	24637	28675	30128	27252	28013	30622	32195
	2500	22 371	23780	27150	28530	25901	26546	28854	30335
4750	2000	22 807	24259	27891	29329	26569	27301	29715	31227
	2125 / 2100	23 388	24884	28733	30259	27281	28071	30592	32165
	2250	25 087	26700	30869	32496	29285	30177	32875	34568
	2375	22 603	24042	27600	29082	26264	26967	29368	30879
	2500	23 112	24594	28443	29939	26947	27737	30275	31802
5000	2000	23 853	25422	29503	31043	27978	28783	31409	33041
	2125 / 2100	25 610	27295	31711	33411	30070	31005	33813	35536
	2250	23 940	25523	29242	30782	27833	28652	31106	32769
	2375	24 637	26264	30273	31857	28719	29596	32180	33843
	2500	25 116	26772	31043	32685	29416	30337	33057	34765
5250	2000	26 961	28748	33382	35139	31653	32690	35566	37456
	2125 / 2100	24 913	26496	30433	32031	28922	29800	32391	34070
	2250	25 422	27063	31276	32946	29721	30642	33329	35083
	2375	25 872	27513	32060	33745	30389	31296	34191	35899
	2500	27 775	29561	34486	36287	32655	33707	36761	38620


NB; Port høyde 2125 og 2100 lik pris

Standard porter er tilgjengelig med skinne system N 210mm overhøyde og L 120mm overhøyde,
Vinduer og NH skinne system kun i skreddersydde porter

SLIK Design STANDARD COLOURS

Tailor made sectional garage doors vente

RCS



bredde →

RM



- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9012) **
- Silver (similar to RAL 9006) **

* refers to K2 RCS, K2 RSS, K2 RFS
** refers to K2 RM

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11907	12223	12457	12855	13171	13721	14642	15577	16250	17199	18538	19885	21122	23046	23308	24751	25754	26290	27101
2125	12223	12457	12800	13171	13556	14133	15013	16003	16717	17680	19624	20408	21754	23555	23844	25465	26249	27074	27830
2250	12457	12855	13130	13529	13872	14573	15453	16553	17199	18724	20146	21191	22304	24091	24655	25919	26689	29396	30249
2375	13268	13680	14037	14450	14779	15549	16250	17432	18339	19755	21383	22758	23706	25465	25878	27376	28173	30647	
2500	14133	14546	14862	15357	15700	16456	17377	18545	19700	21061	22455	24022	24943	27170	27527	28599	29506		
2625	14573	14862	15316	15742	16154	16965	17803	19329	20071	21349	22991	24338	25328	26579					
2750	14711	15206	15577	16085	16456	17377	18216	19810	20717	21885	24022	24902	25905	27252					
2875	15508	15865	16305	16800	17199	18051	19288	20910	21940	22861	25039	25988	27074						
3000	15962	16360	16745	17199	17748	18944	19892	21349	22256	23452	25589	26689							

RSS




bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12635	12993	13268	13680	14037	14642	15577	16635	17350	18339	19734	21163	22455	24531	24833	26331	27390	28022	28874
2125	12993	13268	13584	14037	14450	15013	16003	17061	17803	18862	20861	22304	23198	25039	25424	27101	27967	28860	29658
2250	13268	13680	13996	14367	14779	15508	16456	17625	18339	19947	21452	22552	23706	25685	26249	27651	28434	31321	32132
2375	14133	14615	14931	15412	15742	16553	17350	18545	19576	21061	22744	24228	25218	27115	27582	28943	29768		
2500	15013	15453	15865	16360	16717	17528	18504	19810	21019	22490	23940	25575	26538	28929	29328	30455	31307		
2625	15508	15865	16305	16745	17199	18119	18999	20607	21391	22806	24462	25919	26977	28311					
2750	15700	16195	16635	17089	17528	18504	19411	21116	22064	23329	25575	26524	27623	29025					
2875	16498	16910	17377	17886	18339	19246	20552	22256	23397	24401	26703	27720	28847						
3000	17020	17432	17845	18339	18889	20222	21239	22793	23727	25019	27266	28434							

RCS



bredde →

RM




RAL FARGER

(except: pearl, metallic, uorescent)


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14340	14711	15178	15700	16113	16882	18037	19301	20154	21418	23033	24820	26208	28434	28929	30606	31898	32668	33740
2125	14779	15219	15700	16154	16649	17418	18573	19961	20882	22202	24407	25823	27225	29273	29795	31705	32805	33863	34880
2250	15219	15742	16154	16649	17157	18106	19260	20731	21610	23535	25177	26538	28091	30139	30950	32516	33630	34963	36021
2375	16195	16745	17199	17776	18229	19301	20222	21830	22971	24785	26716	28201	29795	31829	32516	34083	35224	36502	0
2500	17199	17707	18229	18862	19343	20401	21610	23177	24621	26421	28091	29850	31362	33891	34496	35884			
2625	17803	18229	18862	19398	20002	21102	22202	24167	25198	26806	28805	30537	31884	33506					
2750	18147	18738	19301	19892	20442	21693	22861	24868	26105	27589	30125	31362	32778	34496					
2875	19013	19576	20154	20813	21363	22573	24112	26187	27589	28854	31403	32778	34248						
3000	19673	20222	20813	21363	22078	23617	24909	26930	28125	29665	32242	33740							

RSS



bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	15137	15549	15934	16498	16924	17776	18958	20346	21267	22573	24201	25782	27610	29946	30427	32200	33575	34399	35513
2125	15590	15989	16456	16979	17542	18353	19576	20992	21982	23342	25603	27032	28654	30743	31321	33341	34496	35623	36695
2250	16071	16607	16979	17542	18106	19013	20222	21762	22765	24730	26510	27898	29506	31719	32516	34248	35389	38509	39526
2375	17047	17652	18147	18738	19191	20264	21322	22971	24222	26160	28091	29809	31321	33492	34248	35856	37080		
2500	18106	18697	19260	19837	20401	21418	22765	24401	25926	27782	29506	30977	32984	35636	36324	37753	38578		
2625	18738	19260	19837	20442	21047	22202	23411	25431	26531	28249	30276	32118	33534	35210					
2750	19054	19741	20346	20937	21542	22861	24071	26187	27452	29046	31678	33011	34454	36282					
2875	20002	20607	21267	21927	22531	23727	25390	27589	28991	30379	33094	34454	36008						
3000	20731	21322	21885	22531	23232	24909	26270	28332	29610	31245	33918	35471							

NB; Port høyde 2125 og 2100 lik pris

RCS



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	13584	13969	14298	14779	15178	15879	16924	18147	18958	20112	21617	23280	24655	26730	27156	28805	29974	30743	31719
2125	13969	14340	14711	15219	15700	16401	17487	18697	19576	20772	22895	24270	25520	27445	27926	29726	30743	31802	32736
2250	14340	14834	15219	15700	16113	16979	18037	19398	20222	21982	23596	24984	26276	28283	28984	30427	31403	34358	35375
2375	15302	15783	16195	16717	17157	18106	18958	20442	21542	23232	25012	26469	27871	29877	30427	31898	32929		
2500	16195	16717	17199	17776	18188	19095	20264	21762	23081	24730	26318	27843	29341	31760	32310	33630	34647		
2625	16745	17199	17776	18229	18820	19796	20813	22641	23617	25157	27032	28654	29850	31376					
2750	17047	17652	18147	18697	19191	20346	21418	23287	24401	25844	28242	29410	30702	32283					
2875	17899	18408	18958	19576	20057	21157	22573	24566	25830	27040	29493	30716	32049						
3000	18504	19013	19576	20057	20731	22202	23342	25157	26311	27768	30207	31609							


RSS



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11126	11413	11713	12076	12425	13000	13837	14812	15474	16386	18004	19178	20415	21840	22464	23751	22177	25326	26113
2125	11451	11751	12038	12425	12838	13375	14250	15224	15924	16924	18991	19978	21127	22427	23052	24501	25301	26163	26925
2250	11751	12138	12425	12800	13175	13837	14675	15799	16474	17898	19578	20765	21665	23052	23876	25101	25875	28249	29049
2375	12463	12925	13213	13662	13975	14712	15474	16636	17511	18885	20703	21915	23002	24339	25101	25875	27075		
2500	13263	13625	14050	14462	14849	15599	16511	17686	18773	20110	21752	23064	24176	25875	26600	27650	28200		
2625	13662	14050	14462	14887	15299	16136	16961	18436	19173	20422	22327	23614	24613	25563					
2750	13925	14387	14812	15224	15637	16561	17386	18935	19810	20984	23326	24239	25263	26263					
2875	14600	15012	15474	15924	16349	17174	18348	19935	20935	21934	24301	25288	26363						
3000	15087	15512	15887	16349	16886	18048	18985	20435	21309	22534	24888	26000							


RCS



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14450	14834	15219	15742	16154	16979	18106	19398	20264	21610	23170	24861	26373	28599	29067	30785	32090	32984	34083
2125	14917	15302	15742	16195	16745	17542	18697	20057	20992	22298	24517	25905	27376	29424	29974	31898	32984	34180	35224
2250	15343	15824	16195	16745	17253	18188	19343	20813	21762	23617	25356	26909	28228	30317	31128	32764	33795	36887	37932
2375	16278	16800	17295	17845	18353	19398	20346	21927	23122	24909	26895	28531	30029	32063	32695	34289	35403		
2500	17295	17803	18353	18958	19453	20497	21693	23342	24730	26531	28228	30056	31554	34097	34743	36214	37327		
2625	17845	18353	18958	19494	20112	21226	22366	24318	25390	27081	29067	30812	32173	33850					
2750	18229	18862	19398	20002	20552	21830	22971	25060	26270	27864	30400	31692	33121	34839					
2875	19095	19673	20264	20937	21501	22683	24222	26352	27741	29115	31719	33107	34578						
3000	19796	20346	20937	21542	22202	23782	25129	27081	28290	29981	32558	34097							

RSS



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	15178	15700	16071	16607	17047	17845	19054	20442	21363	22683	24352	25974	27775	30070	30606	32434	33740	34702	35829
2125	15700	16113	16553	17089	17652	18463	19673	21102	22078	23535	25795	27390	28805	30922	31554	33534	34702	35953	37066
2250	16113	16649	17089	17583	18147	19095	20346	21927	22861	24868	26620	28118	29685	31912	32764	34454	35554	38853	39911
2375	17157	17776	18188	18820	19301	20401	21418	23081	24318	26270	28228	29850	31486	33712	34413	36076	37258		
2500	18188	18738	19343	19961	20497	21542	22861	24566	26105	27960	29685	31623	33190	35843	36544	38083	38921		
2625	18820	19343	19961	20552	21157	22298	23535	25583	26696	28510	30565	32406	33850	35554					
2750	19191	19837	20442	21047	21652	22971	24167	26352	27644	29321	31980	33300	34798	36599					
2875	20112	20731	21363	22009	22641	23851	25541	27741	29156	30641	33341	34798	36351						
3000	20813	21418	22009	22641	23411	25060	26421	28510	29788	31534	34248	35829							

NB; Port høyde 2125 og 2100 lik pris

Handtak / sort, standard på høyre side sett utenfra	stk	90
Handtak tosidig / sort, standard på høyre side sett utenfra	stk	191
Handtak / sølv, standard på høyre side sett utenfra	stk	359
Håndtak med lås / sort, lås en side	stk	684
Håndtak med lås / sølv, lås en side	stk	741
Tilegg for tosidig lås max br. 5m (ikke port med passdoor)	stk	415
Lavt beslag type L (120mm), tom. B. 4500 tom. H. 2500	set	561
Lavt beslag type L (120mm), fom.B.4500 tom. B. 2500	set	774
Lavt beslag type SL (80mm), ved bruk av åpner	set	707
Beslag type NH (350mm), bare til tailormade garagedoor	set	0
Beslag type H (min.450mm), ikke pass door(åpner info)	set	1638
Brakett beslag H, åpner / skinne (210mm - 900mm)	stk	370
IP seksjon med dobbelt glass pr. m. max bredde 5m / alu farget		be om pris
Lakkering av IP seksjon i RAL farge pr. m		be om pris
Passdoor D2 R, terskel 90mm, max port br. 5000mm		be om pris
Passdoor D2 R, terskel 20mm, max port br. 4000mm		be om pris
Antipanic look, med betjenings tandtak		0
Antipanic look, med betjeningslist		0
Lakkering av ramme for passdoor D2 R		be om pris
multi-point pass door look, på forespørsel		be om pris
Vindu L2, utv. 633 x 332mm, sort (skrudd)	stk	583
Vindu L10, 532mm x 345mm, hvit eller brun	stk	684
Matt glass for vinduer	stk	258
Vindu L3, 603 x 203mm, sort (skrudd)	stk	494
Oval vindu R10, spring-look, 663 x 343mm, sort	stk	797
Decor, Cross, Diamnod, Sunburst 1, Sunburst 3, Sunburst 4,	stk	224
Rundt vindu R3, utv dia 330mm, glass 6mm blank eller rustfritt	stk	1313
Rektangulært vindu / rustfri ramme L4, 310mm x 310mm	stk	1290
Smalt vindu / rustfri ramme L5, 310mm x 310mm	stk	2760
Rektangulært vindu / rustfri ramme L6, 610mm x 203mm	stk	1201
PVC ventil ikke åpen, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	269
PVC ventil kan stenge, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	359
Lakkering en side vindus ramme i RAL farge		213
galv opphengsjern, 2000mm	stk	112
Vindu type ALPHA / utv. Mål 280 * 280 / Børsted aluminium	stk	2121
Vindu type ZETA / utv. dia 280 / Børsted aluminium	stk	2659
Vindu type SIGMA / utv. Mål 610 * 200 / Børsted aluminium	stk	2491

Prisene gjelder ved tilvalg til port.

Ved enkelt kjøp egne priser + 50%

TABLE – MAX. QUANTITY OF L2, L3, L4, L6, L10*, R3, R10, ALPHA ZETA, SIGMA, WINDOWS IN STEEL SECTION

width	≤2599	2600 - 3431	3432 - 4264	4265 - 5500
max. qty of windows in steel section	2	3	4	5

* the number of L10 windows in the case of raised panel sections results from the number of raised panels per section (window L10 are not available in width 0-2158, 2531-2665, 2801-2923, 3351-4856, >5000)


IMPORTANT: applies to garage doors without service door

TABLE – MAX. QUANTITY OF L5

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
max. qty of windows in steel section	1			

TABLE – QUANTITY OF WINDOWS IN IP SECTION

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
qty of windows in IP section	2	3	4	5



Sunburst 4 decorative insert (set) for L10 window



Sunburst 3 decorative insert (set) for L10 window



window L10



Cross decorative insert for L10 window



Sunburst 1 decorative insert for L10 window



Diamond decorative insert for L10 window



window L4



window L5



window L6




window L3



window L2




window R10



window R3



ventilation grille



window ALPHA



window ZETA



window SIGMA



ACCESSORIES FOR DOORS VENTE



grip, black




lock with grip, black




hand bolt



bottom roll holder with adjustment



multipoint lock



door closer lock



door closer stop (bumper)



lintel profile hook



SAN R




mounting kit

TRACK SYSTEMS / MEASUREMENT AND INSTALLATION


TRACK SYSTEMS

N normal
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H - 80 mm
Hp + n	= H
Hn min	= 210 mm
Hn + n min	= 210 mm
Hn stand	≤ 360 mm
W min	= H + 555

L low
with torsion springs in rear




B max	= 3500 mm 5000 mm 5500 mm
H max	= 3000 mm** 2500 mm 2375 mm
b min	= 100 mm
Hp	= H - 100 mm
Hp + n	= H - 100 mm***
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 250 mm
W min	= H + 625

SL* low
with torsion springs in rear




B max	= 3500 mm 4000 mm
H max	= 3000 mm** 2500 mm
b min	= 100 mm
Hp + n	= H - 100 mm***
Hn + n min	= 80 mm
Hn stand	≤ 200 mm
W min	= H + 625

NH normal increased
with torsion springs in front




B max	= 3500 mm 5500 mm 6000 mm
H max	= 3000 mm 2500 mm 2250 mm
b min	= 100 mm
Hp	= H
Hp + n	= H
Hn min	= 350 mm
Hn + n min	= 400 mm
Hn stand	≤ 650 mm
W min	= H + 420

H high
with torsion springs in front



B max	= 3500 mm 5500 mm
H max	= 3000 mm 2500 mm
b min	= 100 mm
bn min	= 350 mm
HL	= Hn - 260 mm
HL min	= 210 mm
HL max	= 900 mm
Hp	= H
Hp + n	= H
Hn min	= 470 mm
Hn + n min	= 470 mm
Hn + n max	= 760 mm
Hn stand	≤ 1400 mm
W min	= H - HL + 750 mm


E
with extension springs



B max	= 4000 mm
H max	= 2500 mm
b min	= 100 mm
Hp	= H - 150 mm
Hp + n	= H - 30 mm
Hn min	= 120 mm
Hn + n min	= 120 mm
Hn stand	≤ 350 mm
W min	= H + 500

* drive with rail must be applied
** above the height of 2750 only manual operation or STARCUS drive from group B or D and SOMFY drive from group E is possible
*** when using the STARCUS drive: Hp+n=H-60


MEASUREMENT AND INSTALLATION




dimensioning method -
view from inside of the room

B	- opening width
H	- opening height
b	- side space
bn	- side space width for side drive
HL	- high lift
Hn	- headroom height
Hn + n	- headroom height in door with drive
Hp	- passage height
Hp + n	- passage height in door with drive
W	- built-in depth
Hn stand	- maximum headroom height while applying standard suspensions; in case of higher headroom it is necessary to install additional steel construction

order dimensions
B x H



B	
H	
Hn	
b	
bn	
X	
Y	
Z	
Hb	
A	
Bd	
Hd	
W	
Hα	
Wα	
α	





WOODGRAIN Clasic, standard størrelser

bredde	høyde	hvit 9016	anthracite 7016	Brun 8014
2200, 2300, 2375, 2400	2000	8004,60	8004,60	8004,60
	2125	8242,20	8242,20	8242,20
	2250	8499,60	8499,60	8499,60
	2375	8875,80	8875,80	8875,80
	2500	9450,00	9450,00	9450,00
2500	2000	8281,80	8281,80	8281,80
	2125	8242,20	8242,20	8242,20
	2250	8737,20	8737,20	8737,20
	2375	9073,80	9073,80	9073,80
	2500	9588,60	9588,60	9588,60
2600	2000	8519,40	8519,40	8519,40
	2125	8776,80	8776,80	8776,80
	2250	9034,20	9034,20	9034,20
	2375	9311,40	9311,40	9311,40
	2500	9826,20	9826,20	9826,20
2700	2000	8677,80	8677,80	8677,80
	2125	8955,00	8955,00	8955,00
	2250	9212,40	9212,40	9212,40
	2375	9509,40	9509,40	9509,40
	2500	10044,00	10044,00	10044,00
2800	2000	8856,00	8856,00	8856,00
	2125	9113,40	9113,40	9113,40
	2250	9410,40	9410,40	9410,40
	2375	9846,00	9846,00	9846,00
	2500	10261,80	10261,80	10261,80
2900	2000	9073,80	9073,80	9073,80
	2125	9370,80	9370,80	9370,80
	2250	9648,00	9648,00	9648,00
	2375	9945,00	9945,00	9945,00
	2500	10558,80	10558,80	10558,80
3000	2000	9252,00	9252,00	9252,00
	2125	9529,20	9529,20	9529,20
	2250	9826,20	9826,20	9826,20
	2375	10242,00	10242,00	10242,00
	2500	10776,60	10776,60	10776,60

NB; Port høyde 2125 og 2100 lik pris

Leveres med 1 stk. torsjonstjær, uten skruer for feste av beslag til karm. Ingen avstand skinne medfølger
Portene leveres som standard med beslag for 210 mm overhøyde, kan levere skinnesystem L 120mm

Enkelt dører.

Singel - blad dør uten horisontal bar, leveres i type åpne ut eller inn.

MB 60E profile system (karm 60mm / dørblad 40mm)

Dobbel side tetting

Aluminium dør terskel isolert (20mm høy)



Sylinder lås, syrfaste justerbare hengsler

Hengsler, håndtak, eloksert i farge sort.

Min. dimisjon bredde 750mm x høyde 1800mm


Max. dimisjon bredde 1200mm x høyde 2400mm

*for DB RA dør; min. bredde 880mm max 1180mm

			
RC	RS	RF	RA ¹⁾
Anthracite 7016 White 9016 Brown 8014	Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 White 9016 ²⁾ Brown 8014
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾

høyde/bredde	900	1100	1200
2100	7203,90	8241,75	8522,58
	8815,62	10048,83	10402,92
2300	7973,13	8632,47	8937,72
	9743,58	10512,81	10903,53
2400	8632,47	9304,02	9621,48
	10512,81	11330,88	11721,60

priser eks. mva

				
RCS	RSS	RM	RFS	T7
Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 Silver 9006	Anthracite 7016 White 9016	White 02 Dark Brown 08 Silver 01 Gray 03 Golden Oak 30 Green Fir 17 Anthracite 23 Brown 09 Red 12
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾	
Decors - group I ⁴⁾	Decors - group I ⁴⁾	-	Decors - group I ⁴⁾	
Decors - group II ⁴⁾	Decors - group II ⁴⁾	-	Decors - group II ⁴⁾	

1) DB RA/ RAS dører i høyde 2017 - 2099mm og 2187 - 2209mm lages ikke

DB RA/ RAS dører er bare tilgjengelige i speil type A (520 x 330mm)

2) Dør karm og dørblad i RAL 9016 (inn og utvendig)

3) Alle RAL farger unntatt for pearl, metalick, fluorescent (på forespørsel)

to-sidig lakkering av dør blad og utvendig dør karm

4) Dør blad og karm i RAL 8007 (utvendig og innvendig)

5) Dør blad og karm i RAL 8014 (utvendig og innvendig)

6) Dør blad og karm dekor utvendig, RAL 9016 innvendig.

høyde/bredde	900	1100	1200
2125	8424,90	9169,71	9511,59
	9743,58	10598,28	11037,84
	9401,70	10268,61	10647,12
	10012,20	10854,69	11330,88
2250	8840,04	9597,06	9975,57
	10256,40	11123,31	11575,08
	9890,10	10769,22	11172,15
	10512,81	11404,14	11880,33
2400	9560,43	10378,50	10793,64
	11086,68	12026,85	12515,25
	10695,96	11746,02	12063,48
	11367,51	12344,31	12832,71

DOBBELT DØRER OG DB61, PIS PÅ FORESPØRSEL

Tekniske spesifikasjoner

Alu elemener 78mm x 15mm /skummet isolasjon.(norsk aluminium)
Motordrift, 2 sendere, Innv. Styreskap (type kypad)
Sikkerhets system / fjærsystem / rørmotor
Termo isolert til K-4.3 m2, og god støyisolasjon.
Leveres std.uten deksel over rullen for innv. mont.
Overhøyde 300 mm, porthøyde 2850mm kreves 360mm overhøyde
Produsert etter ISO:9001. Godkjent etter EU 13241-1.
Sideskinner 70 mm Sideskinner 100 mm



Hvite glatte og struktur lakkerte / se farge utvalg i brosjyre

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440								
tom. 2590								
tom. 3050	Priser for 2021 kommer							
tom. 3750								
tom. 4420								
tom. 4720								
tom. 5300								

Laminerte / se farge utvalg i brosjyre

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
tom. 2440								
tom. 2590								
tom. 3050	Priser for 2021 kommer							
tom. 3750								
tom. 4420								
tom. 4720								
tom. 5300								

Priser for deksler (box over trommel)

bredde →	2440	2590	3050	3750	4420	4720	5300	
Box 90 bare hvit								
Full box								
Full box/forsterk								
		eks. mva	inkl. mva				eks. mva	inkl. mva
Sender 2 kanal Sender 4 kanal Keypad utv.					Batteri back up Utv. nødåpner Fotocelle 2 channel			



Styreskap



Keypad utv



Sender



Marantec

Marantec portåpnere

Soft start og stopp, enkel programmering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 leveres med 2 stk. sendere Bilinked
 Produsert i Tyskland



comfort.50 comfort.260 comfort.370/380

Portåpnere porthøyde

Skinne type	nr.11, tom. 2250mm		nr.12, tom. 2500mm		nr.13, tom. 3250mm	
	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
Comfort 50, må bestilles	3007	3759	3448	4310	3915	4893
Comfort 260	3785	4731	4226	5282	4693	5866
Comfort 370	4407	5509	4848	6060	5315	6644
Comfort 380	5004	6255	5445	6806	5911	7389

Motorhoder	eks. mva	inkl. mva	Skinner	eks. mva	inkl. mva
motorhode comfort 50	2125	2657	SZ nr.11 - S → 2250 mm	984	1230
motorhode comfort 260	2903	3629	SZ nr.12 - S → 2500 mm	1425	1781
motorhode comfort 370	3526	4407	SZ nr.13 - S → 3250 mm	1892	2365
motorhode comfort 380	4122	5153	SZ nr.16 opptil 365 høyde	2696	3370
Div.	eks. mva	inkl. mva		eks. mva	inkl. mva
Sender mini 2 ch. Multibi	471	589	mottaker Bil., 868hz.	704	880
Sender mini 4 kanal	653	816	Kodetastatur Bilinkked	1042	1302
Sender micro 3 kanal	653	816	Innv. betjening sender, bil.	730	913
Sender mini 2 ch. Bilinke	678	848	Fotocelle /	860	1075
Sender mini 3 ch. Bilinke	730	913	Multi-Function / 8000 serien	471	589
Sender mini 4 ch. Bilinke	730	913	Glidebrakett for skinne	78	97
			Domino kodepanel	700	875

Starcus, lerandør Krispol.

Soft start og stopp, enkel programering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 hastighet 16 cm/sec
 Starcus leveres med 2 stk. Sendere (433HZ)



Starcus åpnere max. porthøyde 2250mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	2447	3058
Mod 1000 / 2 sendere 3 ch.	2967	3709
Starcus åpnere max. porthøyde 2500mm	eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.	2967	3709
Mod 1000 / 2 sendere 3 ch.	3501	4376
Div. Tilbehør	eks. mva	inkl. mva
Motorhode Starcus 600	1591	1989
Motorhode Starcus 1000	1839	2299
skinne belte lende 3160mm	1343	1678
skinne belte lende 4060mm	1963	2454
sender, 3 ch	400	500
sender, 4 ch	475	593
kodetastatur	971	1213

