


Prisliste

Twobi™
GARASJEPORTER



Priser på Twobi garasjeporter

Fom. 25.mars 2026

Tar forbehold om evt. Trykkfeil.

Colours

Information

RAL COLOUR CHART

KRISPOL's offer includes over 200 RAL colours allowing the investor to match colours of the products used in the project. In our price list we distinguish the following groups:



STANDARD colours

This group includes the following colours:



- Anthracite STD 7016 - WOODGRAIN RAL 7016 - SLICK (similar to RAL 7016)



- White STD 9016 - WOODGRAIN RAL 9016 - SLICK (similar to RAL 9016)



- Silver STD 9006 (similar to RAL 9006, applies to RM garage doors RM)



- White RAL 9002 (applies to RM garage doors)

PREFERRED RAL colour

A group of colours selected on the basis of current trends. These are the colours preferred by our customers and subject to the special price:



- Anthracite RAL 7016 - applies to WOODGRAIN garage doors



- Black RAL 9005



- Silver RAL 9006



- Grey RAL 9007



- Metallic 703M (similar to RAL 7022)



- Brown RAL 8014

Farbe RAL

- Other colours from the RAL chart.

NCS COLOUR SYSTEM

The NCS, with a total of 2050 colors, is the second most popular system in the world, entirely based on the perception of colours by human eye.

- The NCS sampler is available at www.ncscolour.com



NEW – SPECIAL COLOURS

Note: NCS, Matt Metallic, Sable Noir and Scandinavian are available only for the sectional doors.

MATT METALLIC – the proprietary KRISPOL colour collection created on the basis of the most popular and most frequently chosen colours of the RAL chart, enriched with a shimmering, matte varnish resistant to weather conditions.



- White matt metallic RAL 9016 MM



- Anthracite matt metallic RAL 7016 MM



- Black matt metallic RAL 9005 MM

SABLE NOIR RAL 9005 SN deep, elegant black by using a special varnish application technique.



- Sable noir RAL 9005 SN

SCANDINAVIAN COLOURS our response to colour trends originating from northern Europe.



- NCS S-3252-Y26R



- NCS S-5038-Y83R

Specification

Information

DOOR CURTAIN

- sections 500 mm, 553/555 mm*, 610 mm in height
- door sections made of fire galvanised and polyester coated steel sheets
- filling: freon-free polyurethane foam, 40 mm thick or 60 mm thick
- reinforcement profile is used in doors with width from 4750 mm
- weight: ~13 kg/m² or ~14 kg/m² (for VENITE RFS 60)
- * Depends on the type of panel

TRACK SYSTEM

- fire galvanised steel construction
- Design** - torsion and extension springs, tailor made
- Classic T** - torsion and extension springs, typical sizes
- springs working life min. 15 000 cycles










Classic doors are not equipped with the wall fixing components.

The minimum order dimension of Design doors is: width 2000 mm, height 1700 mm (for K2 RA doors minimum height is 1950 mm) - the door prices are calculated according to the nearest dimension range in the pricelists.

The doors with dimensions exceeding those maximum specified in the pricelists are calculated on individual basis.

It is not recommended to install the doors in dark colours in the places that are exposed to strong sunshine (e.g. on the southern part).

This may lead to the door curtain deformation, which is a natural process arising from the material properties.

Type VENTE	outside embossment	outside surface	inside embossment	inside surface	inside colour	Classic T Typical sizes		Design Tailor made sizes	
						index	track system	index	track system
 RC	multi grooved	woodgrain	multi grooved	stucco	White (RAL 9010)	K2 RC T	N track system with shot peened torsion springs, possibility of applying L track system, E track system with extension springs	K2 RC	N track system with shot peened torsion springs, possibility of applying L, SL, NH, H track systems, E track system with extension springs
 RS	single grooved	woodgrain	multi grooved	stucco	White (RAL 9010)	K2 RS T		K2 RS	
 RF	no embossments	woodgrain	multi grooved	stucco	White (RAL 9010)	K2 RF T		K2 RF	
 RA	cassettes typ A (507 x 340 mm)	woodgrain	multi grooved	stucco	White (RAL 9010)	K2 RA T		K2 RA	
 RCS	multi grooved	slick	multi grooved	stucco	White (RAL 9010)	K2 RCS T		K2 RCS	
 RSS	single grooved	slick	multi grooved	stucco	White (RAL 9010)	K2 RSS T		K2 RSS	
 RFS	no embossments	slick	multi grooved	stucco	White (RAL 9010)	K2 RFS T		K2 RFS	
 RM	V-profiling	slick	multi grooved	stucco	White (RAL 9010)	K2 RM T		K2 RM	
 RFS 60	no embossments	slick	multi grooved	stucco	White (RAL 9010)	K2 RFS 60T		N track system with shot peened torsion springs, possibility of applying L track system	

Specification

Product comparison - Classic T / Design

	Classic T Typical sizes			Design Tailor made sizes		
Available panel thicknesses [mm]	40	40	60	40	40	60
Track system type	E	N, L	N, L	E	N, L, SL, NH, H	N, L, NH
Minimum lintel height [mm]	120	N (210), L (120)	N (280), L (150)	120	N (210), L (120), SL (80), NH (350), H (470)	N (280), L (150), NH (350)
Spring system	extension	torsion	torsion	extension	torsion	torsion
Maximum size [mm]	4000x2500	5500x2500****	5500x2375*	4000x2500	6000x3000***	5500x3000**
Intermediate sizes every 1 mm	no	no	no	yes	yes	yes
Operation type	manual/drive/ preparation for the drive					
Available colours	standard/ral/ncs/ veneer	standard/ral/ncs/ veneer	standard/ral/ncs/ veneer	standard/ral/ncs/ veneer	standard/ral/ncs/ veneer	standard/ral/ncs/ veneer
Available panel structures	woodgrain/slick/ microprofiling	woodgrain/slick/ microprofiling	slick	woodgrain/slick/ microprofiling	woodgrain/slick/ microprofiling	slick
Upper alu profile	no	yes	yes	yes	yes	yes
Service door	no	no	no	no	yes	no
Maximum number of IP sections [pcs]	1	5	3	4	5	4
Maximum width of IP sections [mm]	4000	5000	5000	4000	5000	5000
Reinforced N track system	no	no	no	no	yes	no
Renovation profiles	yes	only "L" track system	no	yes	only "L" and "SL" track system	no
Aluminum lintel strip	optional	optional	no	optional	optional	no
Side consoles	no	yes	yes	no	only "N" and "L" track system	only "N" and "L" track system
RC2 package	yes	yes	only "N" track system	yes	except from "SL" track system	except from "L" track system
Plastic arch of the upper guide	no	yes	yes	no	only "N" and "L" track system	only "N" and "L" track system
PVC roller clamps	optional	optional	optional	yes	yes	yes
Adjustable lower roller holder	no	optional	optional	no	optional	optional
Warm assembly system	yes	yes	yes	yes	except from „NH“ and „H“ track system	except from „NH“ track system
Symmetrical arrangement of sections	no	yes	yes	yes	yes	yes

* height 2375 at max. width 3000

** height 3000 at max. width 3500; height 2500 at max. width 5000; height 2250 at max. width 5500

*** available after selecting the reinforced N track system

**** height 2250 at max. width 6000


Decors - veneers


Information

Veneers are one of the most popular materials used to finish the garage door shell. The KRISPOL's offer includes several dozen patterns and colours of veneers divided into three price groups. See the table below.









Preferred DECORS

The portfolio of the most preferred veneers includes the most popular veneers offered at a lower price. Important: The most preferred veneers apply only to the sectional doors. For the other products (DZUM, DB51, RGZ, RGW), the Golden Oak and Walnut patterns belong to Group I.








name	similar RAL colour*	Decors
Golden oak 48	RAL 8007	
Anthracite - smooth 204	RAL 7016	

name	similar RAL colour*	Decors
Chestnut 96	RAL 8014	

Group I

name	similar RAL colour*	Decors
Anthracite 174	RAL 7016	
Chocolate brown 185	RAL 8017	
Grey cedar 25	RAL 7006	
Dark grey smooth 703	RAL 7021	
Espresso Ash 3D 23	RAL 7022	
Boggy oak 45	RAL 8019	
Dark oak 44	RAL 8014	
Natural oak 42	RAL 1001	
Mahogany 12	RAL 8016	
Antique pine 20	RAL 8008	
Grey 173	RAL 7001	
Winchester 19	RAL 8007	
Golden Oak light R 53	RAL 8003	
Winchester R 52	RAL 8003	
Basalt Grey L 29	RAL 7012	



Group II

name	similar RAL colour*	Decors
Metbrush anthracite 193	RAL 7024	
Dark Gray Matt 28	RAL 7011	
Black Smoked Oak 16	RAL 7021	
Sheffield oak 46	RAL 1019	
Woodec turner oak N 51	RAL 1011	
Woodec Pine Jura 70	RAL 1001	
Woodec Turner Oak Toffee 13	RAL 8028	
White Matt 27	RAL 9016	
Black Matt 14	RAL 9011	
Grey Matt 24	RAL 7040	
Umbragrey Matt 26	RAL 8019	
Smooth Cream 30	RAL 9001	
Quartz R 34	RAL 7039	

* The given RAL colors are for illustration only, it is recommended to choose colours from the RAL palette by yourself.

** Valid while stocks last.

WOODGRAIN Classic E (E = strekk fjærer) / Standart størrelser, faste mål





RC E													
													
STANDARD COLOURS													
Skinne type E track krever kun 120 mm overhøyde													
bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10233	10782	10979	11120	11120	11443	11668	12146	12920	13778	14340	15184	16353
2125	10726	11063	11246	11401	11401	11668	12006	12498	13272	14101	14776	15578	17365
2250	10993	11387	11556	11598	11598	12006	12343	12836	13679	14594	15184	16521	17773
2375	11612	12076	12287	12428	12428	12779	13089	13736	14340	15705	16324	17786	19053
2500	12189	12554	12836	13370	13370	13722	14031	14748	15409	16760	17238	18757	20080
RC E													
													
STANDARD COLOURS													
bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11187	11801	11962	12211	12211	12591	12884	13396	14288	15195	15912	16789	18079
2125	11684	12094	12299	12489	12489	12884	13249	13761	14624	15648	16248	17243	19103
2250	11991	12430	12664	12840	12840	13176	13571	14244	15049	16102	16789	18252	19630
2375	12694	13205	13483	13703	13703	14112	14390	15136	15912	17301	18033	19656	21078
2500	13308	13717	14025	14712	14712	15136	15473	16292	17111	18164	18896	20856	22277
RC E													
													
RAL COLOURS													
bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11450	12094	12299	12445	12445	12854	13132	13717	14639	15634	16336	17331	18679
2125	11991	12401	12635	12811	12811	13147	13571	14171	15093	16073	16921	17843	19820
2250	12313	12723	13001	13147	13147	13615	13995	14595	15604	16731	17448	18940	20361
2375	13059	13557	13820	14054	14054	14449	14815	15590	16380	17974	18764	20373	21824
2500	13659	14112	14405	15093	15093	15517	15912	16760	17609	18647	19437	21061	22804
RC E													
													
RAL COLOURS													
bredde →													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12079	12694	12957	13118	13118	13600	13908	14478	15473	16526	17360	18325	19732
2125	12635	13074	13293	13469	13483	13937	14332	14975	15956	17038	17799	18896	20844
2250	12971	13396	13644	13893	13908	14332	14727	15473	16438	17609	18457	19978	21517
2375	13717	14288	14522	14829	14829	15341	15634	16468	17389	18910	19847	21514	23097
2500	14361	14829	15166	15912	15956	16438	16804	17711	18706	19627	20476	22012	23491

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prislister.

NB: Mod RS lages ikke høyder; 2050, 2300, 2350

NB: RA ikke tilgjengelig i bredde 3351 - 4000 og høyder 1900, 1950

WOODGRAIN Classic E (E = strekk fjærer) / tilpassede størrelser										STANDARD COLOURS			
<p>RC E</p>  <p>bredde →</p>													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11331	11331	11570	11570	11865	12217	12498	13061	13848	14776	15409	16310	17548
2125	11570	11570	11865	11865	12174	12498	12864	13454	14270	15156	15845	16731	18589
2250	11865	11865	12217	12217	12470	12836	13201	13778	14692	15677	16310	17744	19067
2375	12596	12596	13004	13004	13328	13679	14031	14734	15409	16563	17364	18743	20249
2500	13454	13454	13736	13736	14101	14565	14889	15592	16506	17618	18630	19924	21247
<p>RS E RF E RA E STANDARD COLOURS</p>  <p>bredde →</p>													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12251	12251	12584	12584	12831	13251	13584	14120	15077	16120	16801	17743	19070
2125	12584	12584	12831	12831	13164	13584	13947	14555	15468	16511	17221	18279	20157
2250	12831	12831	13251	13251	13541	13932	14309	15019	15917	17033	17743	19308	20737
2375	13715	13715	14077	14077	14425	14932	15222	16004	16801	18004	18931	20380	22026
2500	14555	14555	14990	14990	15367	15816	16178	16989	17931	19177	20337	21771	23157
<p>RC E WOODGRAIN Classic E / tilpassede størrelser RAL COLOURS</p>  <p>bredde →</p>													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12637	12637	12988	12988	13368	13778	14100	14787	15738	16865	17581	18678	20071
2125	13032	13032	13368	13368	13778	14144	14583	15270	16250	17362	18166	19278	21285
2250	13412	13412	13837	13837	14100	14583	15007	15738	16762	17991	18795	20390	21884
2375	14202	14202	14685	14685	15138	15548	15914	16835	17611	19015	19951	21502	23289
2500	15138	15138	15548	15548	15958	16513	16908	17771	18839	20200	21414	22950	24459
<p>RS E RF E RA E RAL COLOURS</p>  <p>bredde →</p>													
høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13412	13412	13705	13705	14100	14583	14963	15636	16645	17845	18649	19775	21226
2125	13778	13778	14100	14100	14466	14963	15416	16118	17142	18357	19220	20390	22426
2250	14144	14144	14626	14626	14963	15372	15855	16645	17654	19015	19849	21575	23172
2375	15051	15051	15548	15548	15914	16440	16865	17771	18678	20053	21136	22803	24561
2500	15958	15958	16440	16440	16982	17479	17903	18839	19907	21370	22628	24310	25834

Skinne type E track krever kun 120 mm overhøyde

NB: Mod RS lages ikke høyder; 2050, 2300, 2350

NB: RA ikke tilgjengelig i bredde 3351 - 4000 og høyder 1900, 1950

Nyhet beslag type E



The construction of the door frame elements was designed to provide an easy installation and to eliminate the risk of making a mistake.



Easy installation of lines by hooking in special openings.



Possibility of choosing a place for suspension installation thanks to moveable hooks and installation profiles.




Ball-bearing rolls guarantee quiet and safe work.



Specially designed lower hinge provides optimal sealing of the door.



The door reinforced with middle hinges as a standard.



Two-lip bottom sealing.



Lintel sealing installed on the wall.

SEE THE NEW FUNCTIONS:



Tension springs installed vertically.



Easy installation of springs in the hooks.



Easy and reliable regulation of springs in previously prepared installation openings.

Beslag type E strekkfjærer, Kan leveres til alle porter med bredde opp til 4000mm porthøyde 2500mm beslaget krever kun 120 mm overhøyde. Mer info se side 20.

bredde	høyde	St farge, RAL 9016, 7016 og 9005			RAL farger			
		RC T	RS T, RF T	K2 RA T	K2 RC T	RS T, RF T	K2 RA T	
2250 / 2375	2000	11 452	12956	12956	12554	13905	13905	3 cassette type A
	2125 / 2100	11 670	13229	13229	12789	13798	14307	
	2250	12 402	13991	13991	13632	14710	15256	
	2375	12 955	14552	14552	14198	15179	15744	
	2500	13 383	15615	15615	14641	16313	16923	
2400	2000	11 753	12956	12956	12734	13411	13905	3 cassette type A
	2125 / 2100	12 057	13229	13229	13121	13798	14307	
	2250	12 692	13991	13991	13922	14710	15256	
	2375	13 162	14552	14552	14378	15179	15744	
	2500	14 143	15615	15615	15442	16313	16923	
2500	2000	12 098	13359	13359	13134	13853	14365	3 cassette type A
	2125 / 2100	12 347	13646	13646	13452	14240	14767	
	2250	13 024	14379	14379	14309	15138	15701	
	2375	13 521	14954	14954	14793	15622	16204	
	2500	14 558	16075	16075	15912	16810	17440	
2600	2000	12 347	13646	13646	13425	14212	14738	3 cassette type A
	2125 / 2100	12 706	14020	14020	13853	14641	15184	
	2250	13 342	14710	14710	14613	15442	16017	
	2375	13 825	15285	15285	15166	15995	16592	
	2500	14 848	16434	16434	16243	17183	17828	
2750	2000	11 974	14221	14221	14046	14820	15371	4 cassette type A
	2125 / 2100	12 305	14595	14595	14489	15249	15816	
	2250	12 623	15098	15098	14903	15815	16405	
	2375	13 521	16075	16075	15939	16838	17469	
	2500	14 489	17296	17296	17128	18095	18777	
3000	2000	13 715	15155	15155	14958	15815	16405	4 cassette type A
	2125 / 2100	14 074	15486	15486	15428	16271	16880	
	2250	14 475	15960	15960	15939	16796	17426	
	2375	15 207	16865	16865	16755	17750	18417	
	2500	16 313	18144	18144	17971	19104	19826	
3250	2000	14 613	16118	16118	15967	16879	17512	4 cassette type A
	2125 / 2100	14 931	16549	16549	16437	17390	18044	
	2250	15 497	17081	17081	17100	17971	18647	
	2375	16 672	18331	18331	18399	19353	20084	
3500	2000	15 207	16865		16699	17736		ikke tilgjengelig
	2125 / 2100	15 677	17225		17294	18206		
	2250	16 091	17799		17819	18855		
	2375	17 294	19165		19173	20265		
3750	2000	16 091	17799		17722	18745		ikke tilgjengelig
	2125 / 2100	16 520	18288		18247	19325		
	2250	17 515	19351		19380	20430		
	2375	18 827	20832		20817	21978		
4000	2000	17 308	19122		19104	20154		ikke tilgjengelig
	2125 / 2100	18 399	20243		20265	21315		
	2250	18 814	20789		20790	21978		
	2375	20 168	22284		22324	23581		
4250	2000	19 104	21120		20928	22116		ikke tilgjengelig
	2125 / 2100	19 602	21594		21536	22738		
	2250	20 292	22413		22393	23609		
	2375	21 799	24066		24037	25377		
4500	2000	19 795	21795		21674	22876		ikke tilgjengelig
	2125 / 2100	20 375	22456		22434	23678		
	2250	20 831	22959		23056	24341		
	2375	22 338	24641		24756	26110		
4750	2000	21 647	23778	23778	23623	24880	25805	4 cassette type A
	2125 / 2100	22 061	24310	24310	24217	25543	26495	
	2250	22 559	24899	24899	24908	26276	27256	
	2375	24 217	26724	26724	26732	28183	29239	
5000	2000	21 799	24023	24023	23940	25253	26193	4 cassette type A
	2125 / 2100	22 268	24554	24554	24604	25930	26897	
	2250	22 959	25374	25374	25460	26884	27888	
	2375	24 645	27256	27256	27367	28901	29987	
5250	2000	23 084	25503		25336	26773		ikke tilgjengelig
	2125 / 2100	23 747	26221		26151	27630		
	2250	24 244	26739		26815	28293		
	2375	25 999	28708		28804	30421		
5500	2000	24 037	26538		26400	27851		ikke tilgjengelig
	2125 / 2100	24 465	27041		27022	28514		
	2250	24 880	27515		27630	29205		
	2375	26 718	29570		29689	31416		

NB; Port høyde 2125 og 2100 lik pris

Standard porter er tilgjengelig med skinne system N 210mm overhøyde og L 120mm overhøyde,

Vinduer og NH skinne system kun i skreddersydde porter

Mod. RA tilgjengelig i bredder opp til 3350mm, fom 4750mm tom 5000mm

WOODGRAIN Classic T (torsion) /tillpassede størrelser

STANDARD COLOURS

RC




bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	11863	12130	12439	12805	13114	13705	14549	15533	16209	17165	18432	19782	21034	23003	23214	24620	25661	26224	32117
2125	12130	12439	12763	13114	13494	14127	14999	15941	16673	17601	19543	20485	21653	23467	23734	25352	26167	26997	33397
2250	12439	12805	13072	13466	13860	14465	15435	16490	17165	18684	20049	21610	22159	24015	24522	25830	26561	29318	34199
2375	13213	13649	13986	14366	14732	15491	16209	17432	18276	19739	21301	22328	23622	25394	25788	27321	27574		
2500	14127	14422	14816	15308	15646	16391	17362	18543	19626	21005	22370	23594	24845	27096	27447	28530	29023		
2625	14465	14816	15266	15674	16082	16898	17742	19247	20034	21328	22890	24269	25225	26547					
2750	14661	15154	15533	16012	16391	17362	18164	19767	20653	21849	23959	24859	25816						
2875	15477	15829	16237	16771	17165	18009	19219	20808	21891	22833	24972	25942	26983						
3000	15941	16293	16715	17165	17671	18895	19851	21300	22214	23368	25534	26589							


RS



RF



RA



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12903	13255	13649	14071	14394	15097	16068	17221	17953	19078	20485	22032	23383	25422	25731	27264	28446	28812	29754
2125	13297	13649	14071	14436	14887	15590	16588	17728	18543	19683	21723	22750	24128	26041	26491	28165	29107	29810	30696
2250	13691	14127	14394	14887	15323	16068	17109	18375	19190	20822	22328	23931	24859	26772	27405	28868	29740	32243	33045
2375	14493	14985	15449	15871	16251	17193	17981	19415	20372	21961	23762	25169	26407	28305	28826	30499	31456		
2500	15449	15871	16293	16856	17263	18150	19233	20625	21863	23438	24958	26224	27771	30106	30640	31568	32258		
2625	15913	16293	16856	17334	17840	18740	19739	21413	22341	23593	25352	26871	28038	29501					
2750	16195	16729	17221	17728	18220	19289	20273	22102	23115	24240	26519	27602	28784						
2875	16996	17503	17981	18600	19036	20006	21385	23241	24423	25365	27672	28798	30077						
3000	17601	17981	18543	19036	19626	21033	22144	23832	24915	26054	28347	29656							

ant speil	RA 3 speil 2000 - 2530	RA 4 speil 2531 - 3350	RA ikke tilgj. 3351-4658	RA 7 speil 4659 - 5000	RA ikke tilgj.

NB; Port høyde 2125 og 2100 lik pris


RC




bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12903	13255	13649	14071	14394	15097	16068	17221	17953	19078	20255	21802	23153	25192	25501	27034	28216	28582	29524
2125	13297	13649	14071	14436	14887	15590	16588	17728	18543	19683	21493	22520	23898	25811	26261	27935	28877	29580	30466
2250	13691	14127	14394	14887	15323	16068	17109	18375	19190	20822	22098	23701	24629	26542	27175	28638	29510	32013	32815
2375	14493	14985	15449	15871	16251	17193	17981	19415	20372	21961	23532	24939	26177	28075	28596	30269	31226		
2500	15449	15871	16293	16856	17263	18150	19233	20625	21863	23438	24728	25994	27541	29876	30410	31338	32028		
2625	15913	16293	16856	17334	17840	18740	19739	21413	22341	23593	25122	26641	27808	29271					
2750	16195	16729	17221	17728	18220	19289	20273	22102	23115	24240	26289	27372	28554	30101					
2875	16996	17503	17981	18600	19036	20006	21385	23241	24423	25365	27442	28568	29847						
3000	17601	17981	18543	19036	19626	21033	22144	23832	24915	26054	28117	29426							


RS



RF



RA



bredde →


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000	
2000	11666	11933	12256	12678	13002	13607	14479	15491	16180	17151	18760	20167	21306	22825	23430	24808	25821	26158	26988	
2125	11989	12256	12580	13002	13410	14014	14887	15955	16687	17699	19773	20940	22037	23373	24063	25638	26468	27044	27832	
2250	12313	12721	13002	13367	13789	14479	15351	16504	17249	18712	20420	21559	22586	24063	24935	26229	27016	29224	30040	
2375	13100	13508	13832	14296	14661	15449	16223	17432	18346	19781	21629	22923	24020	25399	26229	27691	28521			
2500	13874	14296	14760	15168	15533	16363	17292	18529	19640	21075	22726	24035	25216	26411	27790	28592	29239			
2625	14338	14760	15126	15576	16040	16870	17798	19317	20105	21174	23050	24400	25427	27073						
2750	14563	15083	15491	15955	16420	17334	18206	19837	20794	21750	24091	25033	26102	27157						
2875	15308	15730	16223	16687	17109	17981	19275	20878	21989	22735	25103	26130	27255							
3000	15815	16223	16645	17109	17699	18951	19880	21399	22355	23368	25722	26876								
ant speil	RA 3 speil 2000 - 2530				RA 4 speil 2531 - 3350				RA ikke tilgj. 3351-4658				RA 7 speil 4659 - 5000				RA ikke tilgj.			

Merk: Port type RA leveres kun med små speil, i bredder fom. 2000mm tom. 3350mm og fom 4659mm tom 5000mm

Slick Classic E- strekk Standard st.

STANDARD COLOURS

RCS E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	10779	11351	11542	11747	11747	12143	12408	12980	13787	14668	15284	16165	17247
2125	11307	11659	11879	12085	12085	12408	12745	13303	14125	15079	15725	16590	18259
2250	11556	11982	12188	12364	12364	12716	13112	13685	14550	15548	16165	17588	18744
2375	12232	12745	13009	13186	13186	13582	13934	14594	15284	16708	17398	18909	20138
2500	12833	13230	13552	14184	14184	14565	14947	15695	16444	17691	18616	20216	21444


STANDARD COLOURS

RSS E




bredde →

RFS E



RM E



høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11454	12085	12320	12510	12510	12907	13186	13787	14668	15622	16326	17236	18347
2125	12011	12408	12642	12804	12804	13186	13582	14125	15079	16018	16767	17735	19419
2250	12334	12745	13009	13156	13156	13538	13934	14550	15504	16561	17236	18777	19962
2375	13083	13567	13831	14066	14066	14506	14800	15548	16326	17779	18528	20157	21429
2500	13699	14110	14418	15123	15123	15578	15901	16708	17544	18675	19496	21067	22163

RAL COLOURS


RCS E



bredde →


høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12907	13582	13861	14081	14081	14550	14947	15622	16723	17823	18719	19849	21151
2125	13508	13978	14257	14550	14550	15020	15490	16150	17236	18440	19364	20509	22413
2250	13875	14374	14624	15020	15020	15490	15945	16723	17853	19100	20039	21713	23132
2375	14712	15284	15578	15959	15959	16488	16943	17779	18792	20553	21536	23371	24878
2500	15446	15901	16282	17178	17178	17735	18220	19144	20201	22021	22989	24809	26302

RSS E



bredde →

RFS E



RM E



RAL COLOURS

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13699	14418	14697	14873	14873	15343	15725	16473	17588	18836	19717	20905	1601
2125	14360	14829	15123	15284	15284	15783	16297	16972	18161	19379	20377	21624	23587
2250	14727	15226	15548	15769	15769	16297	16781	17588	18821	20127	21096	22887	24365
2375	15592	16253	16546	16855	16855	17427	17794	18733	19819	21654	22696	24633	26170
2500	16385	16884	17266	18117	18117	18733	19174	20142	21302	23151	24237	25983	27520

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prisliste.

Skinne type E track krever kun 120 mm overhøyde

Slick Classic E- strekk / faste mål Decors group I

RCS E




Skinne type E track krever kun 120 mm overhøyde

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11971	12617	12818	13019	13019	13464	13837	14468	15416	16506	17224	18315	19665
2125	12559	12961	13205	13464	13464	13894	14239	14985	15889	16994	17841	18874	20856
2250	12847	13291	13550	13837	13837	14239	14684	15416	16406	17583	18386	19951	21502
2375	13622	14153	14440	14770	14770	15229	15588	16449	17267	18946	19822	21501	23081
2500	14267	14727	15057	15889	15889	16377	16722	17697	18587	20094	20941	22218	23856

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12369	13030	13255	13494	13494	13944	14338	14985	15970	17137	17882	18979	20359
2125	12931	13382	13649	13874	13874	14366	14774	15477	16476	17587	18473	19570	21582
2250	13283	13733	13986	14338	14338	14774	15224	15970	16982	18262	19036	20695	22201
2375	14085	14676	14915	15294	15294	15773	16138	17024	17910	19626	20470	22257	23861
2500	14774	15224	15590	16406	16406	16968	17362	18318	19261	20203	21089	22749	24269

Decors group II

RCS E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	11813	12458	12695	12866	12866	13287	13655	14352	15300	16365	17102	18168	19581
2125	12379	12813	13010	13313	13313	13747	14102	14813	15773	16865	17733	18786	20726
2250	12708	13129	13392	13694	13694	14142	14563	15326	16299	17497	18339	19865	21449
2375	13484	13997	14260	14642	14642	15089	15431	16339	17181	18812	19720	21391	23015
2500	14102	14563	14905	15721	15721	16220	16589	17549	18457	20115	20930	22614	24186

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13185	13888	14169	14380	14380	14844	15308	16054	17109	18361	19190	20400	21864
2125	13804	14324	14535	14844	14844	15365	15815	16574	17699	18895	19866	21103	23186
2250	14183	14704	14957	15337	15337	15843	16335	17151	18262	19626	20484	22285	23889
2375	15013	15646	15941	16349	16349	16898	17320	18276	19247	21117	22088	23987	25675
2500	15759	16279	16659	17573	17573	18164	18642	19640	20709	21595	22538	24451	25928

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500
 Pris for disse høyder, til nærmeste høyde over som i prislister.

Slick Classic E T / tilpassede mål. STANDARD COLOURS


RCS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12229	12229	12229	12588	12861	13291	13665	14296	15215	16320	17052	18085	19464
2125	12588	12588	12588	12904	13248	13693	14124	14755	15746	16808	17611	18673	20612
2250	12904	12904	12904	13349	13693	14124	14511	15286	16234	17425	18185	19764	21244
2375	13765	13765	13765	14196	14569	15042	15430	16291	17052	18372	19362	20884	22507
2500	14569	14569	14569	15042	15473	15990	16363	17166	18214	19563	20740	22218	23669

RSS E




bredde →

RFS E



RM E



høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12832	12832	13205	13205	13205	13205	13909	14267	14884	15846	16922	17654	19363
2125	13205	13205	13478	13478	13478	13478	14267	14684	15272	16277	17367	18114	19909
2250	13478	13478	13909	13909	13909	13909	14612	15028	15774	16750	17927	18673	21000
2375	14368	14368	14870	14870	14870	14870	15674	16018	16836	17654	18874	19922	22148
2500	15272	15272	15717	15717	15717	15717	16635	17009	17855	18817	20152	21400	23597

RAL COLOURS

RCS E



bredde →


høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13535	13535	13894	13894	14339	14827	15229	15932	17037	18229	19018	20209	21746
2125	13966	13966	14368	14368	14827	15258	15717	16449	17525	18846	19707	20970	23038
2250	14368	14368	14870	14870	15258	15717	16205	17095	18185	19563	20410	22218	23769
2375	15301	15301	15803	15803	16234	16779	17195	18229	19090	20597	21687	23395	25205
2500	16234	16234	16707	16707	17195	17827	18272	19248	20410	21874	23237	24945	26511

RSS E



bredde →

RFS E



RM E



høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	14029	14029	14394	14394	14760	15280	15674	16462	17559	18853	19697	20892	22426
2125	14450	14450	14816	14816	15252	15730	16251	17010	18136	19429	20358	21610	23706
2250	14887	14887	15379	15379	15730	16251	16771	17601	18726	20161	21089	22904	24550
2375	15801	15801	16349	16349	16813	17348	17770	18768	19753	21272	22425	24226	26013
2500	16771	16771	17306	17306	17840	18375	18881	19823	21089	22594	24015	25731	27321


NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500

Pris for disse høyder, til nærmeste høyde over som i prislister.

Skinne type E track krever kun 120 mm overhøyde

Slick Classic E- strekk/ tillpassede m: Decors group I

RCS E




Skinne type E track krever kun 120 mm overhøyde

bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12299	12961	13166	13372	13372	13828	14210	14857	15827	16944	17679	18796	20208
2125	12902	13313	13563	13828	13828	14269	14622	15386	16312	17444	18311	19370	21428
2250	13196	13651	13916	14210	14210	14622	15077	15827	16841	18047	18870	20472	22089
2375	13990	14533	14827	15166	15166	15636	16003	16885	17723	19443	20340	22060	23706
2500	14651	15121	15460	16312	16312	16812	17165	18164	19076	20619	21487	22795	24500

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12706	13384	13614	13859	13859	14320	14723	15386	16394	17590	18354	19477	20918
2125	13283	13744	14017	14248	14248	14752	15170	15890	16913	18051	18959	20082	22172
2250	13643	14104	14363	14723	14723	15170	15631	16394	17432	18743	19535	21235	22805
2375	14464	15069	15314	15703	15703	16193	16567	17475	18382	20140	21004	22834	24505
2500	15170	15631	16005	16841	16841	17417	17821	18800	19765	20731	21638	23338	24923

Decors group II

RCS E




bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	12137	12798	13040	13215	13215	13647	14024	14738	15708	16800	17554	18646	20122
2125	12717	13161	13364	13673	13673	14118	14482	15210	16193	17312	18201	19279	21294
2250	13054	13485	13754	14064	14064	14522	14954	15735	16732	17959	18821	20384	22035
2375	13849	14374	14644	15034	15034	15493	15843	16773	17635	19306	20236	21947	23639
2500	14482	14954	15304	16139	16139	16651	17029	18012	18942	20640	21475	23200	24838

RSS E



RFS E



bredde →

høyde	2000	2125	2250	2375	2400	2500	2600	2750	3000	3250	3500	3750	4000
2000	13542	14262	14550	14767	14767	15242	15717	16481	17561	18843	19693	20932	22460
2125	14176	14709	14925	15242	15242	15775	16236	17014	18166	19391	20385	21653	23814
2250	14565	15098	15357	15746	15746	16265	16769	17605	18743	20140	21019	22863	24534
2375	15415	16063	16366	16783	16783	17345	17777	18757	19751	21667	22661	24606	26364
2500	16178	16711	17100	18037	18037	18642	19132	20154	21249	22157	23122	25081	26623

NB: Tilgjengelige høyder; 1900, 1950, 2000, 2050, 2100, 2125, 2200, 2250, 2300, 2350, 2375, 2475, 2500
 Pris for disse høyder, til nærmeste høyde over som i prislister.

bredde	h�yde	St farge		RAL farger		Decor type 1		Decor type 2	
		RCS T	SS,RFS,RM	RCS T	SS,RFS,RM	RCS T	RSS,RFS / T	RCS T	RSS,RFS / T
2250 / 2375	2000	12 116	13185	13567	14608	13004	13947	14298	15323
	2125 / 2100	12 889	13944	14678	15775	14017	15086	15469	16640
	2250	13 649	14760	15578	16731	14819	16000	16421	17636
	2375	14 352	15533	16380	17589	15592	16830	17255	18514
	2500	14 633	15913	16535	17800	15803	16985	17460	18704
2400	2000	12 116	13185	13609	14664	13004	13947	14298	15323
	2125 / 2100	12 889	13944	14678	15775	14017	15086	15469	16640
	2250	13 649	14760	15578	16731	14819	16000	16421	17636
	2375	14 352	15533	16380	17589	15592	16830	17255	18514
	2500	14 633	15913	16577	17829	15803	16985	17475	18719
2500	2000	12 510	13564	14101	15100	13426	14425	14796	15791
	2125 / 2100	13 157	14254	15044	16113	14312	15438	15835	17021
	2250	14 014	15224	16014	17210	15255	16436	16874	18148
	2375	14 647	15843	16703	17955	15916	17153	17621	18939
	2500	15 069	16391	17083	18405	16338	17547	18060	19348
2600	2000	12 791	13888	14467	15494	13792	14805	15206	16304
	2125 / 2100	13 494	14633	15423	16591	14678	15845	16230	17445
	2250	14 352	15533	16380	17589	15592	16830	17255	18514
	2375	15 126	16391	17266	18588	16450	17744	18207	19568
	2500	15 463	16743	17575	18855	16661	17955	18441	19788
2750	2000	13 353	14507	15086	16197	14467	15550	15952	17094
	2125 / 2100	13 719	14887	15592	16703	14917	16014	16465	17621
	2250	14 830	16082	16942	18236	16127	17393	17870	19187
	2375	15 533	16842	17744	19094	16900	18236	18734	20110
	2500	16 223	17573	18461	19784	17618	18954	19524	20871
3000	2000	14 225	15407	16127	17294	15367	16549	17006	18207
	2125 / 2100	14 605	15829	16619	17871	15817	17069	17548	18836
	2250	15 055	16307	17224	18461	16366	17575	18119	19422
	2375	15 801	17165	18110	19460	17196	18532	19085	20490
	2500	16 968	18445	19474	20923	18490	19938	20520	22027
3250	2000	15 126	16434	17210	18476	16450	17744	18192	19539
	2125 / 2100	15 533	16842	17758	19080	16914	18222	18748	20110
	2250	16 054	17446	18433	19784	17519	18869	19451	20856
	2375	17 235	18754	19798	21289	18827	20276	20929	22452
	2500	18 014	19743	20923	22642	20276	21827	22642	24252
3500	2000	15 801	17165	18025	19390	17153	18476	19012	20402
	2125 / 2100	16 251	17643	18687	20009	17758	19108	19714	21120
	2250	16 701	18136	19291	20712	18321	19671	20373	21793
	2375	17 967	19542	20726	22301	19713	21134	21954	23462
	2500	18 743	20923	22642	24252	21134	22642	23462	25027
3750	2000	16 701	18136	19123	20543	18236	19629	20931	22366
	2125 / 2100	17 165	18656	19770	21232	18771	20234	21590	23142
	2250	18 150	19767	20909	22470	19854	21387	22776	24401
	2375	19 542	21258	22498	24200	21373	23033	24474	26201
	2500	20 934	22749	24200	25923	22764	24533	25923	27701
4000	2000	17 996	19515	19896	22077	19559	20332	21693	23186
	2125 / 2100	19 065	20654	21120	23371	20755	21584	22996	24591
	2250	19 557	21188	21823	24116	21374	22245	23786	25352
	2375	20 977	22778	23511	25917	22963	23919	25499	27255
	2500	22 369	24369	25144	27000	24757	25813	27364	29109
4250	2000	19 838	21540	21823	24173	21543	22484	23830	25513
	2125 / 2100	20 316	22060	22540	24918	22260	23173	24606	26319
	2250	21 090	22876	23511	25917	23062	24116	25587	27387
	2375	22 637	23579	25269	27858	24777	25944	27475	29437
	2500	24 029	25170	26613	29000	26367	27634	29109	30901
4500	2000	20 485	22271	22667	25073	22330	23286	24708	26436
	2125 / 2100	21 146	22918	23553	25959	23062	24116	25587	27387
	2250	21 639	23439	24270	26732	23723	24833	26377	28251
	2375	23 242	25155	26113	28702	25481	26718	28353	30359
	2500	24 845	26866	27667	30000	27077	28364	29839	31909
4750	2000	22 426	24283	24706	27197	24243	25297	26714	28617
	2125 / 2100	22 862	24789	25410	27942	24862	26042	27519	29451
	2250	23 453	25422	26169	28828	25509	26774	28324	30330
	2375	25 155	26294	28166	30938	27379	28771	30432	32599
	2500	26 857	27165	29067	32000	28877	30364	31909	33909
5000	2000	22 651	24550	25142	27703	24566	25705	27197	29129
	2125 / 2100	23 172	25113	25902	28533	25213	26450	28031	29993
	2250	23 931	25971	26900	29560	26170	27435	29085	31164
	2375	25 689	27911	28954	31810	28111	29545	31281	33492
	2500	27 441	29841	30900	33800	29611	31134	32892	35307
5250	2000	24 001	26083	26647	29335	24566	27322	28793	30901
	2125 / 2100	24 691	26843	27618	30347	25213	28209	29788	31925
	2250	25 183	27377	28321	31121	26170	28912	30579	32774
	2375	27 039	29402	30501	33470	28111	31134	32892	35307
	2500	28 891	31427	32500	35800	29611	32287	34004	37217
5500	2000	24 972	27082	27758	30502	27042	28391	29978	32116
	2125 / 2100	25 492	27672	28546	31374	27787	29207	30842	33082
	2250	25 956	28137	29263	32148	28406	29812	31633	33843
	2375	27 869	30232	31514	34524	30516	32104	34004	36405
	2500	29 721	32307	33700	36900	32016	33599	35404	38909

NB; Port h yde 2125 og 2100 lik pris

Standard porter er tilgjengelig med skinne system N 210mm overh yde og L 120mm overh yde, Vinduer og NH skinne system kun i skreddersydde porter


RCS



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	12803	13134	13392	13837	14181	14770	15774	16793	17525	18530	19894	21358	22707	24788	25076	26626	27731	28305	29180
2125	13134	13392	13765	14181	14597	15215	16176	17253	18028	19061	21086	21918	23382	25348	25650	27415	28262	29166	29970
2250	13392	13837	14138	14554	14942	15688	16650	17841	18530	20195	21645	22765	23970	25922	26539	27917	28735	31677	32596
2375	14267	14727	15114	15559	15918	16750	17525	18788	19793	21329	22980	24473	25492	27415	27860	29496	30357	33658	
2500	15215	15660	16018	16549	16922	17755	18731	20008	21271	22749	24157	25851	26841	29266	29639	30816	31807		
2625	15688	16018	16506	16966	17410	18300	19204	20869	21659	23051	24731	26195	27257	28620					
2750	15846	16377	16793	17324	17755	18731	19649	21372	22362	23639	25851	26798	27889	29352					
2875	16707	17095	17568	18114	18530	19477	20812	22577	23711	24687	26956	27975	29166						
3000	17210	17626	18056	18530	19147	20439	21472	23051	24041	25333	27544	28735							


RSS



bredde →

bredde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	13339	13719	14000	14450	14830	15477	16476	17587	18361	19415	20795	22328	23706	25900	26238	27827	28952	29613	30513
2125	13719	14000	14352	14830	15266	15871	16926	18051	18839	19978	22004	23523	24494	26449	26857	28629	29557	30499	31357
2250	14000	14450	14788	15182	15618	16391	17418	18642	19415	21117	22623	23790	25014	27138	27729	29234	30063	33130	33988
2375	14929	15449	15787	16293	16645	17503	18361	19626	20723	22313	24001	25577	26632	28657	29149	30612	31484		
2500	15871	16335	16771	17292	17685	18557	19570	20963	22257	23832	25267	27011	28038	30570	31006	32201	33116		
2625	16391	16771	17235	17714	18178	19176	20105	21821	22650	24169	25816	27391	28502	29923					
2750	16602	17137	17587	18079	18557	19570	20555	22355	23368	24718	27011	28024	29191	30696					
2875	17446	17882	18375	18923	19415	20372	21764	23579	24788	25857	28207	29304	30485						
3000	18009	18431	18881	19415	20006	21399	22496	24155	25126	26518	28812	30063							

RFS



RM



RCS



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14071	14436	14901	15407	15829	16560	17714	18951	19781	21019	22581	24353	25717	27897	28376	30035	31287	32061	33101
2125	14507	14929	15407	15857	16335	17095	18220	19598	20498	21806	23931	25324	26688	28713	29234	31118	32187	33228	34227
2250	14929	15449	15857	16335	16842	17770	18909	20344	21230	23115	24691	26027	27546	29571	30359	31906	32989	34311	35338
2375	15899	16434	16870	17446	17882	18951	19851	21427	22552	24338	26196	27658	29234	31217	31906	33453	34564	41386	0
2500	16870	17376	17882	18529	18993	20020	21230	22749	24169	25942	27546	29290	30753	33256	33861	35225			
2625	17474	17882	18529	19036	19640	20723	21806	23719	24746	26321	28263	29951	31273	32876					
2750	17812	18389	18951	19528	20062	21300	22439	24408	25632	27095	29557	30753	32145	33861					
2875	18656	19219	19781	20442	20977	22158	23677	25717	27095	28333	30795	32145	33608						
3000	19303	19851	20442	20977	21680	23199	24465	26434	27615	29134	31639	33101							

RAL FARGER

RSS



bredde →

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14858	15252	15632	16195	16602	17446	18614	19978	20878	22158	23734	25281	27082	29374	29838	31596	32947	33748	34831
2125	15308	15688	16152	16673	17221	18023	19219	20597	21581	22918	25098	26519	28094	30162	30724	32722	33861	34958	36013
2250	15773	16293	16673	17221	17770	18656	19851	21370	22355	24282	25999	27363	28938	31132	31906	33608	34733	37785	38798
2375	16743	17320	17812	18389	18839	19894	20934	22552	23776	25688	27546	29248	30724	32862	33608	35197	36379		
2500	17770	18346	18909	19472	20020	21019	22355	23958	25463	27292	28938	30387	32356	34972	35647	37068	37869		
2625	18389	18909	19472	20062	20653	21806	22988	24971	26040	27756	29698	31512	32905	34550					
2750	18698	19387	19978	20555	21145	22439	23635	25717	26954	28530	31076	32384	33819	35605					
2875	19640	20231	20878	21525	22130	23283	24929	27095	28473	29823	32483	33819	35324						
3000	20344	20934	21483	22130	22805	24465	25787	27812	29092	30696	33284	33988							

NB; Port høyde 2125 og 2100 lik pris

RCS




bredde →

- Anthracite (similar to RAL 7016)
- White (similar to RAL 9016) *
- White (similar to RAL 9012) **
- Silver (similar to RAL 9006) **

* refers to K2 RCS, K2 RSS, K2 RFS
** refers to K2 RM


høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	13325	13705	14029	14507	14901	15590	16602	17812	18614	19739	21188	22834	24184	26210	26632	28263	29388	30162	31132
2125	13705	14071	14436	14929	15407	16096	17179	18346	19219	20386	22454	23805	25028	26913	27391	29163	30162	31189	32103
2250	14071	14563	14929	15407	15829	16673	17714	19036	19851	21581	23129	24494	25774	27743	28446	29838	30795	33706	34719
2375	15027	15477	15899	16406	16842	17770	18614	20062	21145	22805	24522	25971	27349	29318	29838	31287	32314	37251	
2500	15899	16406	16870	17446	17854	18740	19894	21370	22664	24282	25802	27321	28784	31175	31695	32989	33988		
2625	16434	16870	17446	17882	18473	19444	20442	22228	23199	24690	26519	28094	29290	30767					
2750	16743	17320	17812	18346	18839	19978	21019	22861	23958	25379	27701	28854	30120	31667					
2875	17573	18079	18614	19219	19683	20780	22158	24113	25365	26546	28924	30134	31442						
3000	18164	18656	19219	19683	20344	21806	22918	24690	25843	27278	29627	31006							

RSS



bredde →

RFS



bredde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14071	14436	14858	15308	15773	16490	17573	18839	19683	20878	22370	23903	25492	27672	28151	29810	31006	31850	32876
2125	14507	14901	15252	15773	16293	16968	18121	19387	20273	21581	23678	24944	26407	28460	28896	30753	31822	32933	33903
2250	14901	15407	15773	16251	16743	17573	18656	20119	20977	22805	24409	25985	27124	29262	29979	31540	32553	35633	36660
2375	15829	16406	16771	17376	17770	18698	19683	21230	22355	24113	25858	27433	28854	30935	31540	33031	34128		
2500	16842	17320	17854	18389	18909	19851	21019	22552	23958	25688	27236	28910	30359	32905	33481	34831	35549		
2625	17376	17854	18389	18951	19472	20555	21610	23522	24465	26082	27982	29627	30935	32525					
2750	17714	18304	18839	19387	19894	21103	22158	24169	25309	26814	29262	30429	31765	33425					
2875	18572	19106	19683	20273	20836	21891	23424	25463	26743	28037	30528	31793	33200						
3000	19219	19739	20231	20836	21525	23044	24240	26110	27250	28811	31287	32694							

RCS



bredde →

DECORS - GROUP II

høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14043	14422	14774	15294	15702	16504	17601	18839	19697	21019	22511	24156	25605	27771	28235	29909	31175	32033	33116
2125	14493	14872	15294	15744	16279	17053	18164	19486	20400	21680	23805	25155	26589	28587	29107	30978	32033	33214	34227
2250	14915	15379	15744	16279	16785	17685	18811	20231	21159	22960	24620	26139	27419	29459	30232	31822	32834	35830	36857
2375	15815	16335	16799	17348	17840	18839	19781	21314	22482	24212	26125	27715	29163	31146	31765	33326	34395	39473	0
2500	16799	17306	17840	18431	18909	19922	21089	22693	24043	25787	27419	29205	30654	33116	33762	35183			
2625	17348	17840	18431	18951	19542	20625	21736	23635	24676	26321	28235	29937	31259	32890					
2750	17714	18346	18839	19458	19978	21216	22327	24366	25534	27081	29543	30795	32187	33847					
2875	18557	19120	19697	20358	20892	22046	23536	25618	26968	28304	30823	32173	33594						
3000	19247	19781	20358	20934	21581	23115	24423	26321	27517	29148	31639	33116							

RSS



bredde →

RFS



høyde	2200	2300	2400	2500	2600	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
2000	14760	15252	15618	16124	16574	17348	18515	19866	20780	22046	23650	25239	26969	29220	29740	31512	32778	33706	34817
2125	15252	15674	16096	16602	17151	17939	19120	20512	21469	22875	25056	26603	27982	30035	30654	32581	33706	34930	36027
2250	15674	16166	16602	17095	17643	18557	19781	21314	22214	24169	25858	27307	28840	30992	31822	33481	34550	37757	38770
2375	16673	17278	17685	18290	18768	19823	20822	22439	23635	25534	27419	28994	30598	32750	33425	35042	36210		
2500	17685	18206	18811	19415	19922	20934	22214	23874	25379	27193	28840	30710	32243	34831	35507	37012	37813		
2625	18290	18811	19415	19978	20569	21680	22875	24873	25942	27728	29684	31484	32890	34550					
2750	18656	19275	19866	20456	21047	22327	23494	25618	26870	28515	31076	32342	33805	35563					
2875	19542	20147	20780	21399	22003	23199	24844	26968	28347	29781	32398	33805	35324						
3000	20231	20822	21399	22003	22763	24366	25688	27728	28951	30653	33284	34817							

NB; Port høyde 2125 og 2100 lik pris

Handtak / sort, standard på høyre side sett utenfra	stk	144
Handtak tosidig / sort, standard på høyre side sett utenfra	stk	274
Handtak / sølv, standard på høyre side sett utenfra	stk	518
Håndtak med lås / sort, lås en side	stk	979
Håndtak med lås / sølv, lås en side	stk	1051
Tilegg for tosidig lås max br. 5m (ikke port med passdoor)	stk	590
Lavt beslag type L (120mm), max Bredde 4500 tom Høyde 2500	set	806
Lavt beslag type L (120mm), fom Bredde 4500 tom Høyde 3000	set	1094
Lavt beslag type SL (80mm), må bruke portåpner	set	1008
Beslag type H (min.450mm), ikke pass door(åpner info)	set	2304
IP seksjon med dobbelt glass pr. m. max bredde 5m / alu farget		
Lakkering av IP seksjon i RAL farge pr. m		
Passdoor D2 R, terskel 90mm, max port br. 5000mm		
Passdoor D2 R, terskel 20mm, max port br. 4000mm		
Antipanic look, med betjenings tandtak		
Antipanic look, med betjeningslist		
Lakkering av ramme for passdoor D2 R		
multi-point pass door look, på forespørsel		
Vindu L2, utv. 633 x 332mm, sort (skrudd)	stk	878
Vindu L10, 532mm x 345mm, hvit eller brun	stk	1037
Matt glass for vinduer	stk	360
Vindu L3, 603 x 203mm, sort (skrudd)	stk	763
Oval vindu R10, spring-look,663 x 343mm, sort	stk	1210
Decor, Cross, Diamnod, Sunburst 1, Sunburst 3, Sunburst 4,	stk	360
Rundt vindu R3, utv dia 330mm, glass 6mm blank eller rustfritt	stk	2059
Rektangulært vindu / rustfri ramme L4, 310mm x310mm	stk	3125
Smalt vindu / rustfri ramme L5, 310mm x310mm	stk	4277
Rektangulært vindu / rustfri ramme L6, 610mm x203mm	stk	1872
PVC ventil ikke lukkbar, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	389
PVC ventil lukkbar, 344 x 138mm, sort, hvit (ikke K2 RA)	stk	518
galv opphengsjern, 2000mm	stk	288
Vindu type ALPHA / utv. Mål 280 * 280 / Børsted aluminium	stk	0
Vindu type ZETA / utv.dia 280 / Børsted aluminium	stk	0
Vindu type SIGMA / utv. Mål 610 * 200 / Børsted aluminium	stk	0

Prisene gjelder ved tilvalg til port.
Ved enkelt kjøp egne priser + 50%

width	≤2599	2600 - 3431	3432 - 4264	4265 - 5500
max. qty of windows in steel section	2	3	4	5

* the number of L10 windows in the case of raised panel sections results from the number of raised panels per section (window L10 are not available in width 0-2158, 2531-2665, 2801-2923, 3351-4856, >5000)


IMPORTANT: applies to garage doors without service door

TABLE - MAX. QUANTITY OF L5

width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
max. qty of windows in steel section		1		

TABLE - QUANTITY OF WINDOWS IN IP SECTION


width	≤2500	2501 - 3500	3501 - 4500	4501 - 5000
qty of windows in IP section	2	3	4	5



Sunburst 4 decorative insert (set) for L10 window




Sunburst 3 decorative insert (set) for L10 window



window L10




Cross decorative insert for L10 window



Sunburst 1 decorative insert for L10 window



Diamond decorative insert for L10 window



window L4



window L5



window L6




window L3



window L2



window R10



window R3



ventilation grille

ACCESSORIES FOR DOORS VENTE



grip, black




lock with grip, black



hand bolt



bottom roll holder with adjustment



multipoint lock



door closer lock



door closer stop (bumpers)



intel profile hook



SAN R



mounting kit

Tekniske spesifikasjoner

Alu elementer 77mm x 15mm /skummet isolasjon.
 Motordrift, nøkkel br / evnet Somfy styreskap
 Sikkerhets system / ved bruk av sendere trådbundet sikkerhetslist
 RGZ leveres med deksel over rullen, innv. evnt utvendig montering
 Overhøyde 300 mm, porthøyde 2750mm kreves 360mm overhøyde
 Produsert etter ISO:9001. Godkjent etter EU 13241-1.
 Leverer i tilpassede bredder, max bredde 5500mm, max høyde 4120mm
 høyde avhengig av portens bredde.



Sideskinner 89 mm Sideskinner 110 mm

lakkerte, folie / se farge utvalg i brosjyre, pridene er estimerte, nøyaktig pris etter avtale.

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva

høyde →	tom.2000 mm		tom. 2250		tom. 2500		tom. 2850	
bredde mm	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva

Enkelt dører.

Singel - blad dør uten horisontal bar, leveres i type åpne ut eller inn.

MB 60E profile system (karm 60mm / dørblad 40mm)

Dobbel side tettning

Aluminium dør terskel isolert (20mm høy)

Sylinder lås, syrfaste justerbare hengsler

Hengsler, håndtak, eloksert i farge sort.

Min. dimisjon bredde 750mm x høyde 1800mm

Max. dimisjon bredde 1200mm x høyde 2400mm

*for DB RA dør; min. bredde 880mm max 1180mm



RC	RS	RF	RA ¹⁾
Anthracite 7016 White 9016 Brown 8014	Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 White 9016 ²⁾ Brown 8014
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾

høyde/bredde	900	1100	1200
2100	9370,08	10160,64	10510,56
	11404,80	12363,84	12817,44
2300	9836,64	10614,24	11495,52
	12000,96	12947,04	14009,76
2400	10614,24	11469,60	11845,44
	12947,04	13944,96	14424,48

priser eks. mva



RCS	RSS	RM	RFS	T7
Anthracite 7016 White 9016	Anthracite 7016 White 9016	Anthracite 7016 Silver 9006	Anthracite 7016 White 9016	White 02 Dark Brown 08 Silver 01 Gray 03 Golden Oak 30 Green Fir 17 Anthracite 23 Brown 09 Red 12
RAL ³⁾	RAL ³⁾	RAL ³⁾	RAL ³⁾	
Decors - group I ⁴⁾	Decors - group I ⁴⁾	-	Decors - group I ⁴⁾	
Decors - group II ⁴⁾	Decors - group II ⁴⁾	-	Decors - group II ⁴⁾	

1) DB RA/ RAS dører i høyde 2017 - 2099mm og 2187 - 2209mm lages ikke

DB RA/ RAS dører er bare tilgjengelige i speil type A (520 x 330mm)

2) Dør karm og dørblad i RAL 9016 (inn og utvendig)

3) Alle RAL farger unntatt for pearl, metalick, fluorescent (på forespørsel)
to-sidig lakkering av dør blad og utvendig dør karm


4) Dør blad og karm i RAL 8007 (utvendig og innvendig)

5) Dør blad og karm i RAL 8014 (utvendig og innvendig)

6) Dør blad og karm dekor utvendig, RAL 9016 innvendig.

høyde/bredde	900	1100	1200
2125	10342,08	11301,12	11715,84
	12000,96	13024,80	13582,08
	11560,32	12648,96	13115,52
	12324,96	13335,84	13944,96
2250	10873,44	11806,56	12299,04
	12623,04	13698,72	14243,04
	12156,48	13258,08	13750,56
	12960,00	14035,68	14631,84
2400	11780,64	12752,64	13284,00
	11767,68	14800,32	15383,52
	11352,96	14307,84	14839,20
	12065,76	15150,24	15785,28

DOBBELT DØRER OG DB61, PIS PÅ FORESPØRSEL



WOODGRAIN Clasic, standard størrelser

KAMPANJE PORTER

RAL 9016

RAL 7016

RAL 9005

bredde	høyde	hvit 9016	anthracite 7016	Sort 9005
2200, 2300, 2375, 2400	2000	8324,68	8324,68	8324,68
	2125	8586,76	8586,76	8586,76
	2250	8848,84	8848,84	8848,84
	2375	9285,64	9285,64	9285,64
	2500	9897,16	9897,16	9897,16
2500	2000	8608,60	8608,60	8608,60
	2125	8586,76	8586,76	8586,76
	2250	9110,92	9110,92	9110,92
	2375	9482,20	9482,20	9482,20
	2500	10050,04	10050,04	10050,04
2600	2000	8870,68	8870,68	8870,68
	2125	9154,60	9154,60	9154,60
	2250	9438,52	9438,52	9438,52
	2375	9744,28	9744,28	9744,28
	2500	10312,12	10312,12	10312,12
2700	2000	9067,24	9067,24	9067,24
	2125	9351,16	9351,16	9351,16
	2250	9635,08	9635,08	9635,08
	2375	9962,68	9962,68	9962,68
	2500	10552,36	10552,36	10552,36
2800	2000	9241,96	9241,96	9241,96
	2125	9547,72	9547,72	9547,72
	2250	9853,48	9853,48	9853,48
	2375	10333,96	10333,96	10333,96
	2500	10792,60	10792,60	10792,60
2900	2000	9482,20	9482,20	9482,20
	2125	9809,80	9809,80	9809,80
	2250	10115,56	10115,56	10115,56
	2375	10443,16	10443,16	10443,16
	2500	11120,20	11120,20	11120,20
3000	2000	9678,76	9678,76	9678,76
	2125	9984,52	9984,52	9984,52
	2250	10312,12	10312,12	10312,12
	2375	10770,76	10770,76	10770,76
	2500	11360,44	11360,44	11360,44

NB; Port høyde 2125 og 2100 lik pris

Leveres med 1 stk. torsjonsfjær, uten skruer for feste av beslag til karm. Ingen avstand skinne medfølger
Portene leveres som standard med beslag for 210 mm overhøyde, kan levere skinnesystem L 120mm

Marantec

Marantec portåpnere

Soft start og stopp, enkel programering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 leveres med 2 stk. sendere Bilinked
 Produsert i Tyskland



Portåpnere porthøyde

Skinne type	nr.11, tom. 2250mm		nr.12, tom. 2500mm		nr.13, tom. 3250mm	
	eks. mva	inkl. mva	eks. mva	inkl. mva	eks. mva	inkl. mva
Comfort 260	3275	4094	3725	4656	3875	4844
Comfort 370	4025	5031	4625	5781	4925	6156
Comfort 280	3725	4656	4175	5219	4325	5406

Motorhoder	eks. mva	inkl. mva	Skinner	eks. mva	inkl. mva
motorhode komfort 260	2825	3531	SZ nr.11 - S → 2250 mm	725	906
motorhode komfort 370	3425	4281	SZ nr.12 - S → 2500 mm	1025	1281
motorhode komfort 280	3335	4169	SZ nr.13 - S → 3250 mm	1925	2406
			SZ nr.16 opptil 365 høyde	4775	5969
Div.	eks. mva	inkl. mva		eks. mva	inkl. mva
Sender mini 2 ch. Multibit	672	840	mottaker Bil., 868hz.	820	1025
Sender mini 4 kanal	760	950	Kodetastatur Bilinked	1210	1513
Sender micro 3 kanal	760	950	Innv. betjening sender, bil.	850	1063
Sender mini 2 ch. Bilinked	790	988	Fotocelle /	1000	1250
Sender mini 3 ch. Bilinked	850	1063	Multi-Function / 8000 serien	550	688
Sender mini 4 ch. Bilinked	850	1063	Glidebrakett for skinne	90	113
			Domino kodepanel	700	875

Starcus Portåpnere

Stracus, lerandør Krispol.

Soft start og stopp, enkel programering
 Innelukket belte i C - skinne, krever 35mm
 Ledd lamper, slukker etter ca. 5 min.
 hastighet 16 cm/sec
 Starcus leveres med 2 stk. Sendere (433HZ)



Starcus åpner max. porthøyde 2250mm				eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.				2726	3407
Mod 1000 / 2 sendere 3 ch.				3230	4037

Starcus åpner max. porthøyde 2500mm				eks. mva	inkl. mva
Mod 600/ 2 sendere 3 ch.				3129	3911
Mod 1000 / 2 sendere 3 ch.				3331	4163

Div. Tilbehør				eks. mva	inkl. mva
Motorhode Starcus 600				1743	2179
Motorhode Starcus 1000				1995	2494
skinne belte lende 3160mm				1491	1864
skinne belte lende 4060mm				2121	2651
sender, 3 ch				609	761
sender, 4 ch				735	919
kodetastatur				1239	1549
WI FI Starcus connetor gate				1491	1864